

Date: April 7, 2004

Express Mail Label No. EV 052029296 US

Inventors: Inga Reynisdottir, Jeffrey R. Gulcher, Struan F. Grant and Gudmar Thorleifsson

Attorney's Docket No.: 2345.2049-005

HUMAN TYPE II DIABETES GENE – Kv CHANNEL-INTERACTING  
PROTEIN (KChIP1) LOCATED ON CHROMOSOME 5

RELATED APPLICATIONS

This application is a continuation-in-part of International Application No. PCT/US03/34681, which designated the United States and was filed on October 31, 2003, published in English, which claims priority to U.S. Provisional Application No. 60/477,111 filed June 9, 2003, and to U.S. Provisional Application No. 60/449,945, filed on February 25, 2003, and also to U.S. Provisional Application No. 60/423,545, filed on November 1, 2002, the entire contents of all applications are incorporated herein by reference.

BACKGROUND OF THE INVENTION

Diabetes mellitus, a metabolic disease in which carbohydrate utilization is reduced and lipid and protein utilization is enhanced, is caused by an absolute or relative deficiency of insulin. In the more severe cases, diabetes is characterized by chronic hyperglycemia, glycosuria, water and electrolyte loss, ketoacidosis and coma. Long term complications include development of neuropathy, retinopathy, nephropathy, generalized degenerative changes in large and small blood vessels and increased susceptibility to infection. The most common form of diabetes is Type II, non-insulin-dependent diabetes that is characterized by hyperglycemia due to impaired insulin secretion and insulin resistance in target tissues. Both genetic and environmental factors contribute to the disease. For example, obesity plays a major role in the development of the disease. Type II diabetes is often a mild form of diabetes mellitus of gradual onset.

The health implications of Type II diabetes are enormous. In 1995, there were 135 million adults with diabetes worldwide. It is estimated that close to 300 million will have diabetes in the year 2025. (King H., *et al.*, *Diabetes Care*, 21(9): 1414-1431 (1998)). The prevalence of Type II diabetes in the adult population in Iceland is 2.5% (Vilbergsson, S., *et al.*, *Diabet. Med.*, 14(6): 491-498 (1997)), which comprises approximately 5,000 people over the age of 34 who have the disease. The high prevalence of the disease and increasing population affected shows an unmet medical need to define the genetic factors involved in Type II diabetes to more precisely define the associated risk factors. Also needed are therapeutic agents for prevention of Type II diabetes.

#### SUMMARY OF THE INVENTION

As described herein, a locus on chromosome 5q35 has been demonstrated which plays a major role in Type II diabetes. The locus, referred to as the Type II diabetes locus, comprises a nucleic acid that encodes, KChIP1.

The present invention relates to genes located within the Type II diabetes - related locus, particularly nucleic acids comprising the KChIP1 gene, and the amino acids encoded by these nucleic acids. The invention further relates to pathway targeting for drug delivery and diagnosis in identifying those who have Type II diabetes and those at risk of developing Type II diabetes. Also described are haplotypes and SNPs that can be used to identify individuals with Type II diabetes or at risk of developing Type II diabetes, particularly in those that are non-obese. As a consequence, intervention can be prescribed to these individuals before symptoms of the disease present, *e.g.*, dietary changes, exercise and/or medication. Identification of genes in the Type II diabetes locus can pave the way for a better understanding of the disease process, which in turn can lead to improved diagnostics and therapeutics.

The present invention pertains to methods of diagnosing a susceptibility to Type II diabetes in an individual, comprising detecting a polymorphism in a KChIP1 nucleic acid, wherein the presence of the polymorphism in the nucleic acid is indicative of a susceptibility to Type II diabetes. The invention additionally pertains to methods of diagnosing Type II diabetes in an individual, comprising detecting a

polymorphism in a KChIP1 nucleic acid, wherein the presence of the polymorphism in the nucleic acid is indicative of Type II diabetes. In one embodiment, in diagnosing Type II diabetes or susceptibility to Type II diabetes by detecting the presence of a polymorphism in a KChIP1 nucleic acid, the presence of the  
5 polymorphism in the KChIP1 nucleic acid can be indicated, for example, by the presence of one or more of the polymorphisms indicated in Table 10.

In other embodiments, the invention relates to methods of diagnosing a susceptibility to Type II diabetes in an individual, comprising detecting an alteration in the expression or composition of a polypeptide encoded by a KChIP1 nucleic acid  
10 in a test sample, in comparison with the expression or composition of a polypeptide encoded by a KChIP1 nucleic acid in a control sample, wherein the presence of an alteration in expression or composition of the polypeptide in the test sample is indicative of a susceptibility to Type II diabetes. The invention additionally relates to a method of diagnosing Type II diabetes in an individual, comprising detecting an  
15 alteration in the expression or composition of a polypeptide encoded by a KChIP1 nucleic acid in a test sample, in comparison with the expression or composition of a polypeptide encoded by KChIP1 nucleic acid in a control sample, wherein the presence of an alteration in expression or composition of the polypeptide in the test sample is indicative of Type II diabetes.

20 The invention also relates to an isolated nucleic acid molecule comprising a KChIP1 nucleic acid (*e.g.*, SEQ ID NO: 1 or the complement of SEQ ID NO:1). In certain embodiments, the KChIP1 nucleic acid comprises one or more nucleotide sequence(s) selected from the group of nucleic acid sequences as shown in Table 10 (*e.g.*, SEQ ID NOs: 114-258) and the complements of the group of nucleic acid  
25 sequences as shown in Table 10. For example, in certain embodiments, the nucleotide sequence contains one or more polymorphism(s), such as those shown in Table 10. In another embodiment, the invention relates to an isolated nucleic acid molecule which hybridizes under high stringency conditions to a nucleotide sequence selected from the group of SEQ ID NO: 1 and the complement of SEQ ID NO: 1. In certain  
30 embodiments, the isolated nucleic acid molecule hybridizes under high stringency conditions to a nucleotide sequence comprising one or more nucleotide sequence(s)

selected from the group of nucleic acid sequences as shown in Table 10 (*e.g.*, SEQ ID NOs: 114-258) and the complements of the group of nucleic acid sequences as shown in Table 10. For example, in certain embodiments, the nucleotide sequence contains one or more polymorphism(s), such as those shown in Table 10.

5        Also contemplated by the invention is a method of assaying for the presence of a first nucleic acid molecule in a sample, comprising contacting said sample with a second nucleic acid molecule, where the second nucleic acid molecule comprises at least one (or more) nucleic acid sequence(s) selected from the group of SEQ ID NOs: 1 and 114-258, inclusive, wherein the nucleic acid sequence hybridizes to the first  
10       nucleic acid under high stringency conditions. In certain embodiments, the second nucleic acid molecule contains one or more polymorphism(s), such as those shown in Table 10.

      The invention also relates to a vector comprising an isolated nucleic acid molecule of the invention (*e.g.*, SEQ ID NOs: 1 and 114-258; optionally including  
15       one or more of the polymorphisms shown in Table 10) operably linked to a regulatory sequence, as well as to a recombinant host cell comprising the vector. The invention also provides a method for producing a polypeptide encoded by an isolated nucleic acid molecule having a polymorphism, comprising culturing the recombinant host cell under conditions suitable for expression of the nucleic acid molecule.

20       Also contemplated by the invention is a method of assaying for the presence of a polypeptide encoded by an isolated nucleic acid molecule of the invention in a sample, the method comprising contacting the sample with an antibody that specifically binds to the encoded polypeptide.

      The invention further pertains to a method of identifying an agent that alters  
25       expression of a KChIP1 nucleic acid, comprising: contacting a solution containing a nucleic acid comprising the promoter region of the KChIP1 gene operably linked to a reporter gene, with an agent to be tested; assessing the level of expression of the reporter gene in the presence of the agent; and comparing the level of expression of the reporter gene in the presence of the agent with a level of expression of the reporter  
30       gene in the absence of the agent; wherein if the level of expression of the reporter gene in the presence of the agent differs, by an amount that is statistically significant,



from the level of expression in the absence of the agent, then the agent is an agent that alters expression of the KChIP1 gene or nucleic acid. An agent identified by this method is also contemplated.

The invention additionally comprises a method of identifying an agent that  
5 alters expression of a KChIP1 nucleic acid, comprising contacting a solution containing a nucleic acid of the invention or a derivative or fragment thereof, with an agent to be tested; comparing expression of the nucleic acid, derivative or fragment in the presence of the agent with expression of the nucleic acid, derivative or fragment in the absence of the agent; wherein if expression of the nucleic acid, derivative or  
10 fragment in the presence of the agent differs, by an amount that is statistically significant, from the expression in the absence of the agent, then the agent is an agent that alters expression of the KChIP1 nucleic acid. In certain embodiments, the expression of the nucleic acid, derivative or fragment in the presence of the agent comprises expression of one or more splicing variants(s) that differ in kind or in  
15 quantity from the expression of one or more splicing variant(s) the absence of the agent. Agents identified by this method are also contemplated.

Representative agents that alter expression of a KChIP1 nucleic acid contemplated by the invention include, for example, antisense nucleic acids to a KChIP1 gene or nucleic acid; a KChIP1 gene or nucleic acid; a KChIP1 polypeptide;  
20 a KChIP1 gene or nucleic acid receptor, or other receptor; a KChIP1 binding agent; a peptidomimetic; a fusion protein; a prodrug thereof; an antibody; and a ribozyme. A method of altering expression of a KChIP1 nucleic acid, comprising contacting a cell containing a nucleic acid with such an agent is also contemplated.

The invention further pertains to a method of identifying a polypeptide which  
25 interacts with a KChIP1 polypeptide (*e.g.*, a KChIP1 polypeptide encoded by a nucleic acid of the invention, such as a nucleic acid comprising one or more polymorphism(s) indicated in Table 10), comprising employing a yeast two-hybrid system using a first vector which comprises a nucleic acid encoding a DNA binding domain and a KChIP1 polypeptide, splicing variant, or a fragment or derivative  
30 thereof, and a second vector which comprises a nucleic acid encoding a transcription activation domain and a nucleic acid encoding a test polypeptide. If transcriptional

activation occurs in the yeast two-hybrid system, the test polypeptide is a polypeptide, which interacts with a KChIP1 polypeptide.

In certain methods of the invention, a Type II diabetes therapeutic agent is used. The Type II diabetes therapeutic agent can be an agent that alters (*e.g.*,  
5 enhances or inhibits) KChIP1 polypeptide activity and/or KChIP1 nucleic acid expression, as described herein (*e.g.*, a nucleic acid agonist or antagonist).

Type II diabetes therapeutic agents can alter polypeptide activity or nucleic acid expression of a KChIP1 nucleic acid by a variety of means, such as, for example, by providing additional polypeptide or upregulating the transcription or translation of  
10 the nucleic acid encoding the KChIP1 polypeptide; by altering posttranslational processing of the KChIP1 polypeptide; by altering transcription of splicing variants; or by interfering with polypeptide activity (*e.g.*, by binding to the KChIP1 polypeptide, or by binding to another polypeptide that interacts with KChIP1, such as a KChIP1 binding agent as described herein), by altering (*e.g.*, downregulating) the  
15 expression, transcription or translation of a nucleic acid encoding KChIP1; or by altering interaction among KChIP1 and a KChIP1 binding agent.

In a further embodiment, the invention relates to Type II diabetes therapeutic agent, such as an agent selected from the group consisting of: a KChIP1 nucleic acid or fragment or derivative thereof; a polypeptide encoded by a KChIP1 nucleic acid  
20 (*e.g.*, encoded by a KChIP1 nucleic acid having one or more polymorphism(s) such as those set forth in Table 10); a KChIP1 receptor; a KChIP1 binding agent; a peptidomimetic; a fusion protein; a prodrug; an antibody; an agent that alters KChIP1 gene or nucleic acid expression; an agent that alters activity of a polypeptide encoded by a KChIP1 gene or nucleic acid; an agent that alters posttranscriptional processing  
25 of a polypeptide encoded by a KChIP1 gene or nucleic acid; an agent that alters interaction of a KChIP1 polypeptide with a KChIP1 binding agent or receptor; an agent that alters transcription of splicing variants encoded by a KChIP1 gene or nucleic acid; and ribozymes. The invention also relates to pharmaceutical compositions comprising at least one Type II diabetes therapeutic agent as described  
30 herein.

The invention also pertains to a method of treating a disease or condition associated with a KChIP1 polypeptide (*e.g.*, Type II diabetes) in an individual, comprising administering a Type II diabetes therapeutic agent to the individual, in a therapeutically effective amount. In certain embodiments, the Type II diabetes  
5 therapeutic agent is a KChIP1 agonist; in other embodiments, the Type II diabetes therapeutic agent is a KChIP1 antagonist. The invention additionally pertains to use of a Type II diabetes therapeutic agent as described herein, for the manufacture of a medicament for use in the treatment of Type II diabetes, such as by the methods described herein.

10 A transgenic animal comprising a nucleic acid selected from the group consisting of: an exogenous KChIP1 gene or nucleic acid and a nucleic acid encoding a KChIP1 polypeptide, is further contemplated by the invention.

In yet another embodiment, the invention relates to a method for assaying a sample for the presence of a KChIP1 nucleic acid, comprising contacting the sample  
15 with a nucleic acid comprising a contiguous nucleotide sequence which is at least partially complementary to a part of the sequence of said KChIP1 nucleic acid under conditions appropriate for hybridization, and assessing whether hybridization has occurred between a KChIP1 nucleic acid and said nucleic acid comprising a contiguous nucleotide sequence which is at least partially complementary to a part of  
20 the sequence of said KChIP1 nucleic acid; wherein if hybridization has occurred, a KChIP1 nucleic acid is present in sample. In certain embodiments, the contiguous nucleotide sequence is completely complementary to a part of the sequence of said KChIP1 nucleic acid. If desired, amplification of at least part of said KChIP1 nucleic acid can be performed.

25 In certain other embodiments, the contiguous nucleotide sequence is 100 or fewer nucleotides in length and is either at least 80% identical to a contiguous sequence of nucleotides of one or more of SEQ ID NOs: 1 and 114-258; at least 80% identical to the complement of a contiguous sequence of nucleotides of one or more of SEQ ID NOs: 1 and 114-258; or capable of selectively hybridizing to said KChIP1  
30 nucleic acid.

In other embodiments, the invention relates to a reagent for assaying a sample for the presence of a KChIP1 gene or nucleic acid, the reagent comprising a contiguous nucleotide sequence which is at least partially complementary to a part of the nucleic acid sequence of said KChIP1 gene or nucleic acid; or comprising a  
5 contiguous nucleotide sequence which is completely complementary to a part of the nucleic acid sequence of said KChIP1 gene or nucleic acid. Also contemplated by the invention is a reagent kit, *e.g.*, for assaying a sample for the presence of a KChIP1 nucleic acid, comprising (*e.g.*, in separate containers) one or more labeled nucleic acids comprising a contiguous nucleotide sequence which is at least partially  
10 complementary to a part of the nucleic acid sequence of the KChIP1 nucleic acid, and reagents for detection of said label. In certain embodiments, the labeled nucleic acid comprises a contiguous nucleotide sequence that is completely complementary to a part of the nucleotide sequence of said KChIP1 gene or nucleic acid. In other embodiments, the labeled nucleic acid can comprise a contiguous nucleotide sequence  
15 which is at least partially complementary to a part of the nucleotide sequence of said KChIP1 gene or nucleic acid, and which is capable of acting as a primer for said KChIP1 nucleic acid when maintained under conditions for primer extension.

The invention also provides for the use of a nucleic acid which is 100 or fewer nucleotides in length and which is either: a) at least 80% identical to a contiguous  
20 sequence of nucleotides of one or more of SEQ ID NOs: 1 and 114-258; b) at least 80% identical to the complement of a contiguous sequence of nucleotides of one or more of SEQ ID NOs: 1 and 114-258; or c) capable of selectively hybridizing to said KChIP1 nucleic acid, for assaying a sample for the presence of a KChIP1 nucleic acid.

25 In yet another embodiment, the use of a first nucleic acid which is 100 or fewer nucleotides in length and which is either: a) at least 80% identical to a contiguous sequence of nucleotides of one or more of SEQ ID NOs: 1 and 114-258; b) at least 80% identical to the complement of a contiguous sequence of nucleotides of one or more of SEQ ID NOs: 1 and 114-258; or c) capable of selectively  
30 hybridizing to said KChIP1 nucleic acid; for assaying a sample for the presence of a KChIP1 gene or nucleic acid that has at least one nucleotide difference from the first

nucleic acid (*e.g.*, a SNP as set forth in Table 10), such as for diagnosing a susceptibility to a disease or condition associated with a KChIP1.

The invention also relates to a method of diagnosing Type II diabetes or a susceptibility to Type II diabetes in an individual, comprising determining the presence or absence in the individual of certain “haplotypes” (combinations of genetic markers). In one aspect of the invention of diagnosing a susceptibility of the disease, methods are described comprising screening for one of the at-risk haplotypes in the KChIP1 gene that is more frequently present in an individual susceptible to Type II diabetes, compared to the frequency of its presence in the general population, wherein the presence of an at-risk haplotype is indicative of a susceptibility to Type II diabetes. An “at-risk haplotype” is intended to embrace one or a combination of haplotypes described herein over the KChIP1 gene that show high correlation to Type II diabetes. In one embodiment, the at-risk haplotype is characterized by the presence of at least one single nucleotide polymorphisms as described in Table 13. In one embodiment, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises one or more haplotypes identified in Table 2 (haplotypes identified as A1, A2, A3, A4, A5, A6, B1, B2, B3, B4 and B5), Table 4 (haplotypes identified as D1 and D2), Table 5 (haplotypes identified as D2, D3, D4, D5 and D6) or Table 14 (haplotypes identified as Hap E and Hap E’). In certain embodiments, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises markers DG5S879, DG5S881, D5S2075, DG5S883 and DG5S38 at the 5q35 locus; or DG5S1058 and DG5S37 at the 5q35 locus; or DG5S1058, DG5S37 and DG5S101 at the 5q35 locus; or DG5S881, DG5S1058, D5S2075, DG5S883 and DG5S38 at the 5q35 locus; or DG5S879, DG5S1058 and DG5S37; or DG5S881, D5S2075, DG5S883 and DG5S38 at the 5q35 locus; DG5S953, DG5S955, DG5S13 and DG5S959 at the 5q35 locus; or DG5S888 and DG5S953 at the 5q35 locus; or DG5S953, DG5S955 and DG5S124 at the 5q35 locus; or DG5S888, DG5S44 and DG5S953 at the 5q35 locus; or DG5S953, DG5S955, DG5S13, DG5S123, and DG5S959 at the 5q35 locus. The presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. Also described herein is a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes

comprising markers DG5S13, KCP\_1152, and D5S625 at the 5q35 locus; the presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In one particular embodiment, the presence of the -4, 1, 0 haplotype at DG5S13, KCP\_1152, and D5S625 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In another embodiment, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes in an individual, comprises markers DG5S124, KCP\_1152, KCP\_2649, KPC\_4976 and KPC-16152 at the 5q35 locus. In one particular embodiment, the presence of the 0, 1, 1, 3 and 0 haplotype at DG5S124, KCP\_1152, KCP\_2649, KPC\_4976 and KPC-16152 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In another embodiment, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes in an individual, comprises markers KCP\_173982, KCP\_15400, and KCP\_18069. In one particular embodiment, the presence of the 0, 1, 1 haplotype at KCP\_173982, KCP\_15400, and KCP\_18069 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes.

In additional embodiments, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises markers DG5S124, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152 at the 5q35 locus, as well as one of the following 3 markers: KCP\_197678, KCP\_197775, and KCP\_202795 at the 5q35 locus; the presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In particular embodiments, the presence of the 0, 3, 1, 1, 3, 0 haplotype at DG5S124, KCP\_197678, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152; the presence of the 0, 3, 1, 1, 3, 0 haplotype at DG5S124, KCP\_197775, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152; or the presence of the 0, 1, 1, 1, 3, 0 haplotype at DG5S124, KCP\_202795, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152; is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes.

In additional embodiments, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises markers rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048 and KCP\_16152, as well as markers rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234,

KCP\_186048, KCP\_197775 and KCP\_16152 at the 5q35 locus; the presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In particular embodiments, the presence of the G, G, T, C, G, G, A haplotype at rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048 and  
5 KCP\_16152, or the presence of the G, G, T, C, G, G, C, A haplotype at rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048, KCP\_197775 and KCP\_16152 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes.

The presence or absence of the haplotype can be determined by various  
10 methods, including, for example, using enzymatic amplification of nucleic acid from the individual, electrophoretic analysis, restriction fragment length polymorphism analysis and/or sequence analysis.

Also described herein is a method of diagnosing Type II diabetes in an individual, comprising determining the presence or absence in the individual of a  
15 haplotype comprising one or more markers and/or single nucleotide polymorphisms as shown in Table 10, Table 2, Table 4, Table 5, Table 13 and/or Table 14 in the locus on chromosome 5q35, wherein the presence of the haplotype is diagnostic of Type II diabetes. Also contemplated is a method of diagnosing a susceptibility to Type II diabetes in an individual, comprising determining the presence or absence in the  
20 individual of a haplotype comprising one or more markers and/or single nucleotide polymorphisms as shown in Table 10, Table 13 and/or Table 14 in the locus on chromosome 5q35, wherein the presence of the haplotype is diagnostic of a susceptibility to Type II diabetes.

A method for the diagnosis and identification of a susceptibility to Type II  
25 diabetes in an individual is also described, comprising: screening for an at-risk haplotype in the KChIP1 nucleic acid that is more frequently present in an individual susceptible to Type II diabetes compared to an individual who is not susceptible to Type II diabetes, wherein the at-risk haplotype increases the risk significantly. In certain embodiments, the significant increase is at least about 20% or the significant  
30 increase is identified as an odds ratio of at least about 1.2.

In another embodiment, the invention features a method of diagnosing a predisposition or susceptibility to Type II diabetes in a subject, comprising detecting the presence or absence of a genetic marker associated with the KChIP1 gene, the marker having a p-value of  $1 \times 10^{-5}$  or less, wherein the presence of the marker  
5 associated with the KChIP1 gene is indicative of a predisposition or susceptibility to Type II diabetes.

In another embodiment, the invention features a method of diagnosing a predisposition or susceptibility to an Type II diabetes associated condition in a subject, comprising detecting the presence or absence of a genetic marker associated  
10 with the KChIP1 gene, the marker having a p-value of  $1 \times 10^{-5}$  or less, wherein the presence of the marker associated with the KChIP1 gene is indicative of a predisposition or susceptibility to an Type II diabetes associated condition.

In other embodiments, the at-risk haplotype has a relative risk of at least 1.5, at least 2.5 or at least 3.0. In other embodiments, the at-risk haplotype associated with  
15 the TXNIPH gene has a p-value of  $1 \times 10^{-5}$  or less,  $1 \times 10^{-6}$  or less,  $1 \times 10^{-7}$  or less or  $1 \times 10^{-8}$  or less.

A major application of the current invention involves prediction of those at higher risk of developing a Type II diabetes. Diagnostic tests that define genetic factors contributing to Type II diabetes might be used together with or independent of  
20 the known clinical risk factors to define an individual's risk relative to the general population. Better means for identifying those individuals at risk for Type II diabetes should lead to better prophylactic and treatment regimens, including more aggressive management of the current clinical risk factors.

Another application of the current invention is the specific identification of a  
25 rate-limiting pathway involved in Type II diabetes. A disease gene with genetic variation that is significantly more common in diabetic patients as compared to controls represents a specifically validated causative step in the pathogenesis of Type II diabetes. That is, the uncertainty about whether a gene is causative or simply reactive to the disease process is eliminated. The protein encoded by the disease gene  
30 defines a rate-limiting molecular pathway involved in the biological process of Type II diabetes predisposition. The proteins encoded by such Type II genes or its



interacting proteins in its molecular pathway may represent drug targets that may be selectively modulated by small molecule, protein, antibody, or nucleic acid therapies. Such specific information is greatly needed since the population affected with Type II diabetes is growing.

5           A third application of the current invention is its use to predict an individual's response to a particular drug, even drugs that do not act on KChIP1 or its pathway. It is a well-known phenomenon that in general, patients do not respond equally to the same drug. Much of the differences in drug response to a given drug is thought to be based on genetic and protein differences among individuals in certain genes and their  
10       corresponding pathways. Our invention defines the association of KChIP1 with Type II diabetes. Some current or future therapeutic agents may be able to affect this gene directly or indirectly and therefore, be effective in those patients whose Type II diabetes risk is in part determined by the KChIP1 genetic variation. On the other hand, those same drugs may be less effective or ineffective in those patients who do  
15       not have at risk variation in the KChIP1 gene. Therefore, KChIP1 variation or haplotypes may be used as a pharmacogenomic diagnostic to predict drug response and guide choice of therapeutic agent in a given individual.

#### BRIEF DESCRIPTION OF THE DRAWINGS

20           The foregoing and other objects, features and advantages of the invention will be apparent from the following more particular description of preferred embodiments of the invention, as illustrated in the accompanying drawings.

FIG.1.1 through 1.148 show the KChIP1 genomic DNA (SEQ ID NO: 1). This sequence is taken from NCBI Build 33. The numbering in FIG. 1, as well as the  
25       “start” and “end” numbers in all Tables refer to the location in Chromosome 5 in NCBI Build 33. The numbering in FIG. 1 refers to the last base in the line immediately preceding the number; the numbers are in decreasing order because of the “reverse orientation” of the gene.

FIG. 2 shows the amino acid sequence of KChIP1 as published by An *et al.*  
30       *Nature*, 403(6768): 553-6 (2000) (SEQ ID NO: 2).

FIG. 3 shows the nucleic acid sequence (SEQ ID NO: 3) encoding the amino acid sequence of KCHIP1 as published by An *et al* , *Nature*, 403(6768): 553-6 (2000) (SEQ ID NO: 2).

FIG. 4 is a series of graphs showing the results of a genome-wide scan using 906 microsatellite markers. Results are shown for three phenotypes: all Type II diabetics (solid lines), obese Type II diabetics (dotted lines) and non-obese Type II diabetics (dashed lines). The multipoint allele-sharing LOD-score is on the vertical axis, and the centimorgan distance from the P-terminus of the chromosome is on the horizontal axis.

FIG. 5 graphically depicts the multipoint allele-sharing LOD-score of the locus on chromosome 5 after 38 microsatellite markers have been added to the framework set in a 40-cM interval, from 160 cM to 200 cM. Results are shown for the same three phenotypes as in FIG. 4; all Type II diabetics (solid line), non-obese Type II diabetics (dashed line) and obese Type II diabetics (dotted line) the results of a genome-wide scan using 906 microsatellite markers.

FIG. 6 graphically depicts the single-marker and haplotype association within the 1-LOD-drop for 590 non-obese diabetics vs 477 unrelated population controls. The location of the markers and haplotypes is on the horizontal axis and the corresponding two-sided P-value on the vertical axis. All haplotypes with a P-value less than 0.01 are shown. The horizontal bars indicate the span of the corresponding haplotypes and the marker density is shown at the bottom of the figure. All locations refer to NCBI Build 33 and the 1-LOD-drop spans from 167.64 to 171.28 Mb.

FIG. 7 schematically shows the location of genes and markers in region B. The microsatellites used in the locus-wide association study are shown as filled circles at the top. The filled boxes indicate the locations of exons, or clusters of exons, for KCHIP1. The shaded boxes indicated the location and size of the neighboring genes, LCP2, KCNMB1, GABRP and RANBP17, and the grey horizontal lines indicate the span of the five most significant microsatellite haplotypes in the region.

## DETAILED DESCRIPTION OF THE INVENTION

Extensive genealogical information for a population with population-based lists of patients with Type II diabetes has been combined with powerful gene sharing methods to map a locus on chromosome 5q35. Diabetics and their relatives were  
 5 genotyped with a genome-wide marker set including 906 microsatellite markers, with an average marker density of 4cM. Due to the role obesity plays in the development of diabetes, the material was fractionated according to body mass index (BMI). Presented herein are results of a genome wide search of genes that cause Type II diabetes in Iceland.

10

### *Loci Associated with Diabetes*

Evidence for genes causing the early onset monogenic form of diabetes have been previously identified. Mutations in six genes have been discovered that cause MODY, or maturity onset diabetes of the young. MODY1 – MODY6 are due to  
 15 mutations in HNF4a, glucokinase, HNF1a, IPF1, HNF1b and NEUROD1 (MODY1: Yamagata K, *et al.*, *Nature* 384:458-460 (1996); MODY2: Froguel P, F *et al.*, *Nature* 356: 162-164(1992); MODY3: Yamagata, K., *et al.*, *Nature* 384: 455-458 (1996); MODY4: Yoshioka M., *et al.*, *Diabetes* May;46(5):887-94 (1997) MODY5: Horikawa, Y., *et al.*, *Nat. Genet.* 17: 384-385 (1997) MODY6: Kristinsson S.Y., *et*  
 20 *al.*, *Diabetologia* Nov;44(11):2098-103 (2001)).

One gene has been identified as a disease gene that contributes to the late-onset form of diabetes, the calpain 10 gene (CAPN10). CAPN10, was identified though a genome-wide screen of Mexican American sibpairs with diabetes (Horikawa, Y., *et al.*, *Nat. Genet.* 26(2) 163-175(2000)). The risk allele has been  
 25 shown to be associated with impaired regulation of glucose-induced secretion and decreased rate of insulin-stimulated glucose disposal (Lynn, S., *et al.*, *Diabetes*, 51(1): 247-250 (2002); Sreenan, S.K., *et al.*, *Diabetes* 50(9) 2013-2020 (2001) and Baier, L. J., *et al.*, *J. Clin. Invest.* 106(7) R69-73 (2000)).

Many genome-wide screens in a variety of populations have been performed  
 30 that have resulted in major loci for Diabetes. Loci are reported on chromosome 2q37 (Hanis, C.L., *et al.*, *Nat. Genet.*, 13(2):161-166 (1996)), chromosome 15q21 (Cox, *et*

*al.*, *Nat. Genet.* 21(2):213-215 (1999)), chromosome 10q26 (Duggirala, R., *et al.*, *Am. J. Hum. Genet.*, 68(5):1149-1164 (2001)), chromosome 3p (Ehm, M.G., *et al.*, *Am. J. Hum. Genet.*, 66(6):1871-1881 (2000)) in Mexican Americans, and chromosomes 1q21-23 and 11q23-q25 (Hanson R. L. *et al.*, *Am J. Hum Genet.*, 63(4):1130-1138  
 5 (1998)) in PIMA Indians. In the Caucasian population, linkages have been observed to chromosome 12q24 in Finns (Mahtani, *et al.*, *Nat. Genet.*, 14(1):90-4 (1994)), chromosome 1q21-q23 in Americans in Utah (Elbein, S.C., *et al.*, *Diabetes*, 48(5):1175-1182 (1999)), chromosome 3q27-pter in French families (Vionnet, N., *et al.*, *Am. J. Hum. Genet.* 67(6):1470-80 (2000) and chromosome 18p11 in  
 10 Scandinavians (Parker, A., *et al.*, *Diabetes*, 50(3) 675-680 (2001)). A recent study reported a major locus in indigenous Australians on chromosome 2q24.3 (Busfield, F., *et al.*, *Am. J. Hum. Genet.*, 70(2): 349-357 (2002)). Many other studies have resulted in suggestive loci or have replicated these loci.

Association studies have been reported for Type II diabetes. Most of these  
 15 studies show modest association to the disease in a group of people but do not account for the disease. Altshuler *et al.*, reviewed the association work that has been done and concluded that association to only one of 16 genes revealed held up to scrutiny. Altshuler *et al.*, confirmed that the Pro12Ala polymorphism in PPAR $\gamma$  is associated with Type II diabetes. Until now, there have been no linkage studies in Type II  
 20 diabetes linking the disease to chromosome 5q35

### *KChIP1*

The invention described herein has linked Type II diabetes to a gene encoding Kv channel-interacting protein 1 (KChIP1; also known as KCNIP1). In the brain and  
 25 heart, rapidly inactivating (A-type) voltage-gated potassium (Kv) currents operate at subthreshold membrane potentials to control the excitability of neurons and cardiac myocytes. Although pore-forming  $\alpha$ -subunits of the Kv4, or Shal-related, channel family form A-Type currents in heterologous cells, these differ significantly from native A-Type currents. To identify proteins that interacted with the Kv4 subunit, An  
 30 *et al.*, ("Modulation of A-Type potassium channels by a family of calcium sensors" *Nature* 403:553-6 (2000)) used the yeast two-hybrid system with the intracellular

amino terminus of the rat Kv4.3 subunit to screen rat midbrain cDNA libraries. Two Kv channel-interacting proteins were identified and called KChIPs (KChIP-1 and KChIP2). Library screening and database mining identified mouse and human orthologs of these genes. The KChIP1 cDNA encodes a 216-amino acid protein. The

5 KChIPs have 4 EF-hand-like domains and bind calcium ions. Both KChIPs have distinct N termini but share approximately 70% amino acid identity throughout a carboxy-terminal 185-amino acid core domain that contains the 4 EF-hand-like motifs. Although the KChIPs have around 40% amino acid similarity to neuronal calcium sensor-1 and are members of the recoverin /NCS subfamily of calcium-

10 binding proteins, other members of this subfamily, such as hippocalcin, did not interact with Kv4 channels in the yeast 2-hybrid assay. An *et al.*, (*supra*) additionally found that expression of KChIPs and Kv4 together reconstitutes several features of native A-Type currents by modulating the density, inactivation kinetics, and rate of recovery from inactivation of Kv4 channels in heterologous cells. Both KChIPs

15 colocalize and coimmunoprecipitate with brain Kv4 alpha-subunits, and are thus integral components of native Kv4 channel complexes. As the activity and density of neuronal A-Type currents tightly control responses to excitatory synaptic inputs, these KChIPs may regulate A-Type currents, and hence neuronal excitability, in response to changes in intracellular calcium.

20 The glycosphingolipid sulfatide is present in secretory granules and at the surface of pancreatic  $\beta$ -cells (Buschard K, Fredman P. "Sulphatide as an antigen in diabetes mellitus". *Diabetes Nutr Metab* 4:221 –228 (1996)), and antisulfatide antibodies (ASA; IgG1) are found in serum from the majority of patients with newly diagnosed Type I diabetes. Buschard *et al.*, ("Sulfatide controls insulin secretion by

25 modulation of ATP-sensitive K(+)-channel activity and Ca(2+)-dependent exocytosis in rat pancreatic beta-cells" *Diabetes* 51:2514-21 (2002)) demonstrated that sulfatide produced a glucose- and concentration-dependent inhibition of insulin release from isolated rat pancreatic islets. This inhibition of insulin secretion was due to activation of ATP-sensitive K<sup>+</sup>-(K<sub>ATP</sub>) channels in single rat  $\beta$ -cells. No effect of sulfatide was

30 observed on whole-cell Ca<sup>2+</sup>-channel activity or glucose-induced elevation of cytoplasmic Ca<sup>2+</sup> concentration. A key observation was that sulfatide stimulated

Ca<sup>2+</sup>-dependent exocytosis determined by capacitance measurements and depolarized-induced insulin secretion from islets exposed to diazoxide and high external KCl. The monoclonal sulfatide antibody Sulph I as well as ASA-positive serum reduced glucose-induced insulin secretion by inhibition of Ca<sup>2+</sup>-dependent exocytosis. This suggests that sulfatide is important for the control of glucose-induced insulin secretion and that both an increase and a decrease in the sulfatide content have an impact on the secretory capacity of the individual  $\beta$ -cells.

#### ASSESSMENT FOR AT-RISK HAPLOTYPES

A “haplotype,” as described herein, refers to a combination of genetic markers (“alleles”), such as those set forth in Table 2, Table 4, Table 5 and Table 14. In a certain embodiment, the haplotype can comprise one or more alleles, two or more alleles, three or more alleles, four or more alleles, or five or more alleles. The genetic markers are particular “alleles” at “polymorphic sites” associated with KChPI1. A nucleotide position at which more than one sequence is possible in a population (either a natural population or a synthetic population, *e.g.*, a library of synthetic molecules) is referred to herein as a “polymorphic site”. Where a polymorphic site is a single nucleotide in length, the site is referred to as a single nucleotide polymorphism (“SNP”). For example, if at a particular chromosomal location, one member of a population has an adenine and another member of the population has a thymine at the same position, then this position is a polymorphic site, and, more specifically, the polymorphic site is a SNP. Polymorphic sites can allow for differences in sequences based on substitutions, insertions or deletions. Each version of the sequence with respect to the polymorphic site is referred to herein as an “allele” of the polymorphic site. Thus, in the previous example, the SNP allows for both an adenine allele and a thymine allele.

Typically, a reference sequence is referred to for a particular sequence. Alleles that differ from the reference are referred to as “variant” alleles. For example, the reference KChPI1 sequence is described herein by SEQ ID NO: 1. The term, “variant KChPI1”, as used herein, refers to a sequence that differs from SEQ ID NO: 1 but is otherwise substantially similar. The genetic markers that make up the

haplotypes described herein are KChPI1 variants. Additional variants can include changes that affect a polypeptide, *e.g.*, the KChPI1 polypeptide. These sequence differences, when compared to a reference nucleotide sequence, can include the insertion or deletion of a single nucleotide, or of more than one nucleotide, resulting in a frame shift; the change of at least one nucleotide, resulting in a change in the encoded amino acid; the change of at least one nucleotide, resulting in the generation of a premature stop codon; the deletion of several nucleotides, resulting in a deletion of one or more amino acids encoded by the nucleotides; the insertion of one or several nucleotides, such as by unequal recombination or gene conversion, resulting in an interruption of the coding sequence of a reading frame; duplication of all or a part of a sequence; transposition; or a rearrangement of a nucleotide sequence, as described in detail above. Such sequence changes alter the polypeptide encoded by a KChPI1 nucleic acid. For example, if the change in the nucleic acid sequence causes a frame shift, the frame shift can result in a change in the encoded amino acids, and/or can result in the generation of a premature stop codon, causing generation of a truncated polypeptide. Alternatively, a polymorphism associated with Type II diabetes or a susceptibility to Type II diabetes can be a synonymous change in one or more nucleotides (*i.e.*, a change that does not result in a change in the amino acid sequence). Such a polymorphism can, for example, alter splice sites, affect the stability or transport of mRNA, or otherwise affect the transcription or translation of the polypeptide. The polypeptide encoded by the reference nucleotide sequence is the “reference” polypeptide with a particular reference amino acid sequence, and polypeptides encoded by variant alleles are referred to as “variant” polypeptides with variant amino acid sequences.

Haplotypes are a combination of genetic markers, *e.g.*, particular alleles at polymorphic sites. The haplotypes described herein, *e.g.*, having markers such as those shown in Table 6, Table 7, Table 9, Table 11, Table 12, Table 13 and Table 14 are found more frequently in individuals with Type II diabetes than in individuals without Type II diabetes. Therefore, these haplotypes have predictive value for detecting Type II diabetes or a susceptibility to Type II diabetes in an individual. The haplotypes described herein are a combination of various genetic markers, *e.g.*, SNPs

and microsatellites. Therefore, detecting haplotypes can be accomplished by methods known in the art for detecting sequences at polymorphic sites, such as the methods described above.

In certain methods described herein, an individual who is at risk for Type II diabetes is an individual in whom an at-risk haplotype is identified. In one embodiment, the at-risk haplotype is one that confers a significant risk of Type II diabetes. In one embodiment, significance associated with a haplotype is measured by an odds ratio. In a further embodiment, the significance is measured by a percentage. In one embodiment, a significant risk is measured as an odds ratio of at least about 1.2, including but not limited to: 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8 and 1.9. In a further embodiment, an odds ratio of at least 1.2 is significant. In a further embodiment, an odds ratio of at least about 1.5 is significant. In a further embodiment, a significant increase in risk is at least about 1.7 is significant. In a further embodiment, a significant increase in risk is at least about 20%, including but not limited to about 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95% and 98%. In a further embodiment, a significant increase in risk is at least about 50%. It is understood however, that identifying whether a risk is medically significant may also depend on a variety of factors, including the specific disease, the haplotype, and often, environmental factors.

An at-risk haplotype in, or comprising portions of, the KChPI1 gene, is one where the haplotype is more frequently present in an individual at risk for Type II diabetes (affected), compared to the frequency of its presence in a healthy individual (control), and wherein the presence of the haplotype is indicative of Type II diabetes or susceptibility to Type II diabetes.

Standard techniques for genotyping for the presence of SNPs and/or microsatellite markers can be used, such as fluorescent-based techniques (Chen, *et al.*, *Genome Res.* 9, 492 (1999)), PCR, LCR, Nested PCR and other techniques for nucleic acid amplification. In one embodiment, the method comprises assessing in an individual the presence or frequency of SNPs and/or microsatellites in, comprising portions of, the KChPI1 gene, wherein an excess or higher frequency of the SNPs and/or microsatellites compared to a healthy control individual is indicative that the



individual has Type II diabetes, or is susceptible to Type II diabetes. See, for example, Table 6, Table 7, Table 9, Table 11, Table 12 and 13 (below) for SNPs and markers that can form haplotypes that can be used as screening tools. These markers and SNPs can be identified in at-risk haplotypes. For example, an at-risk haplotype  
5 can include microsatellite markers and/or SNPs such as those set forth in Table 2, Table 4, Table 5 and Table 14. The presence of the haplotype is indicative a susceptibility to Type II diabetes, and therefore is indicative of an individual who falls within a target population for the treatment methods described herein.

Haplotype analysis involves defining a candidate susceptibility locus using  
10 LOD scores. The defined regions are then ultra-fine mapped with microsatellite markers with an average spacing between markers of less than 100 kb. All usable microsatellite markers that found in public databases and mapped within that region can be used. In addition, microsatellite markers identified within the deCODE genetics sequence assembly of the human genome can be used.

15 The frequencies of haplotypes in the patient and the control groups using an expectation-maximization algorithm can be estimated (Dempster A. *et al.*, 1977. *J. R. Stat. Soc. B*, 39:1-389). An implementation of this algorithm that can handle missing genotypes and uncertainty with the phase can be used. Under the null hypothesis, the patients and the controls are assumed to have identical frequencies. Using a  
20 likelihood approach, an alternative hypothesis where a candidate at-risk-haplotype, which can include the KChPI1 SNPs, is allowed to have a higher frequency in patients than controls, while the ratios of the frequencies of other haplotypes are assumed to be the same in both groups is tested. Likelihoods are maximized separately under both hypotheses and a corresponding 1-df likelihood ratio statistic is  
25 used to evaluate the statistic significance.

To look for at-risk-haplotypes in the 1-lod drop, for example, association of all possible combinations of genotyped markers is studied, provided those markers span a practical region. The combined patient and control groups can be randomly divided into two sets, equal in size to the original group of patients and controls. The  
30 haplotype analysis is then repeated and the most significant p-value registered is determined. This randomization scheme can be repeated, for example, over 100 times

to construct an empirical distribution of p-values. In a preferred embodiment, a p-value of  $<0.05$  is indicative of an at-risk haplotype.

A detailed discussion of haplotype analysis follows.

## 5 *Haplotype analysis*

Our general approach to haplotype analysis involves using likelihood-based inference applied to NEsted MOdels. The method is implemented in our program NEMO, which allows for many polymorphic markers, SNPs and microsatellites. The method and software are specifically designed for case-control studies where the  
10 purpose is to identify haplotype groups that confer different risks. It is also a tool for studying LD structures.

When investigating haplotypes constructed from many markers, apart from looking at each haplotype individually, meaningful summaries often require putting haplotypes into groups. A particular partition of the haplotype space is a model that  
15 assumes haplotypes within a group have the same risk, while haplotypes in different groups can have different risks. Two models/partitions are nested when one, the alternative model, is a finer partition compared to the other, the null model, *i.e.*, the alternative model allows some haplotypes assumed to have the same risk in the null model to have different risks. The models are nested in the classical sense that the null  
20 model is a special case of the alternative model. Hence traditional generalized likelihood ratio tests can be used to test the null model against the alternative model. Note that, with a multiplicative model, if haplotypes  $h_i$  and  $h_j$  are assumed to have the same risk, it corresponds to assuming that  $f_i/p_i = f_j/p_j$  where  $f$  and  $p$  denote haplotype frequencies in the affected population and the control population respectively.

25 One common way to handle uncertainty in phase and missing genotypes is a two-step method of first estimating haplotype counts and then treating the estimated counts as the exact counts, a method that can sometimes be problematic (*e.g.*, see the information measure section below) and may require randomization to properly evaluate statistical significance. In NEMO, maximum likelihood estimates, likelihood  
30 ratios and p-values are calculated directly, with the aid of the EM algorithm, for the observed data treating it as a missing-data problem.

NEMO allows complete flexibility for partitions. For example, the first haplotype problem described in the Methods section on Statistical analysis considers testing whether  $h_1$  has the same risk as the other haplotypes  $h_2, \dots, h_k$ . Here the alternative grouping is  $[h_1], [h_2, \dots, h_k]$  and the null grouping is  $[h_1, \dots, h_k]$ . The

5 second haplotype problem in the same section involves three haplotypes  $h_1 = G0$ ,  $h_2 = GX$  and  $h_3 = AX$ , and the focus is on comparing  $h_1$  and  $h_2$ . The alternative grouping is  $[h_1], [h_2], [h_3]$  and the null grouping is  $[h_1, h_2], [h_3]$ . If composite alleles exist, one could collapse these alleles into one at the data processing stage, and performed the test as described. This is a perfectly valid approach, and indeed, whether we collapse

10 or not makes no difference if there were no missing information regarding phase. But, with the actual data, if each of the alleles making up a composite correlates differently with the SNP alleles, this will provide some partial information on phase. Collapsing at the data processing stage will unnecessarily increase the amount of missing information. A nested-models/partition framework can be used in this

15 scenario. Let  $h_2$  be split into  $h_{2a}, h_{2b}, \dots, h_{2e}$ , and  $h_3$  be split into  $h_{3a}, h_{3b}, \dots, h_{3e}$ . Then the alternative grouping is  $[h_1], [h_{2a}, h_{2b}, \dots, h_{2e}], [h_{3a}, h_{3b}, \dots, h_{3e}]$  and the null grouping is  $[h_1, h_{2a}, h_{2b}, \dots, h_{2e}], [h_{3a}, h_{3b}, \dots, h_{3e}]$ . The same method can be used to handle composite where collapsing at the data processing stage is not even an option since  $L_C$  represents multiple haplotypes constructed from multiple SNPs.

20 Alternatively, a 3-way test with the alternative grouping of  $[h_1], [h_{2a}, h_{2b}, \dots, h_{2e}], [h_{3a}, h_{3b}, \dots, h_{3e}]$  versus the null grouping of  $[h_1, h_{2a}, h_{2b}, \dots, h_{2e}, h_{3a}, h_{3b}, \dots, h_{3e}]$  could also be performed. Note that the generalized likelihood ratio test-statistic would have two degrees of freedom instead of one.

## 25 *Measuring information*

Even though likelihood ratio tests based on likelihoods computed directly for the observed data, which have captured the information loss due to uncertainty in phase and missing genotypes, can be relied on to give valid p-values, it would still be of interest to know how much information had been lost due to the information being

30 incomplete. Interestingly, one can measure information loss by considering a two-step procedure to evaluating statistical significance that appears natural but happens to

be systematically anti-conservative. Suppose we calculate the maximum likelihood estimates for the population haplotype frequencies calculated under the alternative hypothesis that there are differences between the affected population and control population, and use these frequency estimates as estimates of the observed

5 frequencies of haplotype counts in the affected sample and in the control sample. Suppose we then perform a likelihood ratio test treating these estimated haplotype counts as though they are the actual counts. We could also perform a Fisher's exact test, but we would then need to round off these estimated counts since they are in general non-integers. This test will in general be anti-conservative because treating

10 the estimated counts as if they were exact counts ignores the uncertainty with the counts, overestimates the effective sample size and underestimates the sampling variation. It means that the chi-square likelihood-ratio test statistic calculated this way, denoted by  $\Lambda^*$ , will in general be bigger than  $\Lambda$ , the likelihood-ratio test-statistic calculated directly from the observed data as described in methods. But  $\Lambda^*$  is useful

15 because the ratio  $\Lambda/\Lambda^*$  happens to be a good measure of information, or  $1 - (\Lambda/\Lambda^*)$  is a measure of the fraction of information lost due to missing information. This information measure for haplotype analysis is described in Nicolae and Kong, Technical Report 537, Department of Statistics, University of Statistics, University of Chicago, Revised for *Biometrics* (2003) as a natural extension of information

20 measures defined for linkage analysis, and is implemented in NEMO.

### *Statistical analysis.*

For single marker association to the disease, the Fisher exact test can be used to calculate two-sided p-values for each individual allele. All p-values are presented

25 unadjusted for multiple comparisons unless specifically indicated. The presented frequencies (for microsatellites, SNPs and haplotypes) are allelic frequencies as opposed to carrier frequencies. To minimize any bias due the relatedness of the patients who were recruited as families for the linkage analysis, first and second-degree relatives can be eliminated from the patient list. Furthermore, the test can be

30 repeated for association correcting for any remaining relatedness among the patients, by extending a variance adjustment procedure described in Risch, N. & Teng, J.

(*Genome Res.*, 8:1278-1288 (1998)). The relative power of family-based and case-control designs for linkage disequilibrium studies of complex human diseases I. DNA pooling. (*ibid*) for sibships so that it can be applied to general familial relationships, and present both adjusted and unadjusted p-values for comparison. The differences  
 5 are in general very small as expected. To assess the significance of single-marker association corrected for multiple testing we carried out a randomisation test using the same genotype data. Cohorts of patients and controls can be randomized and the association analysis redone multiple times (*e.g.*, up to 500,000 times) and the p-value is the fraction of replications that produced a p-value for some marker allele that is  
 10 lower than or equal to the p-value we observed using the original patient and control cohorts.

For both single-marker and haplotype analyses, relative risk (RR) and the population attributable risk (PAR) can be calculated assuming a multiplicative model (haplotype relative risk model), (Terwilliger, J.D. & Ott, J., *Hum Hered*, 42, 337-46  
 15 (1992) and Falk, C.T. & Rubinstein, P, *Ann Hum Genet* 51 ( Pt 3), 227-33 (1987)), *i.e.*, that the risks of the two alleles/haplotypes a person carries multiply. For example, if RR is the risk of A relative to a, then the risk of a person homozygote AA will be RR times that of a heterozygote Aa and  $RR^2$  times that of a homozygote aa. The multiplicative model has a nice property that simplifies analysis and  
 20 computations — haplotypes are independent, *i.e.*, in Hardy-Weinberg equilibrium, within the affected population as well as within the control population. As a consequence, haplotype counts of the affecteds and controls each have multinomial distributions, but with different haplotype frequencies under the alternative hypothesis. Specifically, for two haplotypes  $h_i$  and  $h_j$ ,  $\text{risk}(h_i)/\text{risk}(h_j) = (f_i/p_i)/(f_j/p_j)$ ,  
 25 where  $f$  and  $p$  denote respectively frequencies in the affected population and in the control population. While there is some power loss if the true model is not multiplicative, the loss tends to be mild except for extreme cases. Most importantly, p-values are always valid since they are computed with respect to null hypothesis.

In general, haplotype frequencies are estimated by maximum likelihood and  
 30 tests of differences between cases and controls are performed using a generalized likelihood ratio test (Rice, J.A. *Mathematical Statistics and Data Analysis*, 602

(International Thomson Publishing, (1995)). deCODE's haplotype analysis program called NEMO, which stands for NESTed MOdels, can be used to calculate all the haplotype results. To handle uncertainties with phase and missing genotypes, it is emphasized that we do not use a common two-step approach to association tests, where haplotype counts are first estimated, possibly with the use of the EM algorithm, Dempster, (A.P., Laird, N.M. & Rubin, D.B., *Journal of the Royal Statistical Society B*, 39, 1-38 (1971)) and then tests are performed treating the estimated counts as though they are true counts, a method that can sometimes be problematic and may require randomisation to properly evaluate statistical significance. Instead, with NEMO, maximum likelihood estimates, likelihood ratios and p-values are computed with the aid of the EM-algorithm directly for the observed data, and hence the loss of information due to uncertainty with phase and missing genotypes is automatically captured by the likelihood ratios. Even so, it is of interest to know how much information is retained, or lost, due to incomplete information. Described herein is such a measure that is natural under the likelihood framework. For a fixed set of markers, the simplest tests performed compare one selected haplotype against all the others. Call the selected haplotype  $h_1$  and the others  $h_2, \dots, h_k$ . Let  $p_1, \dots, p_k$  denote the population frequencies of the haplotypes in the controls, and  $f_1, \dots, f_k$  denote the population frequencies of the haplotypes in the affecteds. Under the null hypothesis,  $f_i = p_i$  for all  $i$ . The alternative model we use for the test assumes  $h_2, \dots, h_k$  to have the same risk while  $h_1$  is allowed to have a different risk. This implies that while  $p_1$  can be different from  $f_1$ ,  $f_i/(f_2 + \dots + f_k) = p_i/(p_2 + \dots + p_k) = \beta_i$  for  $i = 2, \dots, k$ . Denoting  $f_1/p_1$  by  $r$ , and noting that  $\beta_2 + \dots + \beta_k = 1$ , the test statistic based on generalized likelihood ratios is

$$\Lambda = 2 \left[ \ell(\hat{r}, \hat{p}_1, \hat{\beta}_2, \dots, \hat{\beta}_{k-1}) - \ell(1, \tilde{p}_1, \tilde{\beta}_2, \dots, \tilde{\beta}_{k-1}) \right]$$

where  $\ell$  denotes log-likelihood and  $\sim$  and  $\wedge$  denote maximum likelihood estimates under the null hypothesis and alternative hypothesis respectively.  $\Lambda$  has asymptotically a chi-square distribution with 1-df, under the null hypothesis. Slightly more complicated null and alternative hypotheses can also be used. For example, let  $h_1$  be G0,  $h_2$  be GX and  $h_3$  be AX. When comparing G0 against GX, *i.e.*, this is the test which gives estimated RR of 1.46 and p-value = 0.0002, the null assumes G0 and GX have the same risk but AX is allowed to have a different risk. The alternative

hypothesis allows, for example, three haplotype groups to have different risks. This implies that, under the null hypothesis, there is a constraint that  $f_1/p_1 = f_2/p_2$ , or  $w = [f_1/p_1]/[f_2/p_2] = 1$ . The test statistic based on generalized likelihood ratios is

$$\Lambda = 2 \left[ \ell(\hat{p}_1, \hat{f}_1, \hat{p}_2, \hat{w}) - \ell(\tilde{p}_1, \tilde{f}_1, \tilde{p}_2, 1) \right]$$

- 5 that again has asymptotically a chi-square distribution with 1-df under the null hypothesis. If there are composite haplotypes (for example,  $h_2$  and  $h_3$ ), that is handled in a natural manner under the nested models framework.

LD between pairs of SNPs can be calculated using the standard definition of  $D'$  and  $R^2$  (Lewontin, R., *Genetics* 49, 49-67 (1964) and Hill, W.G. & Robertson, A. Theor. Appl. Genet. 22, 226-231 (1968)). Using NEMO, frequencies of the two  
10 marker allele combinations are estimated by maximum likelihood and deviation from linkage equilibrium is evaluated by a likelihood ratio test. The definitions of  $D'$  and  $R^2$  are extended to include microsatellites by averaging over the values for all possible allele combination of the two markers weighted by the marginal allele probabilities.

15 When plotting all marker combination to elucidate the LD structure in a particular region, we plot  $D'$  in the upper left corner and the p-value in the lower right corner. In the LD plots the markers can be plotted equidistant rather than according to their physical location, if desired.

## 20 *Statistical Methods for Linkage Analysis*

Multipoint, affected-only allele-sharing methods can be used in the analyses to assess evidence for linkage. Results, both the LOD-score and the non-parametric linkage (NPL) score, can be obtained using the program Allegro (Gudbjartsson *et al.*, *Nat. Genet.* 25:12-3, 2000). Our baseline linkage analysis uses the Spairs scoring  
25 function (Whittemore, A.S., Halpern, J. (1994), *Biometrics* 50:118-27; Kruglyak L, *et al.* (1996), *Am J Hum Genet* 58:1347-63), the exponential allele-sharing model (Kong, A. and Cox, N.J. (1997), *Am J Hum Genet* 61:1179-88) and a family weighting scheme that is halfway, on the log-scale, between weighting each affected pair equally and weighting each family equally. The information measure we use is  
30 part of the Allegro program output and the information value equals zero if the marker genotypes are completely uninformative and equals one if the genotypes determine

the exact amount of allele sharing by decent among the affected relatives (Gretarsdottir *et al.*, *Am. J. Hum. Genet.* 70:593-603, (2002)). We computed the P-values two different ways and here report the less significant result. The first P-value can be computed on the basis of large sample theory; the distribution of  $Z_{lr} = \sqrt{2[\log_e(10)\text{LOD}]}$  approximates a standard normal variable under the null hypothesis of no linkage (Kong, A. and Cox, N.J. (1997), *Am J Hum Genet* 61:1179-88). The second P-value can be calculated by comparing the observed LOD-score with its complete data sampling distribution under the null hypothesis (*e.g.*, Gudbjartsson *et al.*, *Nat. Genet.* 25:12-3, 2000). When the data consist of more than a few families, these two P-values tend to be very similar.

#### NUCLEIC ACID THERAPEUTIC AGENTS

In another embodiment, a nucleic acid of the invention; a nucleic acid complementary to a nucleic acid of the invention; or a portion of such a nucleic acid (*e.g.*, an oligonucleotide as described below); or a nucleic acid encoding a KChIP1 polypeptide, can be used in “antisense” therapy, in which a nucleic acid (*e.g.*, an oligonucleotide) which specifically hybridizes to the mRNA and/or genomic DNA of a nucleic acid is administered or generated *in situ*. The antisense nucleic acid that specifically hybridizes to the mRNA and/or DNA inhibits expression of the polypeptide encoded by that mRNA and/or DNA, *e.g.*, by inhibiting translation and/or transcription. Binding of the antisense nucleic acid can be by conventional base pair complementarity, or, for example, in the case of binding to DNA duplexes, through specific interaction in the major groove of the double helix.

An antisense construct can be delivered, for example, as an expression plasmid as described above. When the plasmid is transcribed in the cell, it produces RNA that is complementary to a portion of the mRNA and/or DNA that encodes a KChIP1 polypeptide. Alternatively, the antisense construct can be an oligonucleotide probe that is generated *ex vivo* and introduced into cells; it then inhibits expression by hybridizing with the mRNA and/or genomic DNA of the polypeptide. In one embodiment, the oligonucleotide probes are modified oligonucleotides that are resistant to endogenous nucleases, *e.g.*, exonucleases and/or endonucleases, thereby rendering them stable *in vivo*. Exemplary nucleic acid molecules for use as antisense



oligonucleotides are phosphoramidate, phosphothioate and methylphosphonate analogs of DNA (see also U.S. Patent Nos. 5,176,996, 5,264,564 and 5,256,775). Additionally, general approaches to constructing oligomers useful in antisense therapy are also described, for example, by Van der Krol *et al.* (*BioTechniques* 6:958-976 (1988)); and Stein *et al.* (*Cancer Res.* 48:2659-2668 (1988)). With respect to  
5 antisense DNA, oligodeoxyribonucleotides derived from the translation initiation site are preferred.

To perform antisense therapy, oligonucleotides (mRNA, cDNA or DNA) are designed that are complementary to mRNA encoding the polypeptide. The antisense  
10 oligonucleotides bind to mRNA transcripts and prevent translation. Absolute complementarity, although preferred, is not required. A sequence "complementary" to a portion of an RNA, as referred to herein, indicates that a sequence has sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double-stranded antisense nucleic acids, a single strand of the duplex DNA  
15 may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid, as described in detail above. Generally, the longer the hybridizing nucleic acid, the more base mismatches with an RNA it may contain and still form a stable duplex (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree  
20 of mismatch by use of standard procedures.

The oligonucleotides used in antisense therapy can be DNA, RNA, or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotides can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule,  
25 hybridization, etc. The oligonucleotides can include other appended groups such as peptides (*e.g.*, for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, *Proc. Natl. Acad. Sci. USA* 86:6553-6556 (1989); Lemaitre *et al.*, *Proc. Natl. Acad. Sci. USA* 84:648-652 (1987); PCT International Publication NO: WO 88/09810) or the blood-brain barrier (see,  
30 *e.g.*, PCT International Publication NO: WO 89/10134), or hybridization-triggered cleavage agents (see, *e.g.*, Krol *et al.*, *BioTechniques* 6:958-976 (1988)) or

intercalating agents. (See, *e.g.*, Zon, *Pharm.Res.* 5: 539-549 (1988)). To this end, the oligonucleotide may be conjugated to another molecule (*e.g.*, a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent).

The antisense molecules are delivered to cells that express a KChIP1 polypeptide *in vivo*. A number of methods can be used for delivering antisense DNA or RNA to cells; *e.g.*, antisense molecules can be injected directly into the tissue site, or modified antisense molecules, designed to target the desired cells (*e.g.*, antisense linked to peptides or antibodies that specifically bind receptors or antigens expressed on the target cell surface) can be administered systematically. Alternatively, in a  
10 another embodiment, a recombinant DNA construct is utilized in which the antisense oligonucleotide is placed under the control of a strong promoter (*e.g.*, pol III or pol II). The use of such a construct to transfect target cells in the patient results in the transcription of sufficient amounts of single stranded RNAs that will form complementary base pairs with the endogenous transcripts and thereby prevent  
15 translation of the mRNA. For example, a vector can be introduced *in vivo* such that it is taken up by a cell and directs the transcription of an antisense RNA. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art and described above.  
20 For example, a plasmid, cosmid, YAC or viral vector can be used to prepare the recombinant DNA construct that can be introduced directly into the tissue site. Alternatively, viral vectors can be used which selectively infect the desired tissue, in which case administration may be accomplished by another route (*e.g.*, systemically). In another embodiment of the invention, small double-stranded interfering RNA  
25 (RNA interference (RNAi)) can be used. RNAi is a post-transcription process, in which double-stranded RNA is introduced, and sequence-specific gene silencing results, though catalytic degradation of the targeted mRNA. See, *e.g.*, Elbashir, S.M. *et al.*, *Nature* 411:494-498 (2001); Lee, N.S., *Nature Biotech.* 19:500-505 (2002); Lee, S-K. *et al.*, *Nature Medicine* 8(7):681-686 (2002); the entire teachings of these  
30 references are incorporated herein by reference.

RNAi is used routinely to investigate gene function in a high throughput fashion or to modulate gene expression in human diseases (Chi *et al.*, PNAS, 100 (11):6343-6346 (2003)).

Introduction of long double stranded RNA leads to sequence-specific  
5 degradation of homologous gene transcripts. The long double stranded RNA is metabolized to small 21-23 nucleotide siRNA (small interfering RNA). The siRNA then binds to protein complex RISC (RNA-induced silencing complex) with dual function helicase. The helicase has RNase activity and is able to unwind the RNA. The unwound siRNA allows an antisense strand to bind to a target. This results in  
10 sequence dependent degradation of cognate mRNA. Aside from endogenous RNAi, exogenous RNAi, chemically synthesized or recombinantly produced can also be used.

Using non-intronic portions of the KCHIP1 gene such as corresponding mRNA portions of SEQ ID NO: 1, target regions of the KCHIP1 gene that are accessible for  
15 RNAi are targeted and silenced. With this technique it is possible to conduct a RNAi gene walk of the nucleic acids of KCHIP1 and determine the amount of inhibition of the protein product. Thus, it is possible to design gene-specific therapeutics by directly targeting the mRNAs of Type II diabetes-related KCHIP1 gene.

Endogenous expression of a gene product can also be reduced by inactivating  
20 or "knocking out" the gene or its promoter using targeted homologous recombination (*e.g.*, see Smithies *et al.*, *Nature* 317:230-234 (1985); Thomas & Capecchi, *Cell* 51:503-512 (1987); Thompson *et al.*, *Cell* 5:313-321 (1989)). For example, an altered, non-functional gene (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous gene (either the coding regions or regulatory  
25 regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express the gene *in vivo*. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the gene. The recombinant DNA constructs can be directly administered or targeted to the required site *in vivo* using appropriate vectors, as described above.  
30 Alternatively, expression of non-altered genes can be increased using a similar method: targeted homologous recombination can be used to insert a DNA construct

comprising a non-altered functional gene, or the complement thereof, or a portion thereof, in place of an gene in the cell, as described above. In another embodiment, targeted homologous recombination can be used to insert a DNA construct comprising a nucleic acid that encodes a polypeptide variant that differs from that  
5 present in the cell.

Alternatively, endogenous expression of a gene product can be reduced by targeting deoxyribonucleotide sequences complementary to the regulatory region (*i.e.*, the promoter and/or enhancers) to form triple helical structures that prevent transcription of the gene in target cells in the body. (See generally, Helene, C.,  
10 *Anticancer Drug Des.*, 6(6):569-84 (1991); Helene, C. *et al.*, *Ann. N.Y. Acad. Sci.* 660:27-36 (1992); and Maher, L. J., *Bioassays* 14(12):807-15 (1992)). Likewise, the antisense constructs described herein, by antagonizing the normal biological activity of the gene product, can be used in the manipulation of tissue, *e.g.*, tissue differentiation, both *in vivo* and *for ex vivo* tissue cultures. Furthermore, the anti-  
15 sense techniques (*e.g.*, microinjection of antisense molecules, or transfection with plasmids whose transcripts are anti-sense with regard to a nucleic acid RNA or nucleic acid sequence) can be used to investigate the role of one or more members of the KChIP1 pathway in the development of disease-related conditions. Such techniques can be utilized in cell culture, but can also be used in the creation of  
20 transgenic animals.

The therapeutic agents as described herein can be delivered in a composition, as described above, or alone. They can be administered systemically, or can be targeted to a particular tissue. The therapeutic agents can be produced by a variety of means, including chemical synthesis; recombinant production; *in vivo* production  
25 (*e.g.*, a transgenic animal, such as U.S. Patent NO: 4,873,316 to Meade *et al.*), for example, and can be isolated using standard means such as those described herein. In addition, a combination of any of the above methods of treatment (*e.g.*, administration of non-altered polypeptide in conjunction with antisense therapy targeting altered mRNA; administration of a first splicing variant in conjunction with antisense therapy  
30 targeting a second splicing variant) can also be used.

The invention additionally pertains to use of such therapeutic agents, as described herein, for the manufacture of a medicament for the treatment of Type II diabetes *e.g.*, using the methods described herein.

## 5 MONITORING PROGRESS OF TREATMENT

The current invention also pertains to methods of monitoring the effectiveness of treatment on the regulation of expression (*e.g.*, relative or absolute expression) of one or more KChIP1 isoforms at the RNA or protein level or its enzymatic activity. KChIP1 message or protein or enzymatic activity can be measured in a sample of  
10 peripheral blood or cells derived therefrom. An assessment of the levels of expression or activity can be made before and during treatment with KChIP1 therapeutic agents. For example, in one embodiment of the invention, an individual who is a member of the target population can be assessed for response to treatment with a KChIP1 inhibitor, by examining calcium levels or Kv channel-interacting proteins activity or  
15 absolute and/or relative levels of KChIP1 protein or mRNA isoforms in peripheral blood in general or specific cell subfractions or combination of cell subfractions. In addition, variation such as haplotypes or mutations within or near (within 100 to 200kb) of the KChIP1 gene may be used to identify individuals who are at higher risk for Type II diabetes to increase the power and efficiency of clinical trials for  
20 pharmaceutical agents to prevent or treat Type II diabetes. The haplotypes and other variations may be used to exclude or fractionate patients in a clinical trial who are likely to have non- KChIP1 involvement in their Type II diabetes risk in order to enrich patients who have other genes or pathways involved and boost the power and sensitivity of the clinical trial. Such variation may be used as a pharmacogenomic test  
25 to guide selection of pharmaceutical agents for individuals.

Described herein is the first known linkage study of Type II diabetes showing a connection to chromosome 5q35. Based on the linkage studies conducted, a direct relationship between Type II diabetes and the locus on chromosome 5q35, in particular the KChIP1 gene, has been discovered.

## NUCLEIC ACIDS OF THE INVENTION

*KChIP1 Nucleic Acids, Portions and Variants*

Accordingly, the invention pertains to isolated nucleic acid molecules comprising human KChIP1 nucleic acid. The term, "KChIP1 nucleic acid," as used  
5 herein, refers to an isolated nucleic acid molecule encoding a KChIP1 polypeptide (*e.g.*, a KChIP1 gene, such as shown in SEQ ID NO:1). The KChIP1 nucleic acid molecules of the present invention can be RNA, for example, mRNA, or DNA, such as cDNA and genomic DNA. DNA molecules can be double-stranded or single-stranded; single stranded RNA or DNA can be either the coding, or sense, strand or  
10 the non-coding, or antisense strand. The nucleic acid molecule can include all or a portion of the coding sequence of the gene and can further comprise additional non-coding sequences such as introns and non-coding 3' and 5' sequences (including regulatory sequences, for example).

For example, the KChIP1 nucleic acid can be the genomic sequence shown in  
15 FIG. 1, or a portion or fragment of the isolated nucleic acid molecule (*e.g.*, cDNA or the gene) that encodes KChIP1 polypeptide. In certain embodiments, the isolated nucleic acid molecule comprises a nucleic acid molecule selected from the group consisting of SEQ ID NOs: 1 and 114-258 (*e.g.*, in Table 10) or the complement of such a nucleic acid molecule.

20 Additionally, nucleic acid molecules of the invention can be fused to a marker sequence, for example, a sequence that encodes a polypeptide to assist in isolation or purification of the polypeptide. Such sequences include, but are not limited to, those that encode a glutathione-S-transferase (GST) fusion protein and those that encode a hemagglutinin A (HA) polypeptide marker from influenza.

25 An "isolated" nucleic acid molecule, as used herein, is one that is separated from nucleic acids that normally flank the gene or nucleotide sequence (as in genomic sequences) and/or has been completely or partially purified from other transcribed sequences (*e.g.*, as in an RNA library). For example, an isolated nucleic acid of the invention may be substantially isolated with respect to the complex cellular milieu in  
30 which it naturally occurs, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized.

In some instances, the isolated material will form part of a composition (for example, a crude extract containing other substances), buffer system or reagent mix. In other circumstances, the material may be purified to essential homogeneity, for example as determined by PAGE or column chromatography such as HPLC. Preferably, an  
5 isolated nucleic acid molecule comprises at least about 50, 80 or 90% (on a molar basis) of all macromolecular species present. With regard to genomic DNA, the term "isolated" also can refer to nucleic acid molecules that are separated from the chromosome with which the genomic DNA is naturally associated. For example, the isolated nucleic acid molecule can contain less than about 5 kb but not limited to 4 kb,  
10 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of nucleotides which flank the nucleic acid molecule in the genomic DNA of the cell from which the nucleic acid molecule is derived.

The nucleic acid molecule can be fused to other coding or regulatory sequences and still be considered isolated. Thus, recombinant DNA contained in a vector is included in the definition of "isolated" as used herein. Also, isolated nucleic  
15 acid molecules include recombinant DNA molecules in heterologous host cells, as well as partially or substantially purified DNA molecules in solution. "Isolated" nucleic acid molecules also encompass *in vivo* and *in vitro* RNA transcripts of the DNA molecules of the present invention. An isolated nucleic acid molecule can include a nucleic acid molecule or nucleic acid sequence that is synthesized  
20 chemically or by recombinant means. Therefore, recombinant DNA contained in a vector is included in the definition of "isolated" as used herein. Also, isolated nucleic acid molecules include recombinant DNA molecules in heterologous organisms, as well as partially or substantially purified DNA molecules in solution. *In vivo* and *in vitro* RNA transcripts of the DNA molecules of the present invention are also  
25 encompassed by "isolated" nucleic acid sequences. Such isolated nucleic acid molecules are useful in the manufacture of the encoded polypeptide, as probes for isolating homologous sequences (*e.g.*, from other mammalian species), for gene mapping (*e.g.*, by *in situ* hybridization with chromosomes), or for detecting expression of the gene in tissue (*e.g.*, human tissue), such as by Northern blot  
30 analysis.

The present invention also pertains to nucleic acid molecules which are not necessarily found in nature but which encode a KChIP1 polypeptide, or another splicing variant of a KChIP1 polypeptide or polymorphic variant thereof. Thus, for example, the invention pertains to DNA molecules comprising a sequence that is  
5 different from the naturally occurring nucleotide sequence but which, due to the degeneracy of the genetic code, encode a KChIP1 polypeptide of the present invention. The invention also encompasses nucleic acid molecules encoding portions (fragments), or encoding variant polypeptides such as analogues or derivatives of a KChIP1 polypeptide. Such variants can be naturally occurring, such as in the case of  
10 allelic variation or single nucleotide polymorphisms, or non-naturally-occurring, such as those induced by various mutagens and mutagenic processes. Intended variations include, but are not limited to, addition, deletion and substitution of one or more nucleotides that can result in conservative or non-conservative amino acid changes, including additions and deletions. Preferably the nucleotide (and/or resultant amino  
15 acid) changes are silent or conserved; that is, they do not alter the characteristics or activity of a KChIP1 polypeptide. In one embodiment, the nucleic acid sequences are fragments that comprise one or more polymorphic microsatellite markers. In another embodiment, the nucleotide sequences are fragments that comprise one or more single nucleotide polymorphisms in a KChIP1 gene.

20 Other alterations of the nucleic acid molecules of the invention can include, for example, labeling, methylation, internucleotide modifications such as uncharged linkages (*e.g.*, methyl phosphonates, phosphotriesters, phosphoamidates, carbamates), charged linkages (*e.g.*, phosphorothioates, phosphorodithioates), pendent moieties (*e.g.*, polypeptides), intercalators (*e.g.*, acridine, psoralen), chelators, alkylators, and  
25 modified linkages (*e.g.*, alpha anomeric nucleic acids). Also included are synthetic molecules that mimic nucleic acid molecules in the ability to bind to a designated sequence via hydrogen bonding and other chemical interactions. Such molecules include, for example, those in which peptide linkages substitute for phosphate linkages in the backbone of the molecule.

30 The invention also pertains to nucleic acid molecules that hybridize under high stringency hybridization conditions, such as for selective hybridization, to a



nucleotide sequence described herein (e.g., nucleic acid molecules which specifically hybridize to a nucleotide sequence encoding polypeptides described herein, and, optionally, have an activity of the polypeptide). In one embodiment, the invention includes variants described herein which hybridize under high stringency hybridization conditions (e.g., for selective hybridization) to a nucleotide sequence comprising a nucleotide sequence selected from the group consisting of SEQ ID NOs: 114-258. In another embodiment, the invention includes variants described herein that hybridize under high stringency hybridization conditions (e.g., for selective hybridization) to a nucleotide sequence encoding an amino acid sequence or a polymorphic variant thereof. In another embodiment, the variant that hybridizes under high stringency hybridizations has an activity of a KChIP1 polypeptide.

Such nucleic acid molecules can be detected and/or isolated by specific hybridization (e.g., under high stringency conditions). "Specific hybridization," as used herein, refers to the ability of a first nucleic acid to hybridize to a second nucleic acid in a manner such that the first nucleic acid does not hybridize to any nucleic acid other than to the second nucleic acid (e.g., when the first nucleic acid has a higher similarity to the second nucleic acid than to any other nucleic acid in a sample wherein the hybridization is to be performed). "Stringency conditions" for hybridization is a term of art which refers to the incubation and wash conditions, e.g., conditions of temperature and buffer concentration, which permit hybridization of a particular nucleic acid to a second nucleic acid; the first nucleic acid may be perfectly (i.e., 100%) complementary to the second, or the first and second may share some degree of complementarity which is less than perfect (e.g., 70%, 75%, 85%, 90%, 95%). For example, certain high stringency conditions can be used which distinguish perfectly complementary nucleic acids from those of less complementarity. "High stringency conditions", "moderate stringency conditions" and "low stringency conditions" for nucleic acid hybridizations are explained on pages 2.10.1-2.10.16 and pages 6.3.1-6.3.6 in *Current Protocols in Molecular Biology* (Ausubel, F.M. *et al.*, "Current Protocols in Molecular Biology", John Wiley & Sons, (2001)), the entire teachings of which are incorporated by reference herein). The exact conditions which determine the stringency of hybridization depend not only on ionic strength (e.g.,

0.2X SSC, 0.1X SSC), temperature (*e.g.*, room temperature, 42°C, 68°C) and the concentration of destabilizing agents such as formamide or denaturing agents such as SDS, but also on factors such as the length of the nucleic acid sequence, base composition, percent mismatch between hybridizing sequences and the frequency of occurrence of subsets of that sequence within other non-identical sequences. Thus, equivalent conditions can be determined by varying one or more of these parameters while maintaining a similar degree of identity or similarity between the two nucleic acid molecules. Typically, conditions are used such that sequences at least about 60%, at least about 70%, at least about 80%, at least about 90%, or at least about 95% or more identical to each other remain hybridized to one another. By varying hybridization conditions from a level of stringency at which no hybridization occurs to a level at which hybridization is first observed, conditions which will allow a given sequence to hybridize (*e.g.*, selectively) with the most similar sequences in the sample can be determined.

Exemplary conditions are described in Krause, M.H. and S.A. Aaronson, *Methods in Enzymology* 200:546-556 (1991), and in, Ausubel, *et al.*, "*Current Protocols in Molecular Biology*", John Wiley & Sons, (2001), which describes the determination of washing conditions for moderate or low stringency conditions. Washing is the step in which conditions are usually set so as to determine a minimum level of complementarity of the hybrids. Generally, starting from the lowest temperature at which only homologous hybridization occurs, each °C by which the final wash temperature is reduced (holding SSC concentration constant) allows an increase by 1% in the maximum extent of mismatching among the sequences that hybridize. Generally, doubling the concentration of SSC results in an increase in  $T_m$  of -17°C. Using these guidelines, the washing temperature can be determined empirically for high, moderate or low stringency, depending on the level of mismatch sought.

For example, a low stringency wash can comprise washing in a solution containing 0.2X SSC/0.1% SDS for 10 minutes at room temperature; a moderate stringency wash can comprise washing in a pre-warmed solution (42°C) solution containing 0.2X SSC/0.1% SDS for 15 minutes at 42°C; and a high stringency wash

can comprise washing in pre-warmed (68°C) solution containing 0.1X SSC/0.1%SDS for 15 minutes at 68°C. Furthermore, washes can be performed repeatedly or sequentially to obtain a desired result as known in the art. Equivalent conditions can be determined by varying one or more of the parameters given as an example, as  
5 known in the art, while maintaining a similar degree of identity or similarity between the target nucleic acid molecule and the primer or probe used.

The percent homology or identity of two nucleotide or amino acid sequences can be determined by aligning the sequences for optimal comparison purposes (*e.g.*, gaps can be introduced in the sequence of a first sequence for optimal alignment).  
10 The nucleotides or amino acids at corresponding positions are then compared, and the percent identity between the two sequences is a function of the number of identical positions shared by the sequences (*i.e.*, % identity = # of identical positions/total # of positions x 100). When a position in one sequence is occupied by the same nucleotide or amino acid residue as the corresponding position in the other sequence, then the  
15 molecules are homologous at that position. As used herein, nucleic acid or amino acid “homology” is equivalent to nucleic acid or amino acid “identity”. In certain embodiments, the length of a sequence aligned for comparison purposes is at least 30%, for example, at least 40%, in certain embodiments at least 60%, and in other embodiments at least 70%, 80%, 90% or 95% of the length of the reference sequence.  
20 The actual comparison of the two sequences can be accomplished by well-known methods, for example, using a mathematical algorithm. A preferred, non-limiting example of such a mathematical algorithm is described in Karlin *et al.*, *Proc. Natl. Acad. Sci. USA* 90:5873-5877 (1993). Such an algorithm is incorporated into the NBLAST and XBLAST programs (version 2.0) as described in Altschul *et al.*,  
25 *Nucleic Acids Res.* 25:389-3402 (1997). When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (*e.g.*, NBLAST) can be used. In one embodiment, parameters for sequence comparison can be set at score=100, wordlength=12, or can be varied (*e.g.*, W=5 or W=20).

Another preferred, non-limiting example of a mathematical algorithm utilized  
30 for the comparison of sequences is the algorithm of Myers and Miller, *CABIOS* 4(1): 11-17 (1988). Such an algorithm is incorporated into the ALIGN program (version

2.0) which is part of the GCG sequence alignment software package (Accelrys, Cambridge, UK). When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Additional algorithms for sequence analysis are known in  
5 the art and include ADVANCE and ADAM as described in Torellis and Robotti, *Comput. Appl. Biosci.* 10:3-5 (1994); and FASTA described in Pearson and Lipman, *Proc. Natl. Acad. Sci. USA* 85:2444-8 (1988).

In another embodiment, the percent identity between two amino acid sequences can be accomplished using the GAP program in the GCG software package  
10 using either a BLOSUM63 matrix or a PAM250 matrix, and a gap weight of 12, 10, 8, 6, or 4 and a length weight of 2, 3, or 4. In yet another embodiment, the percent identity between two nucleic acid sequences can be accomplished using the GAP program in the GCG software package using a gap weight of 50 and a length weight of 3.

15 The present invention also provides isolated nucleic acid molecules that contain a fragment or portion that hybridizes under highly stringent conditions to a nucleotide sequence comprising a nucleotide sequence selected from the group consisting of SEQ ID NOs: 1, 114-258, or the complement of such a sequence, and also provides isolated nucleic acid molecules that contain a fragment or portion that  
20 hybridizes under highly stringent conditions to a nucleotide sequence encoding an amino acid sequence or polymorphic variant thereof. The nucleic acid fragments of the invention are at least about 15, preferably at least about 18, 20, 23 or 25 nucleotides, and can be 30, 40, 50, 100, 200 or more nucleotides in length. Longer fragments, for example, 30 or more nucleotides in length, that encode antigenic  
25 polypeptides described herein are particularly useful, such as for the generation of antibodies as described below.

#### *Probes and Primers*

In a related aspect, the nucleic acid fragments of the invention are used as  
30 probes or primers in assays such as those described herein. "Probes" or "primers" are oligonucleotides that hybridize in a base-specific manner to a complementary strand

of nucleic acid molecules. Such probes and primers include polypeptide nucleic acids, as described in Nielsen *et al.*, *Science* 254:1497-1500 (1991).

A probe or primer comprises a region of nucleotide sequence that hybridizes to at least about 15, for example about 20-25, and in certain embodiments about 40,  
5 50 or 75, consecutive nucleotides of a nucleic acid molecule comprising a contiguous nucleotide sequence selected from the group consisting of SEQ ID NOs: 1, 114-258 or polymorphic variant thereof. In other embodiments, a probe or primer comprises 100 or fewer nucleotides, in certain embodiments from 6 to 50 nucleotides, for example from 12 to 30 nucleotides. In other embodiments, the probe or primer is at  
10 least 70% identical to the contiguous nucleotide sequence or to the complement of the contiguous nucleotide sequence, for example at least 80% identical, in certain embodiments at least 90% identical, and in other embodiments at least 95% identical, or even capable of selectively hybridizing to the contiguous nucleotide sequence or to the complement of the contiguous nucleotide sequence. Often, the probe or primer  
15 further comprises a label, *e.g.*, radioisotope, fluorescent compound, enzyme, or enzyme co-factor.

The nucleic acid molecules of the invention such as those described above can be identified and isolated using standard molecular biology techniques and the sequence information provided herein. For example, nucleic acid molecules can be  
20 amplified and isolated by the polymerase chain reaction using synthetic oligonucleotide primers designed based on one or more of the sequences selected from the group consisting of SEQ ID NOs: 1, 114-258 or the complement of such a sequence, or designed based on nucleotides based on sequences encoding one or more of the amino acid sequences provided herein. See generally *PCR Technology: Principles and Applications for DNA Amplification* (ed. H.A. Erlich, Freeman Press, NY, NY, 1992); *PCR Protocols: A Guide to Methods and Applications* (Eds. Innis *et al.*, Academic Press, San Diego, CA, 1990); Mattila *et al.*, *Nucl. Acids Res.* 19: 4967 (1991); Eckert *et al.*, *PCR Methods and Applications* 1:17 (1991); PCR (eds. McPherson *et al.*, IRL Press, Oxford); and U.S. Patent 4,683,202. The nucleic acid  
30 molecules can be amplified using cDNA, mRNA or genomic DNA as a template, cloned into an appropriate vector and characterized by DNA sequence analysis.

Other suitable amplification methods include the ligase chain reaction (LCR) (see Wu and Wallace, *Genomics* 4:560 (1989), Landegren *et al.*, *Science* 241:1077 (1988), transcription amplification (Kwoh *et al.*, *Proc. Natl. Acad. Sci. USA* 86:1173 (1989)), and self-sustained sequence replication (Guatelli *et al.*, *Proc. Nat. Acad. Sci. USA* 87:1874 (1990)) and nucleic acid based sequence amplification (NASBA). The latter two amplification methods involve isothermal reactions based on isothermal transcription, which produce both single stranded RNA (ssRNA) and double stranded DNA (dsDNA) as the amplification products in a ratio of about 30 or 100 to 1, respectively.

10       The amplified DNA can be labeled, for example, radiolabeled, and used as a probe for screening a cDNA library derived from human cells, mRNA in zap express, ZIPLOX or other suitable vector. Corresponding clones can be isolated, DNA can be obtained following *in vivo* excision, and the cloned insert can be sequenced in either or both orientations by art recognized methods to identify the correct reading frame  
15       encoding a polypeptide of the appropriate molecular weight. For example, the direct analysis of the nucleotide sequence of nucleic acid molecules of the present invention can be accomplished using well-known methods that are commercially available. See, for example, Sambrook *et al.*, *Molecular Cloning, A Laboratory Manual* (2nd Ed., CSHP, New York 1989); Zyskind *et al.*, *Recombinant DNA Laboratory Manual*,  
20       (Acad. Press, 1988)). Additionally, fluorescence methods are also available for analyzing nucleic acids (Chen *et al.*, *Genome Res.* 9, 492 (1999)) and polypeptides. Using these or similar methods, the polypeptide and the DNA encoding the polypeptide can be isolated, sequenced and further characterized.

      Antisense nucleic acid molecules of the invention can be designed using the  
25       nucleotide sequences of one or more of SEQ ID NOs: 1, 114-258 and/or the complement of one or more of SEQ ID NOs: 1, 114-258 and/or a portion of one or more of SEQ ID NOs: 1, 114-258 or the complement of one or more of SEQ ID NOs: 1, 114-258 and constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid molecule  
30       (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the

biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, *e.g.*, phosphorothioate derivatives and acridine substituted nucleotides can be used. Alternatively, the antisense nucleic acid molecule can be produced biologically using an expression  
5 vector into which a nucleic acid molecule has been subcloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid molecule will be of an antisense orientation to a target nucleic acid of interest).

The nucleic acid sequences can also be used to compare with endogenous DNA sequences in patients to identify one or more of the disorders described above,  
10 and as probes, such as to hybridize and discover related DNA sequences or to subtract out known sequences from a sample. The nucleic acid sequences can further be used to derive primers for genetic fingerprinting, to raise anti-polypeptide antibodies using DNA immunization techniques, and as an antigen to raise anti-DNA antibodies or elicit immune responses. Portions or fragments of the nucleotide sequences identified  
15 herein (and the corresponding complete gene sequences) can be used in numerous ways as polynucleotide reagents. For example, these sequences can be used to: (i) map their respective genes on a chromosome; and, thus, locate gene regions associated with genetic disease; (ii) identify an individual from a minute biological sample (tissue typing); and (iii) aid in forensic identification of a biological sample.  
20 Additionally, the nucleotide sequences of the invention can be used to identify and express recombinant polypeptides for analysis, characterization or therapeutic use, or as markers for tissues in which the corresponding polypeptide is expressed, either constitutively, during tissue differentiation, or in diseased states. The nucleic acid sequences can additionally be used as reagents in the screening and/or diagnostic  
25 assays described herein, and can also be included as components of kits (*e.g.*, reagent kits) for use in the screening and/or diagnostic assays described herein.

#### *Vectors and Host Cells*

Another aspect of the invention pertains to nucleic acid constructs containing a  
30 nucleic acid molecule selected from the group consisting of SEQ ID NOs: 1, 114-258 and the complements thereof (or a portion thereof). The constructs comprise a vector

(*e.g.*, an expression vector) into which a sequence of the invention has been inserted in a sense or antisense orientation. As used herein, the term “vector” refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a “plasmid”, which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another  
5 type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (*e.g.*, bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (*e.g.*, non-episomal  
10 mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Expression vectors are capable of directing the expression of genes to which they are operably linked. In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. However, the invention is intended to include such  
15 other forms of expression vectors, such as viral vectors (*e.g.*, replication defective retroviruses, adenoviruses and adeno-associated viruses) that serve equivalent functions.

In certain embodiments, recombinant expression vectors of the invention comprise a nucleic acid molecule of the invention in a form suitable for expression of  
20 the nucleic acid molecule in a host cell. This means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operably linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, “operably linked” or “operatively linked” is intended to mean that the nucleotide sequence of interest is  
25 linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (*e.g.*, in an *in vitro* transcription/translation system or in a host cell when the vector is introduced into the host cell). The term “regulatory sequence” is intended to include promoters, enhancers and other expression control elements (*e.g.*, polyadenylation signals). Such regulatory sequences are described, for example,  
30 in Goeddel, “Gene Expression Technology”, *Methods in Enzymology* 185, Academic Press, San Diego, CA (1990). Regulatory sequences include those which direct



constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells (*e.g.*, tissue-specific regulatory sequences). It will be appreciated by those skilled in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed and the level of expression of polypeptide desired. The expression vectors of the invention can be introduced into host cells to thereby produce polypeptides, including fusion polypeptides, encoded by nucleic acid molecules as described herein.

The recombinant expression vectors of the invention can be designed for expression of a polypeptide of the invention in prokaryotic or eukaryotic cells, *e.g.*, bacterial cells such as *E. coli*, insect cells (using baculovirus expression vectors), yeast cells or mammalian cells. Suitable host cells are discussed further in Goeddel, *supra*. Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example using T7 promoter regulatory sequences and T7 polymerase.

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms “host cell” and “recombinant host cell” are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but also to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic or eukaryotic cell. For example, a nucleic acid molecule of the invention can be expressed in bacterial cells (*e.g.*, *E. coli*), insect cells, yeast or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells). Other suitable host cells are known to those skilled in the art.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms “transformation” and “transfection” are intended to refer to a variety of art-recognized techniques for introducing a foreign nucleic acid molecule (*e.g.*, DNA) into a host

cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, *et al.*, (*supra*), and other laboratory manuals.

5           For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (*e.g.*, for resistance to antibiotics) is generally introduced into the host cells along with the gene of interest.

10       Preferred selectable markers include those that confer resistance to drugs, such as G418, hygromycin and methotrexate. Nucleic acid molecules encoding a selectable marker can be introduced into a host cell on the same vector as the nucleic acid molecule of the invention or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid molecule can be identified by drug

15       selection (*e.g.*, cells that have incorporated the selectable marker gene will survive, while the other cells die).

          A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (*i.e.*, express) a polypeptide of the invention. Accordingly, the invention further provides methods for producing a polypeptide

20       using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding a polypeptide of the invention has been introduced) in a suitable medium such that the polypeptide is produced. In another embodiment, the method further comprises isolating the polypeptide from the medium or the host cell.

25       The host cells of the invention can also be used to produce nonhuman transgenic animals. For example, in one embodiment, a host cell of the invention is a fertilized oocyte or an embryonic stem cell into which a nucleic acid molecule of the invention has been introduced (*e.g.*, an exogenous KChIP1 gene, or an exogenous nucleic acid encoding a KChIP1 polypeptide). Such host cells can then be used to

30       create non-human transgenic animals in which exogenous nucleotide sequences have been introduced into the genome or homologous recombinant animals in which

endogenous nucleotide sequences have been altered. Such animals are useful for studying the function and/or activity of the nucleotide sequence and polypeptide encoded by the sequence and for identifying and/or evaluating modulators of their activity. As used herein, a “transgenic animal” is a non-human animal, preferably a mammal, more preferably a rodent such as a rat or mouse, in which one or more of the cells of the animal include a transgene. Other examples of transgenic animals include non-human primates, sheep, dogs, cows, goats, chickens and amphibians. A transgene is exogenous DNA which is integrated into the genome of a cell from which a transgenic animal develops and which remains in the genome of the mature animal, thereby directing the expression of an encoded gene product in one or more cell types or tissues of the transgenic animal. As used herein, an “homologous recombinant animal” is a non-human animal, preferably a mammal, more preferably a mouse, in which an endogenous gene has been altered by homologous recombination between the endogenous gene and an exogenous DNA molecule introduced into a cell of the animal, *e.g.*, an embryonic cell of the animal, prior to development of the animal.

Methods for generating transgenic animals via embryo manipulation and microinjection, particularly animals such as mice, have become conventional in the art and are described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009, U.S. Pat. NO: 4,873,191 and in Hogan, *Manipulating the Mouse Embryo* (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1986). Methods for constructing homologous recombination vectors and homologous recombinant animals are described further in Bradley, *Current Opinion in BioTechnology* 2:823-829 (1991) and in PCT Publication Nos. WO 90/11354, WO 91/01140, WO 92/0968, and WO 93/04169. Clones of the non-human transgenic animals described herein can also be produced according to the methods described in Wilmut *et al.*, *Nature* 385:810-813 (1997) and PCT Publication Nos. WO 97/07668 and WO 97/07669.

#### POLYPEPTIDES OF THE INVENTION

The present invention also pertains to isolated polypeptides encoded by KCHIP1 nucleic acids (“KCHIP1 polypeptides,” or “KCHIP1 proteins,” such as the protein shown in SEQ ID NO: 2) and fragments and variants thereof, as well as

polypeptides encoded by nucleotide sequences described herein (*e.g.*, other splicing variants). The term “polypeptide” refers to a polymer of amino acids, and not to a specific length; thus, peptides, oligopeptides and proteins are included within the definition of a polypeptide. As used herein, a polypeptide is said to be “isolated” or “purified” when it is substantially free of cellular material when it is isolated from recombinant and non-recombinant cells, or free of chemical precursors or other chemicals when it is chemically synthesized. A polypeptide, however, can be joined to another polypeptide with which it is not normally associated in a cell (*e.g.*, in a “fusion protein”) and still be “isolated” or “purified.”

10       The polypeptides of the invention can be purified to homogeneity. It is understood, however, that preparations in which the polypeptide is not purified to homogeneity are useful. The critical feature is that the preparation allows for the desired function of the polypeptide, even in the presence of considerable amounts of other components. Thus, the invention encompasses various degrees of purity. In one embodiment, the language “substantially free of cellular material” includes preparations of the polypeptide having less than about 30% (by dry weight) other proteins (*i.e.*, contaminating protein), less than about 20% other proteins, less than about 10% other proteins, or less than about 5% other proteins.

20       When a polypeptide is recombinantly produced, it can also be substantially free of culture medium, *i.e.*, culture medium represents less than about 20%, less than about 10%, or less than about 5% of the volume of the polypeptide preparation. The language “substantially free of chemical precursors or other chemicals” includes preparations of the polypeptide in which it is separated from chemical precursors or other chemicals that are involved in its synthesis. In one embodiment, the language “substantially free of chemical precursors or other chemicals” includes preparations of the polypeptide having less than about 30% (by dry weight) chemical precursors or other chemicals, less than about 20% chemical precursors or other chemicals, less than about 10% chemical precursors or other chemicals, or less than about 5% chemical precursors or other chemicals.

30       In one embodiment, a polypeptide of the invention comprises an amino acid sequence encoded by a nucleic acid molecule comprising a nucleotide sequence of

SEQ ID NO: 1, optionally additionally comprising one or more of SEQ ID NOs: 114-258; or the complement of such a nucleic acid, or portions thereof, or a portion or polymorphic variant thereof. However, the polypeptides of the invention also encompass fragment and sequence variants. Variants include a substantially  
5 homologous polypeptide encoded by the same genetic locus in an organism, *i.e.*, an allelic variant, as well as other splicing variants. Variants also encompass polypeptides derived from other genetic loci in an organism, but having substantial homology to a polypeptide encoded by a nucleic acid molecule comprising a nucleotide of SEQ ID NO: 1, optionally additionally one or more of SEQ ID NOs:  
10 114-258; or a complement of such a sequence, or portions thereof or polymorphic variants thereof. Variants also include polypeptides substantially homologous or identical to these polypeptides but derived from another organism, *i.e.*, an ortholog. Variants also include polypeptides that are substantially homologous or identical to these polypeptides that are produced by chemical synthesis. Variants also include  
15 polypeptides that are substantially homologous or identical to these polypeptides that are produced by recombinant methods.

As used herein, two polypeptides (or a region of the polypeptides) are substantially homologous or identical when the amino acid sequences are at least about 45-55%, in certain embodiments at least about 70-75%, and in other  
20 embodiments at least about 80-85%, and in other embodiments greater than about 90% or more homologous or identical. A substantially homologous amino acid sequence, according to the present invention, will be encoded by a nucleic acid molecule hybridizing to of SEQ ID NO: 1 or any one of 114-258 or portion thereof, under stringent conditions as more particularly described above, or will be encoded by  
25 a nucleic acid molecule hybridizing to a nucleic acid sequence encoding SEQ ID NO: 1 or any one of 114-258 or a portion thereof or polymorphic variant thereof, under stringent conditions as more particularly described thereof.

The invention also encompasses polypeptides having a lower degree of identity but having sufficient similarity so as to perform one or more of the same  
30 functions performed by a polypeptide encoded by a nucleic acid molecule of the invention.

Similarity is determined by conserved amino acid substitution where a given amino acid in a polypeptide is substituted by another amino acid of like characteristics. Conservative substitutions are likely to be phenotypically silent. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala, Val, Leu and Ile; interchange of the hydroxyl residues Ser and Thr, exchange of the acidic residues Asp and Glu, substitution between the amide residues Asn and Gln, exchange of the basic residues Lys and Arg and replacements among the aromatic residues Phe and Tyr. Guidance concerning which amino acid changes are likely to be phenotypically silent are found in Bowie *et al.*, *Science* 247:1306-1310 (1990).

A variant polypeptide can differ in amino acid sequence by one or more substitutions, deletions, insertions, inversions, fusions, and truncations or a combination of any of these. Further, variant polypeptides can be fully functional or can lack function in one or more activities. Fully functional variants typically contain only conservative variation or variation in non-critical residues or in non-critical regions. Functional variants can also contain substitution of similar amino acids that result in no change or an insignificant change in function. Alternatively, such substitutions may positively or negatively affect function to some degree. Non-functional variants typically contain one or more non-conservative amino acid substitutions, deletions, insertions, inversions, or truncation or a substitution, insertion, inversion, or deletion in a critical residue or critical region.

Amino acids that are essential for function can be identified by methods known in the art, such as site-directed mutagenesis or alanine-scanning mutagenesis (Cunningham *et al.*, *Science* 244:1082-1185 (1989)). The latter procedure introduces single alanine mutations at every residue in the molecule. The resulting mutant molecules are then tested for biological activity *in vitro*, or *in vitro* proliferative activity. Sites that are critical for polypeptide activity can also be determined by structural analysis such as crystallization, nuclear magnetic resonance or photoaffinity labeling (Smith *et al.*, *J. Mol. Biol.* 224:899-904 (1992); de Vos *et al.*, *Science* 255:306-312 (1992)).

The invention also includes polypeptide fragments of the polypeptides of the invention. Fragments can be derived from a polypeptide encoded by a nucleic acid molecule comprising SEQ ID NO: 1 and optionally comprising one or more of SEQ ID NOs: 114-258; or a complement of such a nucleic acid or other variants.

- 5 However, the invention also encompasses fragments of the variants of the polypeptides described herein. As used herein, a fragment comprises at least 6 contiguous amino acids. Useful fragments include those that retain one or more of the biological activities of the polypeptide as well as fragments that can be used as an immunogen to generate polypeptide-specific antibodies.
- 10 Biologically active fragments (peptides which are, for example, 6, 9, 12, 15, 16, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) can comprise a domain, segment, or motif that has been identified by analysis of the polypeptide sequence using well-known methods, *e.g.*, signal peptides, extracellular domains, one or more transmembrane segments or loops, ligand binding regions, zinc finger
- 15 domains, DNA binding domains, acylation sites, glycosylation sites, or phosphorylation sites.

Fragments can be discrete (not fused to other amino acids or polypeptides) or can be within a larger polypeptide. Further, several fragments can be comprised within a single larger polypeptide. In one embodiment a fragment designed for

20 expression in a host can have heterologous pre- and pro-polypeptide regions fused to the amino terminus of the polypeptide fragment and an additional region fused to the carboxyl terminus of the fragment.

The invention thus provides chimeric or fusion polypeptides. These comprise a polypeptide of the invention operatively linked to a heterologous protein or

25 polypeptide having an amino acid sequence not substantially homologous to the polypeptide.

“Operatively linked” indicates that the polypeptide and the heterologous protein are fused in-frame. The heterologous protein can be fused to the N-terminus or C-terminus of the polypeptide. In one embodiment the fusion polypeptide does not

30 affect function of the polypeptide *per se*. For example, the fusion polypeptide can be a GST-fusion polypeptide in which the polypeptide sequences are fused to the C-

terminus of the GST sequences. Other types of fusion polypeptides include, but are not limited to, enzymatic fusion polypeptides, for example beta-galactosidase fusions, yeast two-hybrid GAL fusions, poly-His fusions and Ig fusions. Such fusion polypeptides, particularly poly-His fusions, can facilitate the purification of recombinant polypeptide. In certain host cells (*e.g.*, mammalian host cells), expression and/or secretion of a polypeptide can be increased using a heterologous signal sequence. Therefore, in another embodiment, the fusion polypeptide contains a heterologous signal sequence at its N-terminus.

EP-A-O 464 533 discloses fusion proteins comprising various portions of immunoglobulin constant regions. The Fc is useful in therapy and diagnosis and thus results, for example, in improved pharmacokinetic properties (EP-A 0232 262). In drug discovery, for example, human proteins have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists. Bennett *et al.*, *Journal of Molecular Recognition*, 8:52-58 (1995) and Johanson *et al.*, *The Journal of Biological Chemistry*, 270,16:9459-9471 (1995). Thus, this invention also encompasses soluble fusion polypeptides containing a polypeptide of the invention and various portions of the constant regions of heavy or light chains of immunoglobulins of various subclasses (IgG, IgM, IgA, IgE).

A chimeric or fusion polypeptide can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of nucleic acid fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive nucleic acid fragments which can subsequently be annealed and re-amplified to generate a chimeric nucleic acid sequence (see Ausubel *et al.*, *Current Protocols in Molecular Biology*, 1992).

Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST protein). A nucleic acid molecule encoding a polypeptide of the invention can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the polypeptide.



The isolated polypeptide can be purified from cells that naturally express it, can be purified from cells that have been altered to express it (recombinant), or synthesized using known protein synthesis methods. In one embodiment, the polypeptide is produced by recombinant DNA techniques. For example, a nucleic acid molecule encoding the polypeptide is cloned into an expression vector, the expression vector introduced into a host cell and the polypeptide expressed in the host cell. The polypeptide can then be isolated from the cells by an appropriate purification scheme using standard protein purification techniques.

The polypeptides of the present invention can be used to raise antibodies or to elicit an immune response. The polypeptides can also be used as a reagent, *e.g.*, a labeled reagent, in assays to quantitatively determine levels of the polypeptide or a molecule to which it binds (*e.g.*, a ligand) in biological fluids. The polypeptides can also be used as markers for cells or tissues in which the corresponding polypeptide is preferentially expressed, either constitutively, during tissue differentiation, or in a diseased state. The polypeptides can be used to isolate a corresponding binding agent, *e.g.*, ligand or receptor, such as, for example, in an interaction trap assay, and to screen for peptide or small molecule antagonists or agonists of the binding interaction.

#### ANTIBODIES OF THE INVENTION

Polyclonal antibodies and/or monoclonal antibodies that specifically bind one form of the gene product but not to the other form of the gene product are also provided. Antibodies are also provided which bind a portion of either the variant or the reference gene product that contains the polymorphic site or sites. The term “antibody” as used herein refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, *i.e.*, molecules that contain an antigen binding site that specifically bind an antigen. A molecule that specifically binds to a polypeptide of the invention is a molecule that binds to that polypeptide or a fragment thereof, but does not substantially bind other molecules in a sample, *e.g.*, a biological sample, which naturally contains the polypeptide. Examples of immunologically active portions of immunoglobulin molecules include F(ab) and F(ab')<sub>2</sub> fragments which can be generated by treating the antibody with an enzyme such as pepsin. The

invention provides polyclonal and monoclonal antibodies that bind to a polypeptide of the invention. The term “monoclonal antibody” or “monoclonal antibody composition”, as used herein, refers to a population of antibody molecules that contain only one species of an antigen binding site capable of immunoreacting with a particular epitope of a polypeptide of the invention. A monoclonal antibody composition thus typically displays a single binding affinity for a particular polypeptide of the invention with which it immunoreacts.

Polyclonal antibodies can be prepared as described above by immunizing a suitable subject with a desired immunogen, *e.g.*, polypeptide of the invention or a fragment thereof. The antibody titer in the immunized subject can be monitored over time by standard techniques, such as with an enzyme linked immunosorbent assay (ELISA) using immobilized polypeptide. If desired, the antibody molecules directed against the polypeptide can be isolated from the mammal (*e.g.*, from the blood) and further purified by well-known techniques, such as protein A chromatography to obtain the IgG fraction. At an appropriate time after immunization, *e.g.*, when the antibody titers are highest, antibody-producing cells can be obtained from the subject and used to prepare monoclonal antibodies by standard techniques, such as the hybridoma technique originally described by Kohler and Milstein, *Nature* 256:495-497 (1975), the human B cell hybridoma technique (Kozbor *et al.*, *Immunol. Today* 4: 72 (1983)), the EBV-hybridoma technique (Cole *et al.*, *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, 1985, Inc., pp. 77-96) or trioma techniques. The technology for producing hybridomas is well known (see generally *Current Protocols in Immunology* (1994) Coligan *et al.*, (eds.) John Wiley & Sons, Inc., New York, NY). Briefly, an immortal cell line (typically a myeloma) is fused to lymphocytes (typically splenocytes) from a mammal immunized with an immunogen as described above, and the culture supernatants of the resulting hybridoma cells are screened to identify a hybridoma producing a monoclonal antibody that binds a polypeptide of the invention.

Any of the many well known protocols used for fusing lymphocytes and immortalized cell lines can be applied for the purpose of generating a monoclonal antibody to a polypeptide of the invention (see, *e.g.*, *Current Protocols in*

*Immunology, supra*; Galfre *et al.*, *Nature* 266:55052 (1977); R.H. Kenneth, in *Monoclonal Antibodies: A New Dimension In Biological Analyses*, Plenum Publishing Corp., New York, New York (1980); and Lerner, *Yale J. Biol. Med.* 54:387-402 (1981)). Moreover, the ordinarily skilled worker will appreciate that there are many variations of such methods that also would be useful.

Alternative to preparing monoclonal antibody-secreting hybridomas, a monoclonal antibody to a polypeptide of the invention can be identified and isolated by screening a recombinant combinatorial immunoglobulin library (*e.g.*, an antibody phage display library) with the polypeptide to thereby isolate immunoglobulin library members that bind the polypeptide. Kits for generating and screening phage display libraries are commercially available (*e.g.*, the Pharmacia *Recombinant Phage Antibody System*, Catalog NO: 27-9400-01; and the Stratagene *SurfZAP™* Phage Display Kit, Catalog NO: 240612). Additionally, examples of methods and reagents particularly amenable for use in generating and screening antibody display library can be found in, for example, U.S. Patent NO: 5,223,409; PCT Publication NO: WO 92/18619; PCT Publication NO: WO 91/17271; PCT Publication NO: WO 92/20791; PCT Publication NO: WO 92/15679; PCT Publication NO: WO 93/01288; PCT Publication NO: WO 92/01047; PCT Publication NO: WO 92/09690; PCT Publication NO: WO 90/02809; Fuchs *et al.*, *Bio/Technology* 9: 1370-1372 (1991); Hay *et al.*, *Hum. Antibod. Hybridomas* 3:81-85 (1992); Huse *et al.*, *Science* 246: 1275-1281 (1989); and Griffiths *et al.*, *EMBO J.* 12:725-734 (1993).

Additionally, recombinant antibodies, such as chimeric and humanized monoclonal antibodies, comprising both human and non-human portions, which can be made using standard recombinant DNA techniques, are within the scope of the invention. Such chimeric and humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art.

In general, antibodies of the invention (*e.g.*, a monoclonal antibody) can be used to isolate a polypeptide of the invention by standard techniques, such as affinity chromatography or immunoprecipitation. A polypeptide-specific antibody can facilitate the purification of natural polypeptide from cells and of recombinantly produced polypeptide expressed in host cells. Moreover, an antibody specific for a

polypeptide of the invention can be used to detect the polypeptide (*e.g.*, in a cellular lysate, cell supernatant, or tissue sample) in order to evaluate the abundance and pattern of expression of the polypeptide. Antibodies can be used diagnostically to monitor protein levels in tissue as part of a clinical testing procedure, *e.g.*, to, for example, determine the efficacy of a given treatment regimen. The antibody can be coupled to a detectable substance to facilitate its detection. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin, and examples of suitable radioactive material include  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{35}\text{S}$  or  $^3\text{H}$ .

#### DIAGNOSTIC ASSAYS

The nucleic acids, probes, primers, polypeptides and antibodies described herein can be used in methods of diagnosis of Type II diabetes; of a susceptibility to Type II diabetes; or of a condition associated with a KCHIP1 gene, as well as in kits (*e.g.*, useful for diagnosis of Type II diabetes; a susceptibility to Type II diabetes; or a condition associated with a KCHIP1 gene). In one embodiment, the kit comprises primers which contain one or more of the SNP's identified in Table 10.

In one embodiment of the invention, diagnosis of a disease or condition associated with a KCHIP1 gene (*e.g.*, diagnosis of Type II diabetes, or of a susceptibility to Type II diabetes) is made by detecting a polymorphism in a KCHIP1 nucleic acid as described herein. The polymorphism can be a change in a KCHIP1 nucleic acid, such as the insertion or deletion of a single nucleotide, or of more than one nucleotide, resulting in a frame shift; the change of at least one nucleotide, resulting in a change in the encoded amino acid; the change of at least one nucleotide,

resulting in the generation of a premature stop codon; the deletion of several nucleotides, resulting in a deletion of one or more amino acids encoded by the nucleotides; the insertion of one or several nucleotides, such as by unequal recombination or gene conversion, resulting in an interruption of the coding sequence of the gene; duplication of all or a part of the gene; transposition of all or a part of the gene; or rearrangement of all or a part of the gene. More than one such change may be present in a single gene. Such sequence changes cause a difference in the polypeptide encoded by a KChIP1 nucleic acid. For example, if the difference is a frame shift change, the frame shift can result in a change in the encoded amino acids, and/or can result in the generation of a premature stop codon, causing generation of a truncated polypeptide. Alternatively, a polymorphism associated with a disease or condition or a susceptibility to a disease or condition associated with a KChIP1 nucleic acid can be a synonymous alteration in one or more nucleotides (*i.e.*, an alteration that does not result in a change in the polypeptide encoded by a KChIP1 nucleic acid). Such a polymorphism may alter splicing sites, affect the stability or transport of mRNA, or otherwise affect the transcription or translation of the gene. A KChIP1 nucleic acid that has any of the changes or alterations described above is referred to herein as an “altered nucleic acid.”

In a first method of diagnosing Type II diabetes or a susceptibility to Type II diabetes, or another disease or condition associated with a KChIP1 gene, hybridization methods, such as Southern analysis, Northern analysis, or *in situ* hybridizations, can be used (see *Current Protocols in Molecular Biology*, Ausubel, F. *et al.*, eds, John Wiley & Sons, including all supplements through 1999). For example, a biological sample (a “test sample”) from a test subject (the “test individual”) of genomic DNA, RNA, or cDNA, is obtained from an individual, such as an individual suspected of having, being susceptible to or predisposed for, or carrying a defect for, the disease or condition, or the susceptibility to the disease or condition, associated with a KChIP1 gene (*e.g.*, Type II diabetes). The individual can be an adult, child, or fetus. The test sample can be from any source which contains genomic DNA, such as a blood sample, sample of amniotic fluid, sample of cerebrospinal fluid, or tissue sample from skin, muscle, buccal or conjunctival

mucosa, placenta, gastrointestinal tract or other organs. A test sample of DNA from fetal cells or tissue can be obtained by appropriate methods, such as by amniocentesis or chorionic villus sampling. The DNA, RNA, or cDNA sample is then examined to determine whether a polymorphism in a KChIP1 nucleic acid is present, and/or to  
5 determine which splicing variant(s) encoded by the KChIP1 is present. The presence of the polymorphism or splicing variant(s) can be indicated by hybridization of the gene in the genomic DNA, RNA, or cDNA to a nucleic acid probe. A “nucleic acid probe”, as used herein, can be a DNA probe or an RNA probe; the nucleic acid probe can contain, for example, at least one polymorphism in a KChIP1 nucleic acid (*e.g.*,  
10 as set forth in Table 10) and/or contain a nucleic acid encoding a particular splicing variant of a KChIP1 nucleic acid. The probe can be any of the nucleic acid molecules described above (*e.g.*, the gene or nucleic acid, a fragment, a vector comprising the gene or nucleic acid, a probe or primer, etc.).

To diagnose Type II diabetes, or a susceptibility to Type II diabetes, or  
15 another condition associated with a KChIP1 gene, a hybridization sample is formed by contacting the test sample containing a KChIP1 nucleic acid with at least one nucleic acid probe. A preferred probe for detecting mRNA or genomic DNA is a labeled nucleic acid probe capable of hybridizing to mRNA or genomic DNA sequences described herein. The nucleic acid probe can be, for example, a full-length  
20 nucleic acid molecule, or a portion thereof, such as an oligonucleotide of at least 15, 30, 50, 100, 250 or 500 nucleotides in length and sufficient to specifically hybridize under stringent conditions to appropriate mRNA or genomic DNA. For example, the nucleic acid probe can be all or a portion of one of SEQ ID NOs: 114-258 or the complement thereof, or a portion thereof. Other suitable probes for use in the  
25 diagnostic assays of the invention are described above (see *e.g.*, probes and primers discussed under the heading, “Nucleic Acids of the Invention”).

The hybridization sample is maintained under conditions that are sufficient to allow specific hybridization of the nucleic acid probe to a KChIP1 nucleic acid. “Specific hybridization”, as used herein, indicates exact hybridization (*e.g.*, with no  
30 mismatches). Specific hybridization can be performed under high stringency conditions or moderate stringency conditions, for example, as described above. In a

particularly preferred embodiment, the hybridization conditions for specific hybridization are high stringency.

Specific hybridization, if present, is then detected using standard methods. If specific hybridization occurs between the nucleic acid probe and KChIP1 nucleic acid in the test sample, then the KChIP1 has the polymorphism, or is the splicing variant, that is present in the nucleic acid probe. More than one nucleic acid probe can also be used concurrently in this method. Specific hybridization of any one of the nucleic acid probes is indicative of a polymorphism in the KChIP1 nucleic acid, or of the presence of a particular splicing variant encoding the KChIP1 nucleic acid and is therefore diagnostic for a susceptibility to a disease or condition associated with a KChIP1 nucleic acid (*e.g.*, Type II diabetes).

In Northern analysis (see *Current Protocols in Molecular Biology*, Ausubel, F. *et al.*, eds., John Wiley & Sons, *supra*) the hybridization methods described above are used to identify the presence of a polymorphism or a particular splicing variant, associated with a susceptibility to a disease or condition associated with a KChIP1 gene (*e.g.*, Type II diabetes). For Northern analysis, a test sample of RNA is obtained from the individual by appropriate means. Specific hybridization of a nucleic acid probe, as described above, to RNA from the individual is indicative of a polymorphism in a KChIP1 nucleic acid, or of the presence of a particular splicing variant encoded by a KChIP1 nucleic acid and is therefore diagnostic for Type II diabetes or a susceptibility to Type II diabetes or a condition associated with a KChIP1 nucleic acid (*e.g.*, Type II diabetes).

For representative examples of use of nucleic acid probes, see, for example, U.S. Patents NO: 5,288,611 and 4,851,330.

Alternatively, a peptide nucleic acid (PNA) probe can be used instead of a nucleic acid probe in the hybridization methods described above. PNA is a DNA mimic having a peptide-like, inorganic backbone, such as N-(2-aminoethyl)glycine units, with an organic base (A, G, C, T or U) attached to the glycine nitrogen via a methylene carbonyl linker (see, for example, Nielsen, P.E. *et al.*, *Bioconjugate Chemistry* 5, American Chemical Society, p. 1 (1994)). The PNA probe can be designed to specifically hybridize to a gene having a polymorphism associated with a

susceptibility to a disease or condition associated with a KChIP1 nucleic acid (*e.g.*, Type II diabetes). Hybridization of the PNA probe to a KChIP1 gene is diagnostic for Type II diabetes or a susceptibility to Type II diabetes or a condition associated with a KChIP1 nucleic acid.

5           In another method of the invention, alteration analysis by restriction digestion can be used to detect an altered gene, or genes containing a polymorphism(s), if the alteration (mutation) or polymorphism in the gene results in the creation or elimination of a restriction site. A test sample containing genomic DNA is obtained from the individual. Polymerase chain reaction (PCR) can be used to amplify a  
10 KChIP1 nucleic acid (and, if necessary, the flanking sequences) in the test sample of genomic DNA from the test individual. RFLP analysis is conducted as described (see *Current Protocols in Molecular Biology, supra*). The digestion pattern of the relevant DNA fragment indicates the presence or absence of the alteration or polymorphism in the KChIP1 nucleic acid, and therefore indicates the presence or absence of Type II  
15 diabetes or the susceptibility to a disease or condition associated with a KChIP1 nucleic acid.

Sequence analysis can also be used to detect specific polymorphisms in a KChIP1 nucleic acid. A test sample of DNA or RNA is obtained from the test individual. PCR or other appropriate methods can be used to amplify the gene or  
20 nucleic acid, and/or its flanking sequences, if desired. The sequence of a KChIP1 nucleic acid, or a fragment of the nucleic acid, or cDNA, or fragment of the cDNA, or mRNA, or fragment of the mRNA, is determined, using standard methods. The sequence of the nucleic acid, nucleic acid fragment, cDNA, cDNA fragment, mRNA, or mRNA fragment is compared with the known nucleic acid sequence of the gene or  
25 cDNA (*e.g.*, one or more of SEQ ID NOs: 114-258 or a complement thereof) or mRNA, as appropriate. The presence of a polymorphism in the KChIP1 indicates that the individual has Type II diabetes or a susceptibility to Type II diabetes.

Allele-specific oligonucleotides can also be used to detect the presence of a polymorphism in a KChIP1 nucleic acid, through the use of dot-blot hybridization of  
30 amplified oligonucleotides with allele-specific oligonucleotide (ASO) probes (see, for example, Saiki, R. *et al.*, *Nature* 324:163-166 (1986)). An "allele-specific



oligonucleotide” (also referred to herein as an “allele-specific oligonucleotide probe”) is an oligonucleotide of approximately 10-50 base pairs, preferably approximately 15-30 base pairs, that specifically hybridizes to a KChIP1 nucleic acid, and that contains a polymorphism associated with a susceptibility to a disease or condition associated with a KChIP1 nucleic acid. An allele-specific oligonucleotide probe that is specific for particular polymorphisms in a KChIP1 nucleic acid can be prepared, using standard methods (see *Current Protocols in Molecular Biology, supra*). To identify polymorphisms in the gene that are associated with a disease or condition associated with a KChIP1 nucleic acid or a susceptibility to a disease or condition associated with a KChIP1 nucleic acid a test sample of DNA is obtained from the individual. PCR can be used to amplify all or a fragment of a KChIP1 nucleic acid and its flanking sequences. The DNA containing the amplified KChIP1 nucleic acid (or fragment of the gene or nucleic acid) is dot-blotted, using standard methods (see *Current Protocols in Molecular Biology, supra*), and the blot is contacted with the oligonucleotide probe. The presence of specific hybridization of the probe to the amplified KChIP1 nucleic acid is then detected. Hybridization of an allele-specific oligonucleotide probe to DNA from the individual is indicative of a polymorphism in the KChIP1 nucleic acid, and is therefore indicative of a disease or condition associated with a KChIP1 nucleic acid or susceptibility to a disease or condition associated with a KChIP1 nucleic acid (e.g., Type II diabetes).

The invention further provides allele-specific oligonucleotides that hybridize to the reference or variant allele of a gene or nucleic acid comprising a single nucleotide polymorphism or to the complement thereof. These oligonucleotides can be probes or primers.

An allele-specific primer hybridizes to a site on target DNA overlapping a polymorphism and only primes amplification of an allelic form to which the primer exhibits perfect complementarity. See Gibbs, *Nucleic Acid Res.* 17, 2427-2448 (1989). This primer is used in conjunction with a second primer, which hybridizes at a distal site. Amplification proceeds from the two primers, resulting in a detectable product, which indicates the particular allelic form is present. A control is usually performed with a second pair of primers, one of which shows a single base mismatch

at the polymorphic site and the other of which exhibits perfect complementarity to a distal site. The single-base mismatch prevents amplification and no detectable product is formed. The method works best when the mismatch is included in the 3'-most position of the oligonucleotide aligned with the polymorphism because this  
5 position is most destabilizing to elongation from the primer (see, *e.g.*, WO 93/22456).

With the addition of such analogs as locked nucleic acids (LNAs), the size of primers and probes can be reduced to as few as 8 bases. LNAs are a novel class of bicyclic DNA analogs in which the 2' and 4' positions in the furanose ring are joined via an O-methylene (oxy-LNA), S-methylene (thio-LNA), or amino methylene  
10 (amino-LNA) moiety. Common to all of these LNA variants is an affinity toward complementary nucleic acids, which is by far the highest reported for a DNA analog. For example, particular all oxy-LNA nonamers have been shown to have melting temperatures of 64°C and 74°C when in complex with complementary DNA or RNA, respectively, as opposed to 28°C for both DNA and RNA for the corresponding DNA  
15 nonamer. Substantial increases in  $T_m$  are also obtained when LNA monomers are used in combination with standard DNA or RNA monomers. For primers and probes, depending on where the LNA monomers are included (*e.g.*, the 3' end, the 5' end, or in the middle), the  $T_m$  could be increased considerably.

In another embodiment, arrays of oligonucleotide probes that are  
20 complementary to target nucleic acid sequence segments from an individual, can be used to identify polymorphisms in a KChIP1 nucleic acid. For example, in one embodiment, an oligonucleotide array can be used. Oligonucleotide arrays typically comprise a plurality of different oligonucleotide probes that are coupled to a surface of a substrate in different known locations. These oligonucleotide arrays, also  
25 described as "Genechips™," have been generally described in the art, for example, U.S. Pat. NO: 5,143,854 and PCT patent publication Nos. WO 90/15070 and 92/10092. These arrays can generally be produced using mechanical synthesis methods or light directed synthesis methods that incorporate a combination of photolithographic methods and solid phase oligonucleotide synthesis methods. See  
30 Fodor *et al.*, *Science* 251:767-777 (1991), Pirrung *et al.*, U.S. Pat. NO: 5,143,854 (see also PCT Application NO: WO 90/15070) and Fodor *et al.*, PCT Publication NO: WO

92/10092 and U.S. Pat. NO: 5,424,186, the entire teachings of each of which are incorporated by reference herein. Techniques for the synthesis of these arrays using mechanical synthesis methods are described in, *e.g.*, U.S. Pat. NO: 5,384,261; the entire teachings of which are incorporated by reference herein. In another example,  
5 linear arrays can be utilized.

Once an oligonucleotide array is prepared, a nucleic acid of interest is hybridized with the array and scanned for polymorphisms. Hybridization and scanning are generally carried out by methods described herein and also in, *e.g.*, published PCT Application Nos. WO 92/10092 and WO 95/11995, and U.S. Pat. NO:  
10 5,424,186, the entire teachings of which are incorporated by reference herein. In brief, a target nucleic acid sequence that includes one or more previously identified polymorphic markers is amplified by well-known amplification techniques, *e.g.*, PCR. Typically, this involves the use of primer sequences that are complementary to the two strands of the target sequence both upstream and downstream from the  
15 polymorphism. Asymmetric PCR techniques may also be used. Amplified target, generally incorporating a label, is then hybridized with the array under appropriate conditions. Upon completion of hybridization and washing of the array, the array is scanned to determine the position on the array to which the target sequence hybridizes. The hybridization data obtained from the scan is typically in the form of  
20 fluorescence intensities as a function of location on the array.

Although primarily described in terms of a single detection block, *e.g.*, for detection of a single polymorphism, arrays can include multiple detection blocks, and thus be capable of analyzing multiple, specific polymorphisms. In alternative arrangements, it will generally be understood that detection blocks may be grouped  
25 within a single array or in multiple, separate arrays so that varying, optimal conditions may be used during the hybridization of the target to the array. For example, it may often be desirable to provide for the detection of those polymorphisms that fall within G-C rich stretches of a genomic sequence, separately from those falling in A-T rich segments. This allows for the separate optimization of hybridization conditions for  
30 each situation.

Additional uses of oligonucleotide arrays for polymorphism detection can be found, for example, in U.S. Patents Nos. 5,858,659 and 5,837,832, the entire teachings of which are incorporated by reference herein. Other methods of nucleic acid analysis can be used to detect polymorphisms in a Type II diabetes gene or variants encoding by a Type II diabetes gene. Representative methods include direct manual sequencing (Church and Gilbert, *Proc. Natl. Acad. Sci. USA* 81:1991-1995 (1988); Sanger, F. *et al.*, *Proc. Natl. Acad. Sci. USA* 74:5463-5467 (1977); Beavis *et al.*, U.S. Pat. NO: 5,288,644); automated fluorescent sequencing; single-stranded conformation polymorphism assays (SSCP); clamped denaturing gel electrophoresis (CDGE); denaturing gradient gel electrophoresis (DGGE) (Sheffield, V.C. *et al.*, *Proc. Natl. Acad. Sci. USA* 86:232-236 (1989)), mobility shift analysis (Orita, M. *et al.*, *Proc. Natl. Acad. Sci. USA* 86:2766-2770 (1989)), restriction enzyme analysis (Flavell *et al.*, *Cell* 15:25 (1978); Geever, *et al.*, *Proc. Natl. Acad. Sci. USA* 78:5081 (1981)); heteroduplex analysis; chemical mismatch cleavage (CMC) (Cotton *et al.*, *Proc. Natl. Acad. Sci. USA* 85:4397-4401 (1985)); RNase protection assays (Myers, R.M. *et al.*, *Science* 230:1242 (1985)); use of polypeptides which recognize nucleotide mismatches, such as *E. coli* mutS protein; allele-specific PCR, for example.

In one embodiment of the invention, diagnosis of a disease or condition associated with a KChIP1 nucleic acid (*e.g.*, Type II diabetes) or a susceptibility to a disease or condition associated with a KChIP1 nucleic acid (*e.g.*, Type II diabetes) can also be made by expression analysis by quantitative PCR (kinetic thermal cycling). This technique, utilizing TaqMan<sup>®</sup>, can be used to allow the identification of polymorphisms and whether a patient is homozygous or heterozygous. The technique can assess the presence of an alteration in the expression or composition of the polypeptide encoded by a KChIP1 nucleic acid or splicing variants encoded by a KChIP1 nucleic acid. Further, the expression of the variants can be quantified as physically or functionally different.

In another embodiment of the invention, diagnosis of Type II diabetes or a susceptibility to Type II diabetes or a condition associated with a KChIP1 gene) can be made by examining expression and/or composition of a KChIP1 polypeptide, by a

variety of methods, including enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations and immunofluorescence. A test sample from an individual is assessed for the presence of an alteration in the expression and/or an alteration in composition of the polypeptide encoded by a KChIP1 nucleic acid, or for  
5 the presence of a particular variant encoded by a KChIP1 nucleic acid. An alteration in expression of a polypeptide encoded by a KChIP1 nucleic acid can be, for example, an alteration in the quantitative polypeptide expression (*i.e.*, the amount of polypeptide produced); an alteration in the composition of a polypeptide encoded by a KChIP1 nucleic acid is an alteration in the qualitative polypeptide expression (*e.g.*,  
10 expression of an altered KChIP1 polypeptide or of a different splicing variant). In a preferred embodiment, diagnosis of the disease or condition associated with KChIP1 nucleic acid or a susceptibility to a disease or condition associated with a KChIP1 nucleic acid is made by detecting a particular splicing variant encoded by that KChIP1 nucleic acid, or a particular pattern of splicing variants.

15 Both such alterations (quantitative and qualitative) can also be present. The term "alteration" in the polypeptide expression or composition, as used herein, refers to an alteration in expression or composition in a test sample, as compared with the expression or composition of polypeptide by a KChIP1 nucleic acid in a control sample. A control sample is a sample that corresponds to the test sample (*e.g.*, is from  
20 the same type of cells), and is from an individual who is not affected by a susceptibility to a disease or condition associated with a KChIP1 nucleic acid. An alteration in the expression or composition of the polypeptide in the test sample, as compared with the control sample, is indicative of a susceptibility to a disease or condition associated with a KChIP1 nucleic acid. Similarly, the presence of one or  
25 more different splicing variants in the test sample, or the presence of significantly different amounts of different splicing variants in the test sample, as compared with the control sample, is indicative of a disease or condition associated with a KChIP1 nucleic acid or a susceptibility to a disease or condition associated with a KChIP1 nucleic acid. Various means of examining expression or composition of the  
30 polypeptide encoded by a KChIP1 nucleic acid can be used, including: spectroscopy, colorimetry, lectrophoresis, isoelectric focusing, and immunoassays (*e.g.*, David *et*

*al.*, U.S. Pat. 4,376,110) such as immunoblotting (see also *Current Protocols in Molecular Biology*, particularly Chapter 10). For example, in one embodiment, an antibody capable of binding to the polypeptide (*e.g.*, as described above), preferably an antibody with a detectable label, can be used. Antibodies can be polyclonal, or more preferably, monoclonal. An intact antibody, or a fragment thereof (*e.g.*, Fab or F(ab')<sub>2</sub>) can be used. The term "labeled", with regard to the probe or antibody, is intended to encompass direct labeling of the probe or antibody by coupling (*i.e.*, physically linking) a detectable substance to the probe or antibody, as well as indirect labeling of the probe or antibody by reactivity with another reagent that is directly labeled. Examples of indirect labeling include detection of a primary antibody using a fluorescently labeled secondary antibody and end-labeling of a DNA probe with biotin such that it can be detected with fluorescently labeled streptavidin.

Western blotting analysis, using an antibody as described above that specifically binds to a polypeptide encoded by an altered KChIP1 nucleic acid (*e.g.*, a KChIP1 nucleic acid having one or more alterations as shown in Table 10), or an antibody that specifically binds to a polypeptide encoded by a non-altered nucleic acid, or an antibody that specifically binds to a particular splicing variant encoded by a nucleic acid, can be used to identify the presence in a test sample of a particular splicing variant or of a polypeptide encoded by a polymorphic or altered KChIP1 nucleic acid, or the absence in a test sample of a particular splicing variant or of a polypeptide encoded by a non-polymorphic or non-altered nucleic acid. The presence of a polypeptide encoded by a polymorphic or altered nucleic acid, or the absence of a polypeptide encoded by a non-polymorphic or non-altered nucleic acid, is diagnostic for a disease or condition associated with a KChIP1 nucleic acid or a susceptibility to a disease or condition associated with a KChIP1 nucleic acid (*e.g.*, Type II diabetes), as is the presence (or absence) of particular splicing variants encoded by the KChIP1 nucleic acid.

In one embodiment of this method, the level or amount of polypeptide encoded by a KChIP1 nucleic acid in a test sample is compared with the level or amount of the polypeptide encoded by the KChIP1 in a control sample. A level or amount of the polypeptide in the test sample that is higher or lower than the level or

amount of the polypeptide in the control sample, such that the difference is statistically significant, is indicative of an alteration in the expression of the polypeptide encoded by the KChIP1 nucleic acid, and is diagnostic for a disease or condition associated with a KChIP1 nucleic acid or a susceptibility to a disease or condition associated with that KChIP1 nucleic acid (*e.g.*, Type II diabetes).  
Alternatively, the composition of the polypeptide encoded by a KChIP1 nucleic acid in a test sample is compared with the composition of the polypeptide encoded by the KChIP1 nucleic acid in a control sample (*e.g.*, the presence of different splicing variants). A difference in the composition of the polypeptide in the test sample, as compared with the composition of the polypeptide in the control sample, is diagnostic for a disease or condition associated with a KChIP1 nucleic acid or a susceptibility to a disease or condition associated with that KChIP1 nucleic acid (*e.g.*, Type II diabetes). In another embodiment, both the level or amount and the composition of the polypeptide can be assessed in the test sample and in the control sample. A difference in the amount or level of the polypeptide in the test sample, compared to the control sample; a difference in composition in the test sample, compared to the control sample; or both a difference in the amount or level, and a difference in the composition, is indicative of a disease or condition associated with a KChIP1 nucleic acid or a susceptibility to a disease or condition associated with that KChIP1 nucleic acid.

The invention further pertains to a method for the diagnosis or identification of a susceptibility to Type II diabetes in an individual, by identifying an at-risk haplotype (*e.g.*, a haplotype comprising a KChIP1 nucleic acid). The KChIP1-associated haplotypes, *e.g.*, those described in Table 2, Table 4, Table 5 and Table 14, describe a set of genetic markers ("alleles"). In a certain embodiment, the haplotype can comprise one or more alleles, two or more alleles, three or more alleles, four or more alleles, or five or more alleles. The genetic markers are particular "alleles" at "polymorphic sites" associated with KChIP1. A nucleotide position at which more than one sequence is possible in a population (either a natural population or a synthetic population, *e.g.*, a library of synthetic molecules), is referred to herein as a "polymorphic site". Where a polymorphic site is a single nucleotide in length, the site

is referred to as a single nucleotide polymorphism (“SNP”). For example, if at a particular chromosomal location, one member of a population has an adenine and another member of the population has a thymine at the same position, then this position is a polymorphic site, and, more specifically, the polymorphic site is a SNP.

- 5 Polymorphic sites can allow for differences in sequences based on substitutions, insertions or deletions. Each version of the sequence with respect to the polymorphic site is referred to herein as an “allele” of the polymorphic site. Thus, in the previous example, the SNP allows for both an adenine allele and a thymine allele.

Typically, a reference sequence is referred to for a particular sequence.

- 10 Alleles that differ from the reference are referred to as “variant” alleles. For example, the reference KChIP1 sequence is described herein by SEQ ID NO: 1. The term, “variant KChIP1”, as used herein, refers to a sequence that differs from SEQ ID NO: 1, but is otherwise substantially similar. The genetic markers that make up the haplotypes described herein are KChIP1 variants. The variants of KChIP1 that are  
15 used to determine the haplotypes disclosed herein of the present invention are associated with Type II diabetes or a susceptibility to Type II diabetes.

- Additional variants can include changes that affect a polypeptide, *e.g.*, the KChIP1 polypeptide. These sequence differences, when compared to a reference nucleotide sequence, can include the insertion or deletion of a single nucleotide, or of  
20 more than one nucleotide, resulting in a frame shift; the change of at least one nucleotide, resulting in a change in the encoded amino acid; the change of at least one nucleotide, resulting in the generation of a premature stop codon; the deletion of several nucleotides, resulting in a deletion of one or more amino acids encoded by the nucleotides; the insertion of one or several nucleotides, such as by unequal  
25 recombination or gene conversion, resulting in an interruption of the coding sequence of a reading frame; duplication of all or a part of a sequence; transposition; or a rearrangement of a nucleotide sequence, as described in detail above. Such sequence changes alter the polypeptide encoded by a KChIP1 nucleic acid. For example, if the change in the nucleic acid sequence causes a frame shift, the frame shift can result in  
30 a change in the encoded amino acids, and/or can result in the generation of a premature stop codon, causing generation of a truncated polypeptide. Alternatively, a



polymorphism associated with Type II diabetes or a susceptibility to Type II diabetes can be a synonymous change in one or more nucleotides (*i.e.*, a change that does not result in a change in the amino acid sequence). Such a polymorphism can, for example, alter splice sites, affect the stability or transport of mRNA, or otherwise  
5 affect the transcription or translation of the polypeptide. The polypeptide encoded by the reference nucleotide sequence is the “reference” polypeptide with a particular reference amino acid sequence, and polypeptides encoded by variant alleles are referred to as “variant” polypeptides with variant amino acid sequences.

Haplotypes are a combination of genetic markers, *e.g.*, particular alleles at  
10 polymorphic sites. The haplotypes described herein, *e.g.*, having markers such as those shown in Table 10, Table 11, Table 12 or Table 13, are found more frequently in individuals with Type II diabetes than in individuals without Type II diabetes. Therefore, these haplotypes have predictive value for detecting Type II diabetes or a susceptibility to Type II diabetes in an individual. The haplotypes described herein  
15 are a combination of various genetic markers, *e.g.*, SNPs and microsatellites. Therefore, detecting haplotypes can be accomplished by methods known in the art for detecting sequences at polymorphic sites, such as the methods described above.

#### HAPLOTYPE SCREENING

20 In the methods for the diagnosis and identification of susceptibility to Type II diabetes or Type II diabetes in an individual, an at-risk haplotype is identified. In one embodiment, the at-risk haplotype is one which confers a significant risk of Type II diabetes. In one embodiment, significance associated with a haplotype is measured by an odds ratio. In a further embodiment, the significance is measured by a  
25 percentage. In one embodiment, a significant risk is measured as an odds ratio of at least about 1.2, including by not limited to: 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, and 1.9. In a further embodiment, an odds ratio of at least 1.2 is significant. In a further embodiment, an odds ratio of at least about 1.5 is significant. In a further embodiment, a significant increase in risk is at least about 1.7 is significant. In a  
30 further embodiment, a significant increase in risk is at least about 20%, including but not limited to about 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%,

80%, 85%, 90%, 95% and 98%. In a further embodiment, a significant increase in risk is at least about 50%. It is understood however, that identifying whether a risk is medically significant may also depend on a variety of factors, including the specific disease, the haplotype, and often, environmental factors.

5           The invention also pertains to methods of diagnosing Type II diabetes or a susceptibility to Type II diabetes in an individual, comprising screening for an at-risk haplotype in, or comprising portions of, the KChIP1 gene, where the haplotype is more frequently present in an individual susceptible to Type II diabetes (affected), compared to the frequency of its presence in a healthy individual (control), and  
10   wherein the presence of the haplotype is indicative of Type II diabetes or susceptibility to Type II diabetes. Standard techniques for genotyping for the presence of SNPs and/or microsatellite markers can be used, such as fluorescent based techniques (Chen, *et al.*, *Genome Res.* 9, 492 (1999)), PCR, LCR, Nested PCR and other techniques for nucleic acid amplification. In a preferred embodiment, the  
15   method comprises assessing in an individual the presence or frequency of SNPs and/or microsatellites in, comprising portions of, the KChIP1 gene, wherein an excess or higher frequency of the SNPs and/or microsatellites compared to a healthy control individual is indicative that the individual has Type II diabetes or is susceptible to Type II diabetes. See, for example, Tables 6, 7, 9, 11, 13 and 14 (below) for SNPs  
20   and markers that can form haplotypes that can be used as screening tools. These markers and SNPs can be used to design diagnostic tests for determining Type II diabetes or a susceptibility to Type II diabetes. For example, an at-risk haplotype can include microsatellite markers and/or SNPs such as those set forth in Table 10, Table 11, Table 12 Table 13 and/ or Table 14. The presence of the haplotype is diagnostic  
25   of Type II diabetes or of a susceptibility to Type II diabetes. Haplotype analysis involves defining a candidate susceptibility locus using LOD scores. The defined regions are then ultra-fine mapped with microsatellite markers with an average spacing between markers of less than 100kb. All usable microsatellite markers that found in public databases and mapped within that region can be used. In addition,  
30   microsatellite markers identified within the deCODE genetics sequence assembly of the human genome can be used.

The frequencies of haplotypes in the patient and the control groups using an expectation-maximization algorithm can be estimated (Dempster A. *et al.*, 1977. *J. R. Stat. Soc. B*, 39:1-389). An implementation of this algorithm that can handle missing genotypes and uncertainty with the phase can be used. Under the null hypothesis, the patients and the controls are assumed to have identical frequencies. Using a likelihood approach, an alternative hypothesis where a candidate at-risk-haplotype, which can include the markers described herein, is allowed to have a higher frequency in patients than controls, while the ratios of the frequencies of other haplotypes are assumed to be the same in both groups is tested. Likelihoods are maximized separately under both hypotheses and a corresponding 1-df likelihood ratio statistics is used to evaluate the statistic significance.

To look for at-risk-haplotypes in the 1-lod drop, for example, association of all possible combinations of genotyped markers is studied, provided those markers span a practical region. The combined patient and control groups can be randomly divided into two sets, equal in size to the original group of patients and controls. The haplotype analysis is then repeated and the most significant p-value registered is determined. This randomization scheme can be repeated, for example, over 100 times to construct an empirical distribution of p-values.

The at-risk haplotypes identified in Table 2 (haplotypes identified as A1, A2, A3, A4, A5, A6, B1, B2, B3, B4 and B5), Table 4 (haplotypes identified as D1 and D2), Table 5 (haplotypes identified as D2, D3, D4, D5 and D6) or Table 14 (haplotypes identified as Hap E and Hap E') are associated with Type II diabetes or a susceptibility to Type II diabetes. In certain embodiments, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises markers DG5S879, DG5S881, D5S2075, DG5S883 and DG5S38 at the 5q35 locus; or DG5S1058 and DG5S37 at the 5q35 locus; or DG5S1058, DG5S37 and DG5S101 at the 5q35 locus; or DG5S881, DG5S1058, D5S2075, DG5S883 and DG5S38 at the 5q35 locus; or DG5S879, DG5S1058 and DG5S37; or DG5S881, D5S2075, DG5S883 and DG5S38 at the 5q35 locus; DG5S953, DG5S955, DG5S13 and DG5S959 at the 5q35 locus; or DG5S888 and DG5S953 at the 5q35 locus; or DG5S953, DG5S955 and DG5S124 at the 5q35 locus; or DG5S888, DG5S44 and

DG5S953 at the 5q35 locus; or DG5S953, DG5S955, DG5S13, DG5S123, and DG5S959 at the 5q35 locus. The presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. Also described herein is a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprising markers DG5S13, KCP\_1152, and D5S625 at the 5q35 locus; the presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In one particular embodiment, the presence of the -4, 1, 0 haplotype at DG5S13, KCP\_1152, and D5S625 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In another embodiment, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes in an individual, comprises markers DG5S124, KCP\_1152, KCP\_2649, KPC\_4976 and KPC-16152 at the 5q35 locus. In one particular embodiment, the presence of the 0, 1, 1, 3 and 0 haplotype at DG5S124, KCP\_1152, KCP\_2649, KPC\_4976 and KPC-16152 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In another embodiment, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes in an individual, comprises markers KCP\_173982, KCP\_15400, and KCP\_18069. In one particular embodiment, the presence of the 0, 1, 1 haplotype at KCP\_173982, KCP\_15400, and KCP\_18069 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes.

In additional embodiments, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises markers DG5S124, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152 at the 5q35 locus, as well as one of the following 3 markers: KCP\_197678, KCP\_197775, and KCP\_202795 at the 5q35 locus; the presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In particular embodiments, the presence of the 0, 3, 1, 1, 3, 0 haplotype at DG5S124, KCP\_197678, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152; the presence of the 0, 3, 1, 1, 3, 0 haplotype at DG5S124, KCP\_197775, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152; or the presence of the 0, 1, 1, 1, 3, 0 haplotype at DG5S124, KCP\_202795, KCP\_1152, KCP\_2649, KCP\_4976, and KCP\_16152; is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes.

In additional embodiments, a haplotype associated with Type II diabetes or a susceptibility to Type II diabetes comprises markers rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048 and KCP\_16152, as well as markers rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048, KCP\_197775 and KCP\_16152 at the 5q35 locus; the presence of the haplotype is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes. In particular embodiments, the presence of the G, G, T, C, G, G, A haplotype at rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048 and KCP\_16152, or the presence of the G, G, T, C, G, G, C, A haplotype at rs1032856, KCP\_RS888934, KCP\_93545, KCP\_102882, 169234, KCP\_186048, KCP\_197775 and KCP\_16152 is diagnostic of Type II diabetes or of a susceptibility to Type II diabetes.

Kits (*e.g.*, reagent kits) useful in the methods of diagnosis comprise components useful in any of the methods described herein, including for example, hybridization probes or primers as described herein (*e.g.*, labeled probes or primers), reagents for detection of labeled molecules, restriction enzymes (*e.g.*, for RFLP analysis), allele-specific oligonucleotides, antibodies which bind to altered or to non-altered (native) KChIP1 polypeptide, means for amplification of nucleic acids comprising a KChIP1 nucleic acid, or means for analyzing the nucleic acid sequence of a KChIP1 nucleic acid or for analyzing the amino acid sequence of a KChIP1 polypeptide as described herein, etc. In one embodiment, the kit for diagnosing a Type II diabetes or a susceptibility to Type II diabetes can comprise primers for nucleic acid amplification of a region in the KChIP1 nucleic acid comprising an at-risk haplotype that is more frequently present in an individual having Type II diabetes or who is susceptible to Type II diabetes. The primers can be designed using portions of the nucleic acids flanking SNPs that are indicative of Type II diabetes. In a certain embodiment, the primers are designed to amplify regions of the KChIP1 gene associated with an at-risk haplotype for Type II diabetes, as shown in Table 10 and 13, or more particularly the haplotypes described in Tables 2, 4, 5 and 14.

## SCREENING ASSAYS AND AGENTS IDENTIFIED THEREBY

The invention provides methods (also referred to herein as “screening assays”) for identifying the presence of a nucleotide that hybridizes to a nucleic acid of the invention, as well as for identifying the presence of a polypeptide encoded by a nucleic acid of the invention. In one embodiment, the presence (or absence) of a nucleic acid molecule of interest (*e.g.*, a nucleic acid that has significant homology with a nucleic acid of the invention) in a sample can be assessed by contacting the sample with a nucleic acid comprising a nucleic acid of the invention (*e.g.*, a nucleic acid having the sequence of one of SEQ ID NOs: 1, 114-258, or the complement thereof, or a nucleic acid encoding an amino acid having the sequence of one of SEQ ID NOs: 2, or a fragment or variant of such nucleic acids), under stringent conditions as described above, and then assessing the sample for the presence (or absence) of hybridization. In one embodiment, high stringency conditions are conditions appropriate for selective hybridization. In another embodiment, a sample containing the nucleic acid molecule of interest is contacted with a nucleic acid containing a contiguous nucleotide sequence (*e.g.*, a primer or a probe as described above) that is at least partially complementary to a part of the nucleic acid molecule of interest (*e.g.*, a KChIP1 nucleic acid), and the contacted sample is assessed for the presence or absence of hybridization. In another embodiment, the nucleic acid containing a contiguous nucleotide sequence is completely complementary to a part of the nucleic acid molecule of interest.

In any of these embodiments, all or a portion of the nucleic acid of interest can be subjected to amplification prior to performing the hybridization.

In another embodiment, the presence (or absence) of a polypeptide of interest, such as a polypeptide of the invention or a fragment or variant thereof, in a sample can be assessed by contacting the sample with an antibody that specifically hybridizes to the polypeptide of interest (*e.g.*, an antibody such as those described above), and then assessing the sample for the presence (or absence) of binding of the antibody to the polypeptide of interest.

In another embodiment, the invention provides methods for identifying agents (*e.g.*, fusion proteins, polypeptides, peptidomimetics, prodrugs, receptors, binding

agents, antibodies, small molecules or other drugs, or ribozymes) which alter (*e.g.*, increase or decrease) the activity of the polypeptides described herein, or which otherwise interact with the polypeptides herein. For example, such agents can be agents which bind to polypeptides described herein (*e.g.*, KChIP1 binding agents);  
5 which have a stimulatory or inhibitory effect on, for example, activity of polypeptides of the invention; or which change (*e.g.*, enhance or inhibit) the ability of the polypeptides of the invention to interact with KChIP1 binding agents (*e.g.*, receptors or other binding agents); or which alter posttranslational processing of the KChIP1 polypeptide (*e.g.*, agents that alter proteolytic processing to direct the polypeptide  
10 from where it is normally synthesized to another location in the cell, such as the cell surface; agents that alter proteolytic processing such that more polypeptide is released from the cell, etc.

In one embodiment, the invention provides assays for screening candidate or test agents that bind to or modulate the activity of polypeptides described herein (or  
15 biologically active portion(s) thereof), as well as agents identifiable by the assays. Test agents can be obtained using any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; the 'one-bead one-compound' library method; and synthetic library  
20 methods using affinity chromatography selection. The biological library approach is limited to polypeptide libraries, while the other four approaches are applicable to polypeptide, non-peptide oligomer or small molecule libraries of compounds (Lam, K.S., *Anticancer Drug Des.* 12:145 (1997)).

In one embodiment, to identify agents which alter the activity of a KChIP1  
25 polypeptide, a cell, cell lysate, or solution containing or expressing a KChIP1 polypeptide, or another splicing variant encoded by a KChIP1 gene (such as comprising a SNP as shown in Table 10 and/or 3), or a fragment or derivative thereof (as described above), can be contacted with an agent to be tested; alternatively, the polypeptide can be contacted directly with the agent to be tested. The level (amount)  
30 of KChIP1 activity is assessed (*e.g.*, the level (amount) of KChIP1 activity is measured, either directly or indirectly), and is compared with the level of activity in a

control (*i.e.*, the level of activity of the KChIP1 polypeptide or active fragment or derivative thereof in the absence of the agent to be tested). If the level of the activity in the presence of the agent differs, by an amount that is statistically significant, from the level of the activity in the absence of the agent, then the agent is an agent that  
5 alters the activity of a KChIP1 polypeptide. An increase in the level of KChIP1 activity relative to a control, indicates that the agent is an agent that enhances (is an agonist of) KChIP1 activity. Similarly, a decrease in the level of KChIP1 activity relative to a control, indicates that the agent is an agent that inhibits (is an antagonist of) KChIP1 activity. In another embodiment, the level of activity of a KChIP1  
10 polypeptide or derivative or fragment thereof in the presence of the agent to be tested, is compared with a control level that has previously been established. A level of the activity in the presence of the agent that differs from the control level by an amount that is statistically significant indicates that the agent alters KChIP1 activity.

The present invention also relates to an assay for identifying agents which  
15 alter the expression of a KChIP1 nucleic acid (*e.g.*, antisense nucleic acids, fusion proteins, polypeptides, peptidomimetics, prodrugs, receptors, binding agents, antibodies, small molecules or other drugs, or ribozymes) which alter (*e.g.*, increase or decrease) expression (*e.g.*, transcription or translation) of the gene or which otherwise interact with the nucleic acids described herein, as well as agents  
20 identifiable by the assays. For example, a solution containing a nucleic acid encoding a KChIP1 polypeptide (*e.g.*, a KChIP1 gene or nucleic acid) can be contacted with an agent to be tested. The solution can comprise, for example, cells containing the nucleic acid or cell lysate containing the nucleic acid; alternatively, the solution can be another solution that comprises elements necessary for transcription/translation of  
25 the nucleic acid. Cells not suspended in solution can also be employed, if desired. The level and/or pattern of KChIP1 expression (*e.g.*, the level and/or pattern of mRNA or of protein expressed, such as the level and/or pattern of different splicing variants) is assessed, and is compared with the level and/or pattern of expression in a control (*i.e.*, the level and/or pattern of the KChIP1 expression in the absence of the  
30 agent to be tested). If the level and/or pattern in the presence of the agent differs, by an amount or in a manner that is statistically significant, from the level and/or pattern



in the absence of the agent, then the agent is an agent that alters the expression of a Type II diabetes gene. Enhancement of KChIP1 expression indicates that the agent is an agonist of KChIP1 activity. Similarly, inhibition of KChIP1 expression indicates that the agent is an antagonist of KChIP1 activity. In another embodiment, the level  
5 and/or pattern of KChIP1 polypeptide(s) (*e.g.*, different splicing variants) in the presence of the agent to be tested, is compared with a control level and/or pattern that have previously been established. A level and/or pattern in the presence of the agent that differs from the control level and/or pattern by an amount or in a manner that is statistically significant indicates that the agent alters KChIP1 expression.

10 In another embodiment of the invention, agents which alter the expression of a KChIP1 nucleic acid or which otherwise interact with the nucleic acids described herein, can be identified using a cell, cell lysate, or solution containing a nucleic acid encoding the promoter region of the KChIP1 gene or nucleic acid operably linked to a reporter gene. After contact with an agent to be tested, the level of expression of the  
15 reporter gene (*e.g.*, the level of mRNA or of protein expressed) is assessed, and is compared with the level of expression in a control (*i.e.*, the level of the expression of the reporter gene in the absence of the agent to be tested). If the level in the presence of the agent differs, by an amount or in a manner that is statistically significant, from the level in the absence of the agent, then the agent is an agent that alters the  
20 expression of the KChIP1, as indicated by its ability to alter expression of a gene that is operably linked to the KChIP1 gene promoter. Enhancement of the expression of the reporter indicates that the agent is an agonist of KChIP1 activity. Similarly, inhibition of the expression of the reporter indicates that the agent is an antagonist of KChIP1 activity. In another embodiment, the level of expression of the reporter in the  
25 presence of the agent to be tested is compared with a control level that has previously been established. A level in the presence of the agent that differs from the control level by an amount or in a manner that is statistically significant indicates that the agent alters expression.

Agents which alter the amounts of different splicing variants encoded by a  
30 KChIP1 nucleic acid (*e.g.*, an agent which enhances activity of a first splicing variant, and which inhibits activity of a second splicing variant), as well as agents which are

agonists of activity of a first splicing variant and antagonists of activity of a second splicing variant, can easily be identified using these methods described above.

In other embodiments of the invention, assays can be used to assess the impact of a test agent on the activity of a polypeptide in relation to a KChIP1 binding agent.

5 For example, a cell that expresses a compound that interacts with a KChIP1 polypeptide (herein referred to as a “KChIP1 binding agent”, which can be a polypeptide or other molecule that interacts with a KChIP1 polypeptide, such as a receptor) is contacted with a KChIP1 in the presence of a test agent, and the ability of the test agent to alter the interaction between the KChIP1 and the KChIP1 binding agent is determined. Alternatively, a cell lysate or a solution containing the KChIP1  
10 binding agent, can be used. An agent which binds to the KChIP1 or the KChIP1 binding agent can alter the interaction by interfering with, or enhancing the ability of the KChIP1 to bind to, associate with, or otherwise interact with the KChIP1 binding agent. Determining the ability of the test agent to bind to a KChIP1 nucleic acid or a  
15 KChIP1 binding agent can be accomplished, for example, by coupling the test agent with a radioisotope or enzymatic label such that binding of the test agent to the polypeptide can be determined by detecting the labeled with  $^{125}\text{I}$ ,  $^{35}\text{S}$ ,  $^{14}\text{C}$  or  $^3\text{H}$ , either directly or indirectly, and the radioisotope detected by direct counting of radioemmission or by scintillation counting. Alternatively, test agents can be  
20 enzymatically labeled with, for example, horseradish peroxidase, alkaline phosphatase, or luciferase, and the enzymatic label detected by determination of conversion of an appropriate substrate to product. It is also within the scope of this invention to determine the ability of a test agent to interact with the polypeptide without the labeling of any of the interactants. For example, a microphysiometer can  
25 be used to detect the interaction of a test agent with a KChIP1 polypeptide or a KChIP1 binding agent without the labeling of either the test agent, KChIP1 polypeptide, or the KChIP1 binding agent. McConnell, H.M. *et al.*, *Science* 257:1906-1912 (1992). As used herein, a “microphysiometer” (*e.g.*, Cytosensor™) is an analytical instrument that measures the rate at which a cell acidifies its  
30 environment using a light-addressable potentiometric sensor (LAPS). Changes in this

acidification rate can be used as an indicator of the interaction between ligand and polypeptide.

Thus, these receptors can be used to screen for compounds that are agonists or antagonists, for use in treating a susceptibility to a disease or condition associated  
5 with a KChIP1 gene or nucleic acid, or for studying a susceptibility to a disease or condition associated with a KChIP1 (*e.g.*, Type II diabetes). Drugs could be designed to regulate KChIP1 activation that in turn can be used to regulate signaling pathways and transcription events of genes downstream.

In another embodiment of the invention, assays can be used to identify  
10 polypeptides that interact with one or more KChIP1 polypeptides, as described herein. For example, a yeast two-hybrid system such as that described by Fields and Song (Fields, S. and Song, O., *Nature* 340:245-246 (1989)) can be used to identify polypeptides that interact with one or more KChIP1 polypeptides. In such a yeast two-hybrid system, vectors are constructed based on the flexibility of a transcription  
15 factor that has two functional domains (a DNA binding domain and a transcription activation domain). If the two domains are separated but fused to two different proteins that interact with one another, transcriptional activation can be achieved, and transcription of specific markers (*e.g.*, nutritional markers such as His and Ade, or color markers such as lacZ) can be used to identify the presence of interaction and  
20 transcriptional activation. For example, in the methods of the invention, a first vector is used which includes a nucleic acid encoding a DNA binding domain and also a KChIP1 polypeptide, splicing variant, or fragment or derivative thereof, and a second vector is used which includes a nucleic acid encoding a transcription activation domain and also a nucleic acid encoding a polypeptide which potentially may interact  
25 with the KChIP1 polypeptide, splicing variant, or fragment or derivative thereof (*e.g.*, a KChIP1 polypeptide binding agent or receptor). Incubation of yeast containing the first vector and the second vector under appropriate conditions (*e.g.*, mating conditions such as used in the Matchmaker™ system from Clontech (Palo Alto, California, USA)) allows identification of colonies that express the markers of  
30 interest. These colonies can be examined to identify the polypeptide(s) that interact with the KChIP1 polypeptide or fragment or derivative thereof. Such polypeptides

may be useful as agents that alter the activity of expression of a KChIP1 polypeptide, as described above.

In more than one embodiment of the above assay methods of the present invention, it may be desirable to immobilize either the KChIP1 gene or nucleic acid, the KChIP1 polypeptide, the KChIP1 binding agent, or other components of the assay on a solid support, in order to facilitate separation of complexed from uncomplexed forms of one or both of the polypeptides, as well as to accommodate automation of the assay. Binding of a test agent to the polypeptide, or interaction of the polypeptide with a binding agent in the presence and absence of a test agent, can be accomplished in any vessel suitable for containing the reactants. Examples of such vessels include microtitre plates, test tubes, and micro-centrifuge tubes. In one embodiment, a fusion protein (*e.g.*, a glutathione-S-transferase fusion protein) can be provided which adds a domain that allows a KChIP1 nucleic acid, KChIP1 polypeptide, or a KChIP1 binding agent to be bound to a matrix or other solid support.

In another embodiment, modulators of expression of nucleic acid molecules of the invention are identified in a method wherein a cell, cell lysate, or solution containing a KChIP1 nucleic acid is contacted with a test agent and the expression of appropriate mRNA or polypeptide (*e.g.*, splicing variant(s)) in the cell, cell lysate, or solution, is determined. The level of expression of appropriate mRNA or polypeptide(s) in the presence of the test agent is compared to the level of expression of mRNA or polypeptide(s) in the absence of the test agent. The test agent can then be identified as a modulator of expression based on this comparison. For example, when expression of mRNA or polypeptide is greater (statistically significantly greater) in the presence of the test agent than in its absence, the test agent is identified as a stimulator or enhancer of the mRNA or polypeptide expression. Alternatively, when expression of the mRNA or polypeptide is less (statistically significantly less) in the presence of the test agent than in its absence, the test agent is identified as an inhibitor of the mRNA or polypeptide expression. The level of mRNA or polypeptide expression in the cells can be determined by methods described herein for detecting mRNA or polypeptide.

This invention further pertains to novel agents identified by the above-described screening assays. Accordingly, it is within the scope of this invention to further use an agent identified as described herein in an appropriate animal model. For example, an agent identified as described herein (*e.g.*, a test agent that is a  
5 modulating agent, an antisense nucleic acid molecule, a specific antibody, or a polypeptide-binding agent) can be used in an animal model to determine the efficacy, toxicity, or side effects of treatment with such an agent. Alternatively, an agent identified as described herein can be used in an animal model to determine the mechanism of action of such an agent.

10 Furthermore, this invention pertains to uses of novel agents identified by the above-described screening assays for treatments as described herein. In addition, an agent identified as described herein can be used to alter activity of a polypeptide encoded by a KChIP1 nucleic acid, or to alter expression of a KChIP1 nucleic acid, by contacting the polypeptide or the nucleic acid (or contacting a cell comprising the  
15 polypeptide or the nucleic acid) with the agent identified as described herein.

#### PHARMACEUTICAL COMPOSITIONS

The present invention also pertains to pharmaceutical compositions comprising nucleic acids described herein, particularly nucleotides encoding the  
20 polypeptides described herein (*e.g.*, a KChIP1 polypeptide); comprising polypeptides described herein and/or comprising other splicing variants encoded by a KChIP1 nucleic acid; and/or an agent that alters (*e.g.*, enhances or inhibits) KChIP1 nucleic acid expression or KChIP1 polypeptide activity as described herein. For instance, a polypeptide, protein (*e.g.*, a KChIP1 nucleic acid receptor), an agent that alters  
25 KChIP1 nucleic acid expression, or a KChIP1 binding agent or binding partner, fragment, fusion protein or pro-drug thereof, or a nucleotide or nucleic acid construct (vector) comprising a nucleotide of the present invention, or an agent that alters KChIP1 polypeptide activity, can be formulated with a physiologically acceptable carrier or excipient to prepare a pharmaceutical composition. The carrier and  
30 composition can be sterile. The formulation should suit the mode of administration.

Suitable pharmaceutically acceptable carriers include but are not limited to water, salt solutions (*e.g.*, NaCl), saline, buffered saline, alcohols, glycerol, ethanol, gum arabic, vegetable oils, benzyl alcohols, polyethylene glycols, gelatin, carbohydrates such as lactose, amylose or starch, dextrose, magnesium stearate, talc, silicic acid, viscous paraffin, perfume oil, fatty acid esters, hydroxymethylcellulose, polyvinyl pyrrolidone, etc., as well as combinations thereof. The pharmaceutical preparations can, if desired, be mixed with auxiliary agents, *e.g.*, lubricants, preservatives, stabilizers, wetting agents, emulsifiers, salts for influencing osmotic pressure, buffers, coloring, flavoring and/or aromatic substances and the like which do not deleteriously react with the active agents.

The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. The composition can be a liquid solution, suspension, emulsion, tablet, pill, capsule, sustained release formulation, or powder. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, polyvinyl pyrrolidone, sodium saccharine, cellulose, magnesium carbonate, etc.

Methods of introduction of these compositions include, but are not limited to, intradermal, intramuscular, intraperitoneal, intraocular, intravenous, subcutaneous, topical, oral and intranasal. Other suitable methods of introduction can also include gene therapy (as described below), rechargeable or biodegradable devices, particle acceleration devices ("gene guns") and slow release polymeric devices. The pharmaceutical compositions of this invention can also be administered as part of a combinatorial therapy with other agents.

The composition can be formulated in accordance with the routine procedures as a pharmaceutical composition adapted for administration to human beings. For example, compositions for intravenous administration typically are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a

hermetically sealed container such as an ampule or sachette indicating the quantity of active agent. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water, saline or dextrose/water. Where the composition is administered by injection, an ampule of  
5 sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

For topical application, nonsprayable forms, viscous to semi-solid or solid forms comprising a carrier compatible with topical application and having a dynamic viscosity preferably greater than water, can be employed. Suitable formulations  
10 include but are not limited to solutions, suspensions, emulsions, creams, ointments, powders, enemas, lotions, sols, liniments, salves, aerosols, etc., which are, if desired, sterilized or mixed with auxiliary agents, *e.g.*, preservatives, stabilizers, wetting agents, buffers or salts for influencing osmotic pressure, etc. The agent may be incorporated into a cosmetic formulation. For topical application, also suitable are  
15 sprayable aerosol preparations wherein the active ingredient, preferably in combination with a solid or liquid inert carrier material, is packaged in a squeeze bottle or in admixture with a pressurized volatile, normally gaseous propellant, *e.g.*, pressurized air.

Agents described herein can be formulated as neutral or salt forms.  
20 Pharmaceutically acceptable salts include those formed with free amino groups such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with free carboxyl groups such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

25 The agents are administered in a therapeutically effective amount. The amount of agents which will be therapeutically effective in the treatment of a particular disorder or condition will depend on the nature of the disorder or condition, and can be determined by standard clinical techniques. In addition, *in vitro* or *in vivo* assays may optionally be employed to help identify optimal dosage ranges. The  
30 precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the symptoms, and should be decided according

to the judgment of a practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from *in vitro* or animal model test systems.

The invention also provides a pharmaceutical pack or kit comprising one or  
5 more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use of sale for human administration. The pack or kit  
10 can be labeled with information regarding mode of administration, sequence of drug administration (*e.g.*, separately, sequentially or concurrently), or the like. The pack or kit may also include means for reminding the patient to take the therapy. The pack or kit can be a single unit dosage of the combination therapy or it can be a plurality of unit dosages. In particular, the agents can be separated, mixed together in any  
15 combination, present in a single vial or tablet. Agents assembled in a blister pack or other dispensing means is preferred. For the purpose of this invention, unit dosage is intended to mean a dosage that is dependent on the individual pharmacodynamics of each agent and administered in FDA approved dosages in standard time courses.

## 20 METHODS OF THERAPY

The present invention also pertains to methods of treatment (prophylactic and/or therapeutic) for certain diseases and conditions associated with KChIP1. In particular, the invention relates to methods of treatment for Type II diabetes or a susceptibility to Type II diabetes, using a Type II diabetes therapeutic agent. A "Type  
25 II diabetes therapeutic agent" is an agent that alters (*e.g.*, enhances or inhibits) KChIP1 polypeptide activity and/or KChIP1 nucleic acid expression, as described herein (*e.g.*, a Type II diabetes nucleic acid agonist or antagonist). In certain embodiments, the Type II diabetes therapeutic agent alters activity and/or nucleic acid expression of KChIP1.

30 Type II diabetes therapeutic agents can alter KChIP1 polypeptide activity or nucleic acid expression by a variety of means, such as, for example, by providing



additional KChIP1 polypeptide or by upregulating the transcription or translation of the KChIP1 nucleic acid; by altering posttranslational processing of the KChIP1 polypeptide; by altering transcription of KChIP1 splicing variants; or by interfering with KChIP1 polypeptide activity (*e.g.*, by binding to a KChIP1 polypeptide), or by  
5 binding to another polypeptide that interacts with KChIP1, by altering (*e.g.*, downregulating) the expression, transcription or translation of a KChIP1 nucleic acid, or by altering (*e.g.*, agonizing or antagonizing) activity.

Representative Type II diabetes therapeutic agents include the following:

10 nucleic acids or fragments or derivatives thereof described herein, particularly nucleotides encoding the polypeptides described herein and vectors comprising such nucleic acids (*e.g.*, a gene, cDNA, and/or mRNA, such as a nucleic acid encoding a KChIP1 polypeptide or active fragment or derivative thereof, or an oligonucleotide; or a complement thereof, or fragments or  
15 derivatives thereof, and/or other splicing variants encoded by a Type II diabetes nucleic acid, or fragments or derivatives thereof);

polypeptides described herein and/ or splicing variants encoded by the KChIP1 nucleic acid or fragments or derivatives thereof;

20 other polypeptides (*e.g.*, KChIP1 receptors); KChIP1 binding agents; or agents that affect (*e.g.*, increase or decrease) activity,

antibodies, such as an antibody to an altered KChIP1 polypeptide, or an  
25 antibody to a non-altered KChIP1 polypeptide, or an antibody to a particular splicing variant encoded by a KChIP1 nucleic acid as described above;

peptidomimetics; fusion proteins or prodrugs thereof; ribozymes; other small molecules; and

30

other agents that alter (*e.g.*, enhance or inhibit) expression of a KChIP1 nucleic acid, or that regulate transcription of KChIP1 splicing variants (*e.g.*, agents that affect which splicing variants are expressed, or that affect the amount of each splicing variant that is expressed).

5

More than one Type II diabetes therapeutic agent can be used concurrently, if desired.

A Type II diabetes nucleic acid therapeutic agent that is a nucleic acid is used in the treatment of Type II diabetes or in the treatment for a susceptibility to Type II diabetes. The term, "treatment" as used herein, refers not only to ameliorating  
10 symptoms associated with the disease or condition, but also preventing or delaying the onset of the disease or condition, and also lessening the severity or frequency of symptoms of the disease or condition. The therapy is designed to alter (*e.g.*, inhibit or enhance), replace or supplement activity of a KChIP1 polypeptide in an individual. For example, a Type II diabetes therapeutic agent can be administered in order to  
15 upregulate or increase the expression or availability of the KChIP1 nucleic acid or of specific splicing variants of KChIP1 nucleic acid, or, conversely, to downregulate or decrease the expression or availability of the KChIP1 nucleic acid or specific splicing variants of the KChIP1 nucleic acid. Upregulation or increasing expression or availability of a native KChIP1 gene or nucleic acid or of a particular splicing variant  
20 could interfere with or compensate for the expression or activity of a defective gene or another splicing variant; downregulation or decreasing expression or availability of a native KChIP1 gene or of a particular splicing variant could minimize the expression or activity of a defective gene or the particular splicing variant and thereby minimize the impact of the defective gene or the particular splicing variant.

25 The Type II diabetes therapeutic agent(s) are administered in a therapeutically effective amount (*i.e.*, an amount that is sufficient to treat the disease, such as by ameliorating symptoms associated with the disease, preventing or delaying the onset of the disease, and/or also lessening the severity or frequency of symptoms of the disease). The amount which will be therapeutically effective in the treatment of a  
30 particular individual's disorder or condition will depend on the symptoms and severity of the disease, and can be determined by standard clinical techniques. In

addition, *in vitro* or *in vivo* assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of a practitioner and each patient's  
5 circumstances. Effective doses may be extrapolated from dose-response curves derived from *in vitro* or animal model test systems.

In one embodiment, a nucleic acid of the invention (*e.g.*, a nucleic acid encoding a KChIP1 polypeptide, such as one of SEQ ID NO: 1 or a complement thereof); or another nucleic acid that encodes a KChIP1 polypeptide or a splicing  
10 variant, derivative or fragment thereof (*e.g.*, comprising any one or more of SEQ ID NO: 114-258), can be used, either alone or in a pharmaceutical composition as described above. For example, a KChIP1 gene or nucleic acid or a cDNA encoding a KChIP1 polypeptide, either by itself or included within a vector, can be introduced into cells (either *in vitro* or *in vivo*) such that the cells produce native KChIP1  
15 polypeptide. If necessary, cells that have been transformed with the gene or cDNA or a vector comprising the gene, nucleic acid or cDNA can be introduced (or re-introduced) into an individual affected with the disease. Thus, cells which, in nature, lack native KChIP1 expression and activity, or have altered KChIP1 expression and activity, or have expression of a disease-associated KChIP1 splicing variant, can be  
20 engineered to express the KChIP1 polypeptide or an active fragment of the KChIP1 polypeptide (or a different variant of the KChIP1 polypeptide). In certain embodiments, nucleic acids encoding a KChIP1 polypeptide, or an active fragment or derivative thereof, can be introduced into an expression vector, such as a viral vector, and the vector can be introduced into appropriate cells in an animal. Other gene  
25 transfer systems, including viral and nonviral transfer systems, can be used. Alternatively, nonviral gene transfer methods, such as calcium phosphate coprecipitation, mechanical techniques (*e.g.*, microinjection); membrane fusion-mediated transfer via liposomes; or direct DNA uptake, can also be used.

Alternatively, in another embodiment of the invention, a nucleic acid of the  
30 invention; a nucleic acid complementary to a nucleic acid of the invention; or a portion of such a nucleic acid (*e.g.*, an oligonucleotide as described below), can be

used in “antisense” therapy, in which a nucleic acid (*e.g.*, an oligonucleotide) which specifically hybridizes to the mRNA and/or genomic DNA of a Type II diabetes gene is administered or generated *in situ*. The antisense nucleic acid that specifically hybridizes to the mRNA and/or DNA inhibits expression of the KChIP1 polypeptide,  
5 *e.g.*, by inhibiting translation and/or transcription. Binding of the antisense nucleic acid can be by conventional base pair complementarity, or, for example, in the case of binding to DNA duplexes, through specific interaction in the major groove of the double helix.

An antisense construct of the present invention can be delivered, for example,  
10 as an expression plasmid as described above. When the plasmid is transcribed in the cell, it produces RNA that is complementary to a portion of the mRNA and/or DNA which encodes the KChIP1 polypeptide. Alternatively, the antisense construct can be an oligonucleotide probe that is generated *ex vivo* and introduced into cells; it then inhibits expression by hybridizing with the mRNA and/or genomic DNA of the  
15 polypeptide. In one embodiment, the oligonucleotide probes are modified oligonucleotides, which are resistant to endogenous nucleases, *e.g.*, exonucleases and/or endonucleases, thereby rendering them stable *in vivo*. Exemplary nucleic acid molecules for use as antisense oligonucleotides are phosphoramidate, phosphothioate and methylphosphonate analogs of DNA (see also U.S. Pat. Nos. 5,176,996;  
20 5,264,564; and 5,256,775). Additionally, general approaches to constructing oligomers useful in antisense therapy are also described, for example, by Van der Krol *et al.*, (*BioTechniques* 6:958-976 (1988)); and Stein *et al.*, (*Cancer Res.* 48:2659-2668 (1988)). With respect to antisense DNA, oligodeoxyribonucleotides derived from the translation initiation site are preferred.

25 To perform antisense therapy, oligonucleotides (mRNA, cDNA or DNA) are designed that are complementary to mRNA encoding the KChIP1. The antisense oligonucleotides bind to KChIP1 mRNA transcripts and prevent translation. Absolute complementarity, although preferred, is not required. A sequence “complementary” to a portion of an RNA, as referred to herein, indicates that a sequence has sufficient  
30 complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double-stranded antisense nucleic acids, a single strand of the duplex DNA

may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid, as described in detail above. Generally, the longer the hybridizing nucleic acid, the more base mismatches with an RNA it may contain and still form a stable duplex  
5 (or triplex, as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures.

The oligonucleotides used in antisense therapy can be DNA, RNA, or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotides can be modified at the base moiety, sugar  
10 moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotides can include other appended groups such as peptides (*e.g.* for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, *Proc. Natl. Acad. Sci. USA* 86:6553-6556 (1989); Lemaitre *et al.*, *Proc. Natl. Acad. Sci. USA* 84:648-652 (1987);  
15 PCT International Publication NO: WO 88/09810) or the blood-brain barrier (see, *e.g.*, PCT International Publication NO: WO 89/10134), or hybridization-triggered cleavage agents (see, *e.g.*, Krol *et al.*, *BioTechniques* 6:958-976 (1988)) or intercalating agents. (See, *e.g.*, Zon, *Pharm. Res.* 5:539-549 (1988)). To this end, the oligonucleotide may be conjugated to another molecule (*e.g.*, a peptide, hybridization  
20 triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent).

The antisense molecules are delivered to cells that express KChIP1 *in vivo*. A number of methods can be used for delivering antisense DNA or RNA to cells; *e.g.*, antisense molecules can be injected directly into the tissue site, or modified antisense molecules, designed to target the desired cells (*e.g.*, antisense linked to peptides or  
25 antibodies that specifically bind receptors or antigens expressed on the target cell surface) can be administered systematically. Alternatively, in a preferred embodiment, a recombinant DNA construct is utilized in which the antisense oligonucleotide is placed under the control of a strong promoter (*e.g.*, pol III or pol II). The use of such a construct to transfect target cells in the patient results in the  
30 transcription of sufficient amounts of single stranded RNAs that will form complementary base pairs with the endogenous KChIP1 transcripts and thereby

prevent translation of the KChIP1 mRNA. For example, a vector can be introduced *in vivo* such that it is taken up by a cell and directs the transcription of an antisense RNA. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can  
5 be constructed by recombinant DNA technology methods standard in the art and described above. For example, a plasmid, cosmid, YAC or viral vector can be used to prepare the recombinant DNA construct that can be introduced directly into the tissue site. Alternatively, viral vectors can be used which selectively infect the desired tissue, in which case administration may be accomplished by another route (*e.g.*,  
10 systemically).

Endogenous KChIP1 polypeptide expression can also be reduced by inactivating or “knocking out” the gene, nucleic acid or its promoter using targeted homologous recombination (*e.g.*, see Smithies *et al.*, *Nature* 317:230-234 (1985); Thomas & Capecchi, *Cell* 51:503-512 (1987); Thompson *et al.*, *Cell* 5:313-321  
15 (1989)). For example, an altered, non-functional gene or nucleic acid (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous gene or nucleic acid (either the coding regions or regulatory regions of the nucleic acid) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express the gene or nucleic acid *in vivo*.  
20 Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the gene or nucleic acid. The recombinant DNA constructs can be directly administered or targeted to the required site *in vivo* using appropriate vectors, as described above. Alternatively, expression of non-altered genes or nucleic acids can be increased using a similar method: targeted homologous recombination can be  
25 used to insert a DNA construct comprising a non-altered functional gene or nucleic acid, *e.g.*, a nucleic acid comprising one or more of SEQ ID NOs: 114-258 or the complement thereof, or a portion thereof, in place of an altered KChIP1 in the cell, as described above. In another embodiment, targeted homologous recombination can be used to insert a DNA construct comprising a nucleic acid that encodes a Type II  
30 diabetes polypeptide variant that differs from that present in the cell.

Alternatively, endogenous KChIP1 nucleic acid expression can be reduced by targeting deoxyribonucleotide sequences complementary to the regulatory region of a KChIP1 nucleic acid (*i.e.*, the KChIP1 promoter and/or enhancers) to form triple helical structures that prevent transcription of the KChIP1 nucleic acid in target cells in the body. (See generally, Helene, C., *Anticancer Drug Des.*, 6(6):569-84 (1991); Helene, C. *et al.*, *Ann. N.Y. Acad. Sci.* 660:27-36 (1992); and Maher, L. J., *Bioassays* 14(12):807-15 (1992)). Likewise, the antisense constructs described herein, by antagonizing the normal biological activity of one of the KChIP1 proteins, can be used in the manipulation of tissue, *e.g.*, tissue differentiation, both *in vivo* and *for ex vivo* tissue cultures. Furthermore, the anti-sense techniques (*e.g.*, microinjection of antisense molecules, or transfection with plasmids whose transcripts are anti-sense with regard to a Type II diabetes gene mRNA or gene sequence) can be used to investigate the role of KChIP1 or the interaction of KChIP1 and its binding agents in developmental events, as well as the normal cellular function of KChIP1 or of the interaction of KChIP1 and its binding agents in adult tissue. Such techniques can be utilized in cell culture, but can also be used in the creation of transgenic animals.

In yet another embodiment of the invention, other Type II diabetes therapeutic agents as described herein can also be used in the treatment or prevention of a susceptibility to a disease or condition associated with a Type II diabetes gene. The therapeutic agents can be delivered in a composition, as described above, or by themselves. They can be administered systemically, or can be targeted to a particular tissue. The therapeutic agents can be produced by a variety of means, including chemical synthesis; recombinant production; *in vivo* production (*e.g.*, a transgenic animal, such as U.S. Pat. NO: 4,873,316 to Meade *et al.*), for example, and can be isolated using standard means such as those described herein.

A combination of any of the above methods of treatment (*e.g.*, administration of non-altered polypeptide in conjunction with antisense therapy targeting altered mRNA of KChIP1; administration of a first splicing variant encoded by a KChIP1 nucleic acid in conjunction with antisense therapy targeting a second splicing encoded by a KChIP1 nucleic acid) can also be used.

The present invention is now illustrated by the following Exemplification, which is not intended to be limiting in any way. All references cited herein are incorporated by reference in their entirety.

## 5 EXEMPLIFICATION

The study was done in collaboration with the Icelandic Heart Association, who provided an encrypted list of 1350 diabetic patients. In 1967-1991 the Heart Association started a study of cardiovascular disease and its complications. Measurements of blood sugar were included in a thorough check-up of the  
10 participants which results led to many individuals being diagnosed with diabetes. The list of participants is an unbiased sample of about a third of the Icelandic nation. Individuals diagnosed in the years following 1991 were either diagnosed at the Icelandic Heart Association or at one of two major hospitals in Reykjavík, Iceland.

All participants in the Type II diabetes study visited the Icelandic Heart  
15 Association where each answered a questionnaire, had blood drawn, a blood sugar assessment, and measurements taken. Height (m) and weight (kg) were measured to calculate the body mass index. In serum, the fasting blood glucose and triglyceride levels were measured as well. Diagnoses of Type II diabetes were based on the diagnostic criteria set by the World Health Organization (1999). All patients with  
20 fasting glucose above 7 mM were diagnosed as having Type II diabetes and individuals with fasting blood sugar between 6.1 – 6.9 mM were diagnosed with impaired fasting glucose. If the participants had no prior history of diabetes, they were requested to come in for another test to have their diagnosis confirmed. All individuals on diabetic medication were classified as Type II. The questionnaire  
25 included questions regarding age at diagnosis and type of medication. All patients were requested to bring two relatives who's DNA was used to confirm the genotypes of the patients.

Since the patients had participated in a study that was conducted between 1967-1991 a considerable time had passed, in some instances, since they had visited  
30 the Heart Association. Therefore, all the patients were required to have another fasting blood glucose test to check on their blood sugar level at the time of



participation in the study. Thus, all patients were labeled unconfirmed, meaning that results of blood glucose levels were pending, for this particular study. A label of confirmed diabetic was given to the patient when the measurements were received. Linkage analyses were done with confirmed patients and unconfirmed patients were  
5 included only if they were close relatives of a confirmed index patient. The initial list of patients included 1350 Type II diabetics, but during this study new patients were diagnosed who were relatives of the index patients. All participants with no previous history of diabetes but with elevated fasting glucose were diagnosed according to the WHO criteria as described above. At present date, 1406 Type II diabetics and 266  
10 patients with impaired fasting glucose have participated in the study, together with 3972 of their close relatives.

This study was approved by the Data Protection Commission of Iceland and the National Bioethics Committee of Iceland. All patients and their relatives who participated in the Study gave informed consents.

15

#### *Outline of the study*

This particular genetic study, which has the aim of identifying a genetic variant or a gene that may contribute to type II diabetes by using a positional cloning approach, can be divided into three steps:

- 20 i. *Genome-wide linkage study*, where excess allele sharing among related type II diabetics is used to identify a chromosomal segment, typically 2 – 8 Megabases long, that may harbor a disease susceptibility gene/genes.
- 25 ii. *Locus-wide association study*, where a high-density of microsatellite markers is typed in a large patient and control cohort. By comparing the frequencies of individual alleles or haplotypes between the two cohorts, the location of the putative disease gene/genes is narrowed down to a few hundred kilobases.
- 30 iii. *Candidate gene assessment*, where additional microsatellites and/or SNPs are typed in all genes that are identified within the smaller

candidate region and further association analysis is used to identify which of the genes shows strong association to the disease.

### Linkage Analysis

#### 5 *Pedigree Construction*

For the linkage analysis, blood samples were obtained from 964 Type II diabetics and 203 individuals with impaired fasting glucose. The patients were clustered into families such that each patient is related to (within and including six meiotic events) at least one other patient. In this manner, 772 patients fell into  
10 families - 705 Type II diabetics and 67 with impaired fasting glucose. The confirmed Type II patients were treated as probands and clustered into families that each proband is related to, within and including six meiotic events. The other patients, unconfirmed Type II and IFG patients, were added to the families if they were related to a proband within and including three meiotic events. The rational behind this was  
15 to include as many patients as possible in the study. Impaired fasting glucose is an immediate diagnosis, and we assumed that the more closely related these patients are to the confirmed diabetics, the likelier they are to have or to develop the disease.

The families were checked for relationship errors by comparing the identity-by-state (IBS) distribution for the set of 906 markers, for each pair of related and  
20 genotyped individuals, to a reference distribution corresponding to the particular degree of relatedness. The reference distributions were constructed from a large subset of the Icelandic population. Individuals were excluded from the study if their relationship with the rest of the family was inconsistent with the relationship specified in the geneology database.

25 The remaining material that was available for the study was the following: 763 now confirmed Type II patients in 227 families together with 764 genotyped relatives. Of the patients, 667 were confirmed Type II patients, 35 unconfirmed Type II patients, 52 confirmed patients with impaired fasting glucose (IFG) and 9 unconfirmed patients with IFG.

*Stratification of the Patient Material*

The patients were classified into two sub-phenotypes based on their BMI: non-obese Type II diabetes are patients who have BMI less than 30, and obese Type II diabetes are patients who have BMI at or above 30. The reason for fractionating the diabetics into non-obese and obese groups is that other factors may be influencing the pathogenesis of disease in these two groups. Obesity alone could be contributing to the diabetic phenotype. Therefore, this factor was separated. Obesity is most likely due to a combination of environmental and genetic factors. This fractionation into non-obese and obese diabetics practically separates the material into two halves; 60% of the patients are in the non-obese category (20% with BMI below 25 (lean) and 40% with BMI between 25-30 (overweight)), and 40% of the patients are in the obese category (BMI above 30).

An affected-only linkage analysis for each of those sub-phenotypes was performed, using the same set of families as above, but classifying patients not belonging to the particular sub-group as having an unknown disease status. Restricted to a particular sub-phenotype, some families no longer contain a pair of related patients classified as affecteds and hence do not contribute in the linkage analysis. Such families were excluded from the analysis of the particular sub-phenotype. The number of patients and families used in the linkage analysis is summarized in Table 1 below.

Table 1: The number of patients and families that contribute to the genome-wide linkage scan, both when all the patients are used, and when the analysis is restricted to obese or non-obese diabetic patients, respectively.

Table 1: Phenotype and Patients

Phenotype	Total Number of Patients	NO: of families contributing to the analysis	NO: of patients contributing to the analysis
All diabetics	763	227	763
Obese	296	92	219
Non-obese	467	154	413

*Genome wide scan*

5           A genome wide scan was performed on 772 patients and their relatives. Nine patients were excluded due to inheritance errors so the linkage analysis was performed with 763 patients and 764 relatives. The procedure was as described in Gretarsdóttir, *et al.*, *Am J Hum Genet.*, 70(3):593-603 (2002). In short, the DNA was genotyped with a framework marker set of 906 microsatellite markers with an average

10 resolution of 4cM. Alleles were called automatically with the TrueAllele program (Cybergentics, Co., Pittsburgh, PA), and the program DecodeGT (deCODE genetics, ehf., Iceland), was used to fractionate according to quality and edit the called genotypes (Palsson, B., *et al.*, *Genome Res.*, 9(10):1002-1012 (1999)). The population allele frequencies for the markers were constructed from a cohort of more

15 than 30,000 Icelanders that have participated in genome-wide studies of various disease projects at deCODE genetics. Additional markers were genotyped within the locus on chromosome 5q, where we observed the strongest linkage signal, to increase the information on identity by descent (IBD) sharing within the families. For those markers, at least 180 Icelandic controls were genotyped to derive the population allele

20 frequencies.

The additional microsatellite markers that were genotyped within the locus were either publicly available or designed at deCODE genetics; those markers are indicated with a DG designation. Repeats within the DNA sequence were identified that allowed us to choose or design primers that were evenly spaced across the locus.

The identification of the repeats and location with respect to other markers was based on the work of the physical mapping team at deCODE genetics.

For the markers used in the genomewide scan, the genetic positions were taken from the recently published high-resolution genetic map (HRGM), constructed at deCODE genetics (Kong A., *et al.*, *Nat Genet.*, 31: 241-247 (2002)). The genetic position of the additional markers are either taken from the HRGM, when available, or by applying the same genetic mapping methods as were used in constructing the HRGM map to the family material genotyped for this particular linkage study.

#### 10 *Statistical Methods for Linkage Analysis*

The linkage analysis is done using the software Allegro (Gudbjartsson *et al.*, *Nat. Genet.* 25:12-3, (2000)) that determines the statistical significance of excess sharing among related patients by applying non-parametric affected-only allele-sharing methods (without any particular disease inheritance model being specified). Allegro, a linkage program developed at deCODE genetics, calculates LOD scores based on multipoint calculations. Our baseline linkage analysis uses the  $S_{\text{pairs}}$  scoring function (Whittemore, A.S. and Halpern, J., *Biometrics* 50:118-27 (1994); Kruglyak L., *et al.*, *Am J Hum Genet* 58:1347-63, (1996)), the exponential allele-sharing model (Kong, A. and Cox, N.J., *Am. J. Hum. Genet.*, 61:1179 (1997)), and a family weighting scheme which is halfway on a log scale between weighting each affected pair equally and weighting each family equally. In the analysis, all genotyped individuals who are not affected are treated as “unknown”. Because of concern with small sample behavior, we usually compute corresponding P-values in two different ways for comparison. The first P-value is computed based on large sample theory;  $Z_{lr} = \sqrt{(2 \log_e (10) \text{ LOD})}$  and is approximately distributed as a standard normal distribution under the null hypothesis of no linkage. A second P-value is computed by comparing the observed LOD score to its complete data sampling distribution under the null hypothesis. When a data set consists of more than a handful of families, these two P-values tend to be very similar.

30 All suggestive loci with LOD scores greater than 2 are followed up with some extra markers to increase the information on the IBD-sharing within the families and

to decrease the chance that a LOD score represents a false-positive linkage. The information measure we use was defined by Nicolae (D. L. Nicolae, Thesis, University of Chicago (1999)) and is a part of the Allegro program output. This measure is closely related to a classical measure of information as previously  
5 described by Dempster *et.al.* (Dempster, A.P., *et al.*, *J. R. Statist. Soc. B*, 39:1 (1977)); the information equals zero if the marker genotypes are completely uninformative and equals one if the genotypes determine the exact amount of allele sharing by descent among the affected relatives. Using the framework marker set with average marker spacing of 4 cM typically results in information content of about  
10 0.7 in the families used in our linkage analysis. Increasing the marker density to one marker every centimorgan usually increases the information content above 0.85.

### Results

The results of the genome-wide linkage analysis with the framework marker  
15 set are shown in FIG. 4 which depicts the allele-sharing LOD-score versus the genetic distance from the p-terminus in centimorgan (cM) for each of the 23 chromosomes. The analysis was performed with the three phenotypes: all Type II diabetics (solid lines), non-obese diabetics (dashed lines) and obese diabetics (dotted lines). A LOD-score of 1.84 is observed on chromosome 5q34-q35.2 with the framework marker set  
20 when we use all Type II diabetics in the analysis. When the linkage analysis is restricted to non-obese diabetics, this LOD-score increases to 2.81. The obese diabetics do not show linkage in this region.

Additional markers were genotyped in this area to increase the information content and to confirm the linkage. The information on the IBD-sharing at this locus  
25 was about 78% with the framework marker set. In order to increase the information content, another 38 microsatellite markers were genotyped within a 40 cM region that includes the observed signal. Repeating the linkage analysis including the additional markers increased the LOD-score to 3.64 ( $P\text{-value} = 3.18 \times 10^{-5}$ ) for the non-obese diabetics. For all patients, the peak LOD-score increased to 2.9 ( $P\text{-value} = 1.22 \times 10^{-4}$ ).  
30 This is shown in FIG. 5.

The peak of the LOD-score is centered on marker D5S625 and the region determined by a drop of one in the LOD is from marker DG5S5 to marker D5S429, centromeric and telomeric respectively. The one-LOD-drop is about 9 cM and estimated to be about 3.5 Mb. This 1-LOD-drop roughly corresponds to the 80-90% confidence interval for the location of a putative disease associated gene.

#### Locus-wide association study

##### *Genotyping to Narrow Down the Region of Linkage*

In order to narrow down the region of interest, the linkage analysis is followed by a comprehensive association study of the 1-LOD-drop. This is necessary as the linkage analysis has limited resolution; it compares sharing among closely related individuals that share on average large chromosomal segments. For the association analysis, we identified a large number of additional microsatellite markers located in the 1-LOD-drop and typed those markers in both our patient cohort and in a large number of unrelated controls randomly selected from the Icelandic population.

We identified and typed 67 markers in the 1-LOD-drop in addition to the 17 markers already typed and used in the linkage analysis (locus-wide association microsatellites; Table 6). The new polymorphic repeats (dinucleotide or trinucleotide repeats) were identified with the Sputnik program. We subtracted the smaller allele of CEPH sample 1347-02 (CEPH genomics repository) from the alleles of the microsatellites and used it as a reference. A total of 84 markers were available for the association analysis, *i.e.*, an average density of one marker every 42kb or one marker every 0.107 cM. All those markers were typed for 590 non-obese diabetics and 477 unrelated controls.

25

##### *Statistical Methods for Association and Haplotype Analysis*

For single marker association to the disease, we use Fisher exact test to calculate a two-sided P-value for each individual allele. When presenting the results, we use allelic frequencies rather than carrier frequencies for microsatellites, SNPs and haplotypes. Haplotype analyses are performed using a computer program we developed at deCODE called NEMO (NEsted MOdels) (Gretarsdóttir, *et al.*, *Nat*

30

*Genet.* 2003 Oct;35(2):131-8). We use NEMO both to study marker-marker association and to calculate linkage disequilibrium (LD) between markers, and for case-control haplotype analysis. With NEMO, haplotype frequencies are estimated by maximum likelihood and the differences between patients and controls are tested  
 5 using a generalized likelihood ratio test. The maximum likelihood estimates, likelihood ratios and P-values are computed with the aid of the EM-algorithm directly for the observed data, and hence the loss of information due to the uncertainty with phase and missing genotypes is automatically captured by the likelihood ratios, and under most situations, large sample theory can be used to reliably determine statistical  
 10 significance. The relative risk (RR) of an allele or a haplotype, *i.e.*, the risk of an allele compared to all other alleles of the same marker, is calculated assuming the multiplicative model (Terwilliger, J.D. & Ott, J. A haplotype-based 'haplotype relative risk' approach to detecting allelic associations. *Hum Hered* 42, 337-46 (1992) and Falk, C.T. & Rubinstein, P. Haplotype relative risks: an easy reliable way to construct  
 15 a proper control sample for risk calculations. *Ann Hum Genet* 51 ( Pt 3), 227-33 (1987)), together with the population attributable risk (PAR).

In the haplotype analysis, it may be useful to group haplotypes together and test the group as a whole for association to the disease. This is possible to do with NEMO. A model is defined by a partition of the set of all possible haplotypes, where  
 20 haplotypes in the same group are assumed to confer the same risk while haplotypes in different groups can confer different risks. A null hypothesis and an alternative hypothesis are said to be nested when the latter corresponds to a finer partition than the former. NEMO provides complete flexibility in the partition of the haplotype space. In this way, it is possible to test multiple haplotypes jointly for association and  
 25 to test if different at-risk haplotypes confer different risk. As a measure of LD, we use two standard definitions of LD,  $D'$  and  $R^2$  (Lewontin, R., *Genetics*, 49:49-67 (1964) and Hill, W.G. and A. Robertson, *Theor. Appl. Genet.*, 22:226-231 (1968)) as they provide complementary information on the amount of LD. For the purpose of estimating  $D'$  and  $R^2$ , the frequencies of all two-marker allele combinations are  
 30 estimated using maximum likelihood methods and the deviation from linkage disequilibrium is evaluated using a likelihood ratio test. The standard definitions of



$D'$  and  $R^2$  are extended to include microsatellites by averaging over the values for all possible allele combinations of the two markers weighted by the marginal allele probabilities.

The number of possible haplotypes that can be constructed out of the dense set of markers genotyped in the 1-LOD-drop is very large and even though the number of  
5 haplotypes that are actually observed in the patient and control cohort is much smaller, testing all those haplotypes for association to the disease is a formidable task. Note that we do not restrict our analysis to haplotypes constructed from a set of consecutive markers, as some markers may be very mutable and might split up an  
10 otherwise well conserved haplotype constructed out of surrounding markers.

The approach we take to the problem of identifying those haplotypes in the candidate region that show strongest association to the disease is two-fold. First, we restrict the haplotypes we test to span a sub-region small enough that the included markers may be expected to be in substantial LD. In this study, we only consider  
15 haplotypes that span less than 300kb. Second, we apply an iterative procedure that gradually builds up the most significant haplotypes. Starting with haplotypes constructed out of 3 markers, we select those haplotypes that show strong association to the disease, add other nearby markers to those haplotypes and repeat the association test. By iterating this procedure, we expect to identify those haplotypes that show  
20 strongest association to the disease.

### *Results*

For the association analysis, we genotyped 590 non-obese Icelandic Type II diabetes patients and 477 unrelated population controls using a total of 84  
25 microsatellite markers. These markers are distributed evenly across a region of approximately 3.5 Mb. The region is centered on our linkage peak and corresponds to the 1-LOD-drop. We then applied the procedure described above and looked for single-markers and haplotypes consisting of up to 5 markers that showed association to the disease. The result is summarized in FIG. 6. In FIG. 6, we show the location of  
30 a marker or a haplotype on the horizontal axis and the corresponding P-value from the association test on the vertical axis. This is shown for all haplotypes tested that have a

P-value less than 0.01. The horizontal bars indicated the size of the corresponding haplotypes and the location of all markers is shown at the bottom of the figure. All locations are in Mb and refer to the NCBI Build33.

We observe a series of correlated haplotypes that show strong association for non-obese diabetics in two locations within the 1-LOD-drop. We denote those regions A (168.37 – 168.83Mb) and B (169.70 – 170.17Mb), and in Table 10 we list the most significant haplotype in each of those regions. For each haplotype, the table includes a two-sided single-test P-value for association, calculated using NEMO, the corresponding relative risk, the estimated frequency of the haplotype in the patient and the control cohorts, the region the haplotype spans, and the markers and alleles (in bold) that define the haplotype.

Note, however, that some of the haplotypes listed within each of the two regions are very correlated and should be considered as a single observation of association to the disease. This is demonstrated for region B in Table 3, which lists the pairwise correlation, both  $D'$  and  $R^2$ , between the haplotypes. Based on the correlation, we observe that haplotypes B2 and B4 are strongly correlated and should be considered as a single observation of association to this region. Likewise, haplotypes B1 and B5 are strongly correlated. However, haplotypes B1, B2 and B3 are all weakly correlated with each other; and in fact, B1 and B2 are mutually exclusive, *i.e.*, never appear jointly on the same chromosome. These three haplotypes hence constitute three almost independent observations of association to non-obese diabetes of this region within the locus. It is possible to test haplotypes B1, B2 and B3 together as a group for association to non-obese diabetes. This test yields a P-value =  $8.5 \times 10^{-8}$  with a corresponding relative risk of 5.2, a population attributable risk of 13.9%, and an allelic frequency of 0.089 and 0.018 in the patient and the control cohorts, respectively.

Table 2

	P-value	RR	Aff.fr q	Ctrl.fr q	Span (Mb)	Haplotype
A1	0.000005	> 10	0.033	0.000	168.37 - 168.72	<b>0</b> DG5S879 <b>4</b> DG5S881 <b>-4</b> D5S2075 <b>0</b> DG5S883 <b>4</b> DG5S38
A2	0.000006	3.81	0.053	0.015	168.55- 168.77	<b>4</b> DG5S1058 <b>-6</b> DG5S37
A3	0.000008	3.64	0.054	0.015	168.55- 168.83	<b>4</b> DG5S1058 <b>-6</b> DG5S37 <b>0</b> DG5S101
A4	0.000015	6.18	0.046	0.008	168.40- 168.72	<b>4</b> DG5S881 <b>4</b> DG5S1058 <b>-4</b> D5S2075 <b>0</b> DG5S883 <b>4</b> DG5S38
A5	0.000015	4.42	0.047	0.011	168.37- 168.77	<b>0</b> DG5S879 <b>4</b> DG5S1058 <b>-6</b> DG5S37
A6	0.000018	6.94	0.045	0.007	168.40- 168.72	<b>4</b> DG5S881 <b>-4</b> D5S2075 <b>0</b> DG5S883 <b>4</b> DG5S38
B1	0.000011	> 10	0.039	0.000	169.87- 170.17	<b>0</b> DG5S953 <b>0</b> DG5S955 <b>0</b> DG5S13 <b>5</b> DG5S959
B2	0.000023	> 10	0.034	0.000	169.65- 169.87	<b>27</b> DG5S888 <b>0</b> DG5S953
B3	0.000023	5.26	0.049	0.010	169.87- 170.04	<b>0</b> DG5S953 <b>0</b> DG5S955 <b>4</b> DG5S124
B4	0.000031	> 10	0.034	0.000	169.65- 169.87	<b>27</b> DG5S888 <b>0</b> DG5S44 <b>0</b> DG5S953
B5	0.000060	> 10	0.034	0.000	169.87- 170.17	<b>0</b> DG5S953 <b>0</b> DG5S955 <b>0</b> DG5S13 <b>0</b> DG5S123 <b>5</b> DG5S959

Table 2: Haplotypes within the 1-LOD-drop that show the strongest association to non-obese diabetes. For each haplotype, we show (i) a two-sided P-value for a single test of association to non-obese diabetes, (ii) the corresponding relative risk (RR), (iii) the estimated allelic frequency of the haplotype in the patient and the control cohort, (iv) the span of the haplotype (referring to NCBI 33) and (v) the alleles (in bold) and markers that define the haplotype. The haplotypes are separated into two groups, A and B, corresponding to two different regions within the 1-LOD-drop.

10

Table 3

		<b>D'</b>				
		<b>B1</b>	<b>B2</b>	<b>B3</b>	<b>B4</b>	<b>B5</b>
<b>R2</b>	<b>B1</b>	-	0	0	0	1
	<b>B2</b>	0	-	0.4	1	0
	<b>B3</b>	0	0.1	-	0.35	0
	<b>B4</b>	0	0.96	0.7	-	0
	<b>B5</b>	0.92	0	0	0	-

Table 3: Pairwise correlation between the five haplotypes in the B-region that show the strongest association to non-obese diabetes. Estimates of  $D'$  are shown in the upper right corner, and estimates of  $R^2$  are shown in the lower left corner. The haplotypes are labelled B1, ..., B5 as in Table 2.

#### Investigation of Region B

##### *Genes in Region B*

We next identified all genes in and around region B (UCSC). In the region defined by the five most significant haplotypes, 169.70 – 170.17 Mb, there are four genes, *LCP2* (lymphocyte cytosolic protein 2), *KCNMB1* (potassium large conductance calcium-activated channel, subfamily M, beta member 1), *KCHIP1* (Kv channel interacting protein 1) and *GABRP* (gamma-aminobutyric acid (GABA) A receptor, pi). Of those genes, *KCHIP1* is by far the largest, stretching from 169.7 to 170.1 MB, or almost the entire span of the observed haplotype association. The other three genes are small. In addition, there is a big gene, *RANBP17* (RAN binding protein 17), just telomeric of the location of the observed association signal. The relative location of all the genes is shown in FIG. 7, which shows the location of the exons of *KCHIP1* as solid bars, and the location of the other genes as shaded boxes. In addition, FIG. 7 shows the location of the microsatellites (filled boxes) that we have typed in this region and the location of the at-risk haplotypes B1, ..., B5 (gray horizontal lines).

*Description of new Splice Variants of KChIP1 Identified by RACE and PCR*

The published sequence for KChIP1 comprises exons 1 to 8. New exons belonging to the KChIP1 gene and four different splice variants were discovered by performing RACE or PCR (primers within the exons) using as template human  
 5 Marathon cDNA and cDNA prepared from rat pancreatic INS1 beta cells. In all, 6 new exons located in the 5' region of the gene were discovered.. An alternative exon 1 was found that we call exon 1a. Here, we label the published sequence for exon 1 with a "b" to distinguish it from the alternative exon 1, exon 1a. Four exons are called UTR 1, UTR 2, UTR 3 and UTR 4, or untranslated region 1 - 4, because they  
 10 lie upstream of exon 1b and they are not translated. The last exon to be identified is called Ins-r, or insert rodent, because it was known to be present in mouse and rat, and has recently been demonstrated by others to be present in humans as well (Boland *et al.*, *Am J Physiol Cell Physiol* 285, C161-170. (2003)). See nucleotide sequences of the new exons below, as well as their location in the genomic sequence of NCBI build  
 15 33. Even if not mentioned, all new variants of KChIP1 found and described below include exons 2 – 8 of the published sequence.

Splice variant 1 consists of exon 1a, UTR1, UTR2, UTR3, UTR4 and exon 1b. Exon 1a is untranslated and the resulting protein is identical in amino acid sequence to KChIP1 described by An *et al.* (*Nature* 430, 553-556 (2000), see also FIG.2). This  
 20 variant was observed in human heart and testis and the rat INS1 cell line.

Splice variant 2 consists of exon 1b and the Ins-r exon giving rise to a protein that is identical in amino acid sequence to KChIP1 described by Boland *et al.*. This variant was observed in human brain, heart, pancreas and the rat INS1 cell line.

Splice variant 3 consists of exon 1a and is identical in nucleotide sequence to  
 25 AL538404, an EST in NCBI. The amino acid sequence of the N-terminus coded by exon 1a is unique (see sequence below) but the amino acid sequence coded by exons 2 - 8 is that of the published sequence. This variant was observed in human brain, heart, pancreas, skeletal muscle, adipose tissue, liver, hypothalamus, small intestine, testis and the rat INS1 cell line.

Splice variant 4 consists of exons 1a and UTR1, which would result in a protein translated from exons 2 - 8. The second methionine in exon 2 has a Kozak sequence. This variant was observed in human heart.

The nucleotide sequences of the new exons are as follows (the genomic locations given are from NCBI build 33, see also Table 8):

Exon 1a: 169716298 – 169716511 (Build 33)  
 GGCTTCAGGGGTGCATCCGTCACTCAGGGTTCATTCACCCAGGCAGGCTCCAAGT  
 TCCTGGGGTGCACAAGGTGGGCACTGTCCCTTCTGGGTGCTGACAGCAGAGCCTG  
 10 GCTCCCTCCGCCACCATGAGCGGCTGCTCCAAAAGATGCAAGCTTGGGTTCGTG  
 AAATTTGCCCAGACCATCTTTAAGCTCATCACTGGGACCCTCAGCAAAG (SEQ ID  
 NO: 4)

UTR 1: 169848417-169848523 (Build 33)  
 15 ACTCAGCATCATCAAGACTGGAGGGACAGAGCATTTGAATCATCAGACGCTGGGC  
 CAGACGTCACCCACGCGTTTTCTCATTTTATC GTCCTAAGAAGCCCAGAAG (SEQ  
 ID NO: 5)

UTR 2: 169861083-169861154 (Build 33)  
 20 CCTGAATGCAATTTGCAATGAGGAGATGATTTGATTTCTTCAGCCCTAGACCTCC  
 AGCTTCCTGAGAGCAG (SEQ ID NO: 6)

UTR 3: 169864589-169864679 (Build 33)  
 25 GGGTCCCCAGGAGACCACGACAGAGGCCTGGAACCCAAGTTCTAATCCCACATC  
 CTGGCTGGGCAACTTCAGGCAAATTTCTAACACAAG (SEQ ID NO: 7)

UTR 4: 169867066-169867173 (Build 33)  
 30 GGTAGGGGAGGGGCCGGGCCGGGGTCCCAACTCGCACTCAAGTCTTCGCTGCCA  
 TGGGGGCCGTCATGGGCACCTTCTCATCTCTGCaAACCAAACAAAGGCGACCC  
 (SEQ ID NO: 8)

Ins-r 170075401-170075433  
 ACATCGCCTGGTGGTATTACCAGTATCAGAGAG (SEQ ID NO: 9)

35 The nucleotide sequence derived from splice variant 4 (KChIP1.4) with the  
 ATG and a Kozak sequence ((G/ANNATGG) underlined is as follows:

ATAAGATTGAAGATGAGCTGGAGATGACCATGGTTTGCCATCGGCCCGAGGGACT  
 40 GGAGCAGCTCGAGGCCAGACCAACTTCACCAAGAGGGAGCTGCAGGTCCTTTAT  
 CGAGGCTTCAAAAATGAGTGCCCCAGTGGTGTGGTCAACGAAGACACATTCAAGC  
 AGATCTATGCTCAGTTTTTCCCTCATGGAGATGCCAGCACGTATGCCATTACCTC  
 TTCAATGCCTTCGACACCACTCAGACAGGCTCCGTGAAGTTCGAGGACTTTGTAAC  
 CGCTCTGTGATTTTATTGAGAGGAAGTGTCCACGAGAACTAAGGTGGACATTT  
 AATTTGTATGACATCAACAAGGACGGATACATAAACAAGAGGAGATGATGGAC  
 45 ATTGTCAAAGCCATCTATGACATGATGGGAAATACACATATCCTGTGCTCAAAG  
 AGGACACTCCAAGGCAGCATGTGGACGTCTTCTCCAGAAAATGGACAAAAATAA  
 AGATGGCATCGTAACCTTAGATGAATTTCTTGAATCATGTCAGGAGGACGACAAC  
 ATCATGAGGTCTCTCAGCTGTTTCAAAAATGTCATGTAAGTGGTGACACTCAGCCA  
 TTCAGCTCTCAGAGACATTGTAATAACAACCACTTAACACCCTGATCTGCCCTT  
 50 GTTCTGATTTTACACACCAACTCTTGGGACAGAAACACCTTTTACACTTTGGAAGA

ATTCTCTGCTGAAGACTTTCTATGGAACCCAGCATCATGTGGCTCAGTCTCTGATT  
GCCAACTCTTCCYCTTTCTTCTTCTGAGAGAGA (SEQ ID NO: 10)

5 The protein sequences resulting from the splice variants are as follows:

KChIP1.3

(The amino acid sequence derived from splice variant 3 (KChIP1.3), the underlined amino acids are coded by exon 1a.)

10 MSGCSKRCKLGFVKFAQTIFKLITGTLSKDIEDELEMTMVCHRPEGLEQLEAQTNFT  
KRELQVLYRGFKNECPSGVVNEDTFKQIYAQFFPHGDASTYAHYLFNAFDTTQTGSV  
KFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINKEEMMDIVKAIYDMMGKYTY  
PVLKEDTPRQHVDVFFQKMDKNKDGIIVTLDEFLESCQEDDNIMRSLQLFQNV (SEQ  
ID NO: 11)

15 KChIP1.2

(The amino acid sequence derived from splice variant 2 (KChIP1.2), the underlined amino acids are coded by exon Ins-r.)

20 MGAVMGTFSSLQTKQRRPSKDIAWWYYQYQRDIEDELEMTMVCHRPEGLEQLEA  
QTNFTKRELQVLYRGFKNECPSGVVNEDTFKQIYAQFFPHGDASTYAHYLFNAFDTT  
QTGSVKFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINKEEMMDIVKAIYDMM  
GKYTYPVLKEDTPRQHVDVFFQKMDKNKDGIIVTLDEFLESCQEDDNIMRSLQLFQNV  
M (SEQ ID NO: 12)

25 KChIP1.4

(The amino acid sequence derived from splice variant 4 (KChIP1.4).)

30 MVCHRPEGLEQLEAQTNFTKRELQVLYRGFKNECPSGVVNEDTFKQIYAQFFPHGDA  
STYAHYLFNAFDTTQTGSVKFEDFVTALSILLRGTVHEKLRWTFNLYDINKDGYINKE  
EMMDIVKAIYDMMGKYTYPVLKEDTPRQHVDVFFQKMDKNKDGIIVTLDEFLESCQE  
DDNIMRSLQLFQNV (SEQ ID NO: 13)

### *Identification of SNPs and Microsatellites*

In order to identify SNPs across KChIP1, all exons of KChIP1 and their  
35 flanking regions were sequenced on 94 non-obese diabetic patients. As a  
consequence, 31 SNPs were identified (Table 9). Additional SNPs were identified  
across the gene by selecting SNPs from the public domain (US National Center for  
Biotechnology Information's SNP database) and designing SNP assays for them.  
(Table 10).

40 We genotyped SNPs on 470 non-obese diabetics and 658 population-based  
controls using a method for detecting SNPs with fluorescent polarization template-  
directed dye-terminator incorporation (SNP-FP-TDI assay) (Chen, X., Zehnauer, B.,  
Gnirke, A. & Kwok, P.Y. *Proc. Natl. Acad. Sci. USA* 94, 10756-10761 (1997)).

### Association Study of Genes in Region B

We tested all the genes in and around Region B (*LCP2*, *KCNMB1*, *KChIP1*, *GABRP* and *RANBP17*) individually for association to non-obese diabetes. In the analysis of each gene, we included all SNPs identified, and previously typed  
 5 microsatellites, in and close to that gene. The association analysis was carried out in the same way as the locus-wide association, i.e., using the iterative approach, we search for haplotypes, shorter than 300kb, that showed strongest association to the disease.

The strongest association observed was for *KChIP1*. For *KChIP1*, we tested  
 10 25 markers, 7 microsatellites and 18 SNPs, for association (Table 11). The strongest association signal was observed in the 3'-end of the gene; a three marker haplotype with a P-value =  $9.2 \times 10^{-5}$ , relative risk 12, and allelic frequency 3.6% and 0.3% in the patient and control cohorts, respectively. This haplotype, which extends over the last 8 exons of *KChIP1*, from 169.96 to 170.11 Mb, is listed in Table 4 as D1. We also  
 15 observed another haplotype in the same region that showed association to non-obese diabetes, albeit less significant than D1, with a P-value = 0.037, relative risk 1.69 and allelic frequency 7.8% and 4.8% in the patient and the control cohorts, respectively. This haplotype is labelled D2 in Table 4. For risk haplotypes, the corresponding population attributable risk is PAR = 4.9% for D1 and PAR = 4.7% for D2. However,  
 20 as D1 and D2 are independent haplotypes, i.e., they do not appear jointly on the same chromosome, their population attributable risk can be added together.

Table 4

	P-Value	RR	Aff.frq.	Ctrl.frq	Haplotype
<b>Icelandic</b>					
<b>D1</b>	9.20E-05	12	0.036	0.003	-4 DG5S13 C KCP_1152
<b>D2</b>					0 D5S625
	0.037	1.69	0.078	0.048	0 DG5S124 C KCP_1152 C
					KCP_2649 T KCP_4976 A
					KCP_16152
<b>Danish</b>					
<b>D1</b>	0.052*	2.98	0.031	0.011	-4 DG5S13 C KCP_1152 0
<b>D2</b>					D5S625
	0.002*	2.74	0.098	0.038	0 DG5S124 C KCP_1152 C
					KCP_2649 T KCP_4976 A
					KCP_16152

\* One-sided P-value



**Table 4:** *Microsatellite* and SNP haplotype association within *KChIP1*. The two independent haplotypes D1 and D2 are located in the 3'-end of the gene, from 169.96 - 170.11 Mb. Shown are results of a test of association for non-obese diabetics vs population controls for both haplotypes in a cohort of Icelandic diabetics (top) and a replication in a cohort of Danish diabetics (bottom). Note that we report one-sided P-values for the test on the Danish cohort as that is a replication of association results previously observed in the Icelandic cohort.

#### *Replication in a Cohort of Danish Diabetics*

We typed the markers that define the two at-risk haplotypes, D1 and D2, in a cohort of 149 non-obese Danish females that have been diagnosed with diabetes and/or measured >7mM glucose who participated in a Danish PERF (Prospective Epidemiological Risk Factors) study. As controls, we used 346 females from the same study that answered no to a question about their diabetes status and/or measured <7mM glucose.

The results of the association test for the two at-risk haplotypes, identified in the Icelandic diabetes cohort, are listed in Table 4. Both haplotypes appear in higher frequency in the non-obese Danish diabetics than in the control cohort. For haplotype D1, the association to non-obese diabetes is only marginally significant, with a one-sided P-value = 0.05, and the relative risk of the at-risk haplotype is  $RR = 3.0$ , somewhat less than is observed for the Icelandic non-obese diabetics. Note, however, that the estimated frequency of haplotype D1 is very low, especially in the control cohorts, hence the estimates of the relative risk are not very reliable. For haplotype D2, on the other hand, we do observe a statistically significant association with a one-sided P-value = 0.002 and relative risk = 2.74. Note that as the test of association of haplotypes D1 and D2 are attempts to replicate the association we have observed for Icelandic non-obese diabetics, it is appropriate to report one-sided P-values for those tests.

#### *Additional SNP Genotyping for KChIP1*

Having observed association to the 3'-end of *KChIP1*, both in Icelandic and Danish non-obese diabetics, we subsequently sequenced 94 Icelandic individuals, 1/3 non-obese type II diabetes patients with the observed haplotype D1, 1/3 additional non-obese type II diabetes patients and 1/3 controls. The purpose of the sequencing

was to identify additional SNPs. We identified 725 SNPs (Table 12). Many of those SNPs were completely correlated so we removed several redundant SNPs from further genotyping. Some SNPs with very low minor allele frequencies were also ignored. Of the 725 identified SNPs plus what was originally identified, 108 were  
5 selected for further genotyping in the Icelandic cohort (Table 13).

A single-marker test of association was performed on non-obese diabetes for each of the additional SNPs we typed, although none of the SNPs showed a strong association. We did, however, observe that three of the SNPs, KCP\_197678, KCP\_197775 and KCP\_202795, increased the specificity of haplotype D2, if added to  
10 that haplotype, while still retaining most of its sensitivity. This is shown in Table 5, both for the association in the Icelandic and in the Danish cohorts. This increases the value of the at-risk haplotype as a diagnostic tool. Note that the three SNPs are very correlated to each other, with pairwise correlation coefficients  $D' \approx 0.96$  and  $R^2 \approx 0.9$ , hence the association of haplotypes D3, D4 and D5 to non-obese diabetes should be  
15 considered as a single observation.

In addition to the refinement of the at-risk haplotype D2, we observed another refinement of the at-risk haplotype, consisting of three SNPs only, that was very correlated with the three at-risk haplotypes, D3, D4 and D5, with pairwise correlation coefficients  $D' \approx 0.83$  and  $R^2 \approx 0.59$ . This haplotype is included in Table  
20 5 as D6.

25

30

Table 5

	P-Value	RR	PAR	Aff.frq.	Ctrl.f rq	Haplotype
<b>Icelandic</b>						
D2	0.037	1.69	6.3%	0.078	0.048	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152
D3	0.022	2.19	5.5%	0.052	0.024	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152 T KCP_197678
D4	0.052	2.03	4.6%	0.046	0.023	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152 T KCP_197775
D5	0.023	2.14	5.5%	0.052	0.025	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152 C KCP_202795
D6	0.054	1.77	4.0%	0.046	0.027	A KCP_173982 C KCP_15400 C KCP_18069
<b>Danish</b>						
D2	0.002*	2.74	12.0%	0.098	0.038	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152
D3	0.0046 *	2.60	9.0%	0.076	0.030	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152 T KCP_197678
D4	0.0004 *	3.69	11.3%	0.078	0.023	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152 T KCP_197775
D5	0.0002 *	3.67	11.7%	0.084	0.024	0 DG5S124 C KCP_1152 C KCP_2649 T KCP_4976 A KCP_16152 C KCP_202795

\* One-sided P-value

Table 5: Microsatellite and SNP haplotype association within *KChIP1*. Shown is association of the at-risk haplotype D2, and of further refinements of that haplotype; haplotypes D3, D4 and D5, to non-obese diabetes. This is shown both for the Icelandic and the Danish cohorts and, as in Table 4, we report one-sided P-values for the association test in the Danish cohort. Finally, we include the result of association to non-obese diabetes, in the Icelandic cohort, of a 3 SNP haplotype, D6, that is strongly correlated with the at-risk haplotypes D3, D4 and D5.

#### Allele Numbering System

SNP alleles are indicated by the letters found in the DNA sequence. In general the alleles can be references by A=0, C=1, G=2 and T=3. For microsatellite alleles, the CEPH sample (Centre d'Etudes du Polymorphisme Humain, genomics repository) is used as a reference, the lower allele of each microsatellite in this sample is set at 0 and all other alleles in other samples are numbered according in relation to this reference. Thus allele 1 is 1 bp longer than the lower allele in the CEPH sample, allele 2 is 2 bp longer than the lower allele in the CEPH sample, allele 3 is 3 bp longer than the lower allele in the CEPH sample, allele 4 is 4 bp longer than the lower allele

in the CEPH sample, allele -1 is 1 bp shorter than the lower allele in the CEPH sample, allele -2 is 2 bp shorter than the lower allele in the CEPH sample, and so on.

Table 6:

- 5 The DNA sequence of the microsatellites employed for the C05 locus wide association (including Build 33 locations).

Y= C or T; S = C or G; R = A or G; W = A or T; M = A or C; K = G or T.

TABLE 6

Name	Position	Nucleic Acid Sequence	SEQ ID NO:
DG5S5	167638990-167639163	TCCTCAGAACAGGTGCAACACAGTGTGTTTTGCTGGGG AAAAGGGATGTCAAGCAATCTATGACGGGGGTGCAGG GAGTCTGGGGAGAAACACAAGGAAGTGTGTGTGTGTG TGTGTGTGTGTGTGTGTGAATGTGTGTGTGTGTGAGAG AGAGAGCTGGTGTGTTGTGTTCCTCA	SEQ ID NO: 14
D5S671	167657904 - 167658237	GGAATGTGCCAAGACATTCTTTAGGGTTGGTAACCAG AGACGCTATTTTGTCTTGGTGGCTAAGAAATCACTTT TCTGACTGAAGNCCATTTGACTTACTTCTTTTAAATT CAGGGGAATGGGTGGGCATCTCCATGATTCAGGTAAG GAAAAATCCAAGGNAATAAACACACACACACACAC ACACACACACACACACACACGGAGTAGAAATTTTTAG TGCAATTTTTTGTCTCACAGCATTAAATTAATTGCAGGG ATATAACTACCTTGGCAGAATTTTTTCTCCCCAACCCA CCACCCCCCGGAATAAGTTTGGCTCTTTTCAGCT	SEQ ID NO: 15
DG5S870	167719773 - 167719939	TGCCCCACTCATAAGATGCTGAGGTTACAACGTGTAATA AGATATTAAGATACTGTCTTTTTCTTCCTCTTTCTCTCT TACACACACACACACACACACACACACTTTTTG GGCCAACTGGAAATTCATACATTCTCCCCAGCACTGGA GCTCAAAGCGTCTG	SEQ ID NO: 16
D5S671	167657904 - 167658237	GGAATGTGCCAAGACATTCTTTAGGGTTGGTAACCAG AGACGCTATTTTGTCTTGGTGGCTAAGAAATCACTTT TCTGACTGAAGNCCATTTGACTTACTTCTTTTAAATT CAGGGGAATGGGTGGGCATCTCCATGATTCAGGTAAG GAAAAATCCAAGGNAATAAACACACACACACACAC ACACACACACACACACACACGGAGTAGAAATTTTTAG TGCAATTTTTTGTCTCACAGCATTAAATTAATTGCAGGG ATATAACTACCTTGGCAGAATTTTTTCTCCCCAACCCA CCACCCCCCGGAATAAGTTTGGCTCTTTTCAGCT	SEQ ID NO: 17
DG5S870	167719773 - 167719939	TGCCCCACTCATAAGATGCTGAGGTTACAACGTGTAATA AGATATTAAGATACTGTCTTTTTCTTCCTCTTTCTCTCT TACACACACACACACACACACACACACTTTTTG GGCCAACTGGAAATTCATACATTCTCCCCAGCACTGGA GCTCAAAGCGTCTG	SEQ ID NO: 18

DG5S85	167721558 - 167721918	TTGTTGTTGTTGGTGGTGGTGGGGTGTGTGTGTGTGTG TGTGTGTGTGTGTGTGTGTGTGTGTTTCGAGACAGACTCTC ACTCTGTCACCCAGGCTGGAGTGCAGTGGCACGATCT GGGTTCACTGCAACCTCTACTTCCTCAGCTCCAAGGAT CCTCTCACCTCCACCTCCCAAGTAGCTGGGACTACAGG TACGCGCCACCATGTCTGGCTAATTTTTTTGTATTGGA GAGACAGGGTTCCACCATGTTGCCCCGGGCTAGTGTTGC ACTCCTGAGCTCAGGTGATCCACCCACCTCAACGTCCC CAAGTGCTGGGATTAGAGGCGTGAGCCACCACGTCTG GCCTATACACTATAGAGTTT	SEQ ID NO: 19
DG5S90	167766290 - 167766502	TCTGGACAGGACCAGGAGTTGGCTGCTGTCAGCCTTTG CCCCACCTCTCTGTGGCTACTGGGTATGTGAATCTCTC AAGGCCTGAAGAGAGGACAGCTGAGGAATTTGGAAAT CCTAAAACACATGCATACACACACACACACACACACA CACACACACACACACACACTTTTCTTTCCCTTAAAAAA AAAAAGATTCAATTCACCGTGTGCA	SEQ ID NO: 20
DG5S874	167846718 - 167847065	CTGTCTACACTACCCACCCATTAGTCACTTATTAGCCC TCTGAATTACTGGATTGAAAAACATAGTATATATATA GGGCTTGGTACTATTACGGTTTCAGGCATCCACTGAG GGGTGTTGCAATGTATCTCCACGGATAAGGAAGGAC TGGTATATTAACACTTTTTATTTGATTTACAAAATAAAG GATAGTTTATATAGTTCTGGGTAAAATTAATTAATTAA TTTAAAAGGAAAAAAGATAAAGGCAAACCTTAAGCTT GTTAAAATTAAGTAAAATAATTTGGATTATTTAATTG GACAAAGAGGACTGGCTTTGCCAATGAAACAATATGG CCGACATG	SEQ ID NO: 21
DG5S88	167864864 - 167865059	GGACCTTCTTTCTGCCCTAAAACCGCAATATCATTATA ATAACAAATATATATATATATATATATATATTTTTTTTT TTTAAAACAATCTTGCTATGTTGCCTAGGCTGGTGTGG AACTCCTGGCCTCAAGTGATCCTCCACCTCGGCCTCC CAGAGTGCTGGGATTATAGACATGAACTACCATACCC AGCCA	SEQ ID NO: 22
DG5S7	167910343 - 167910651	CACAGCCATCAAGTTTCCAACCTACTGCCTCACATATT AAGATGATTTTTTTTAAACAAACTTAACAGGCGATGGAT ACTCCATTCTCCATGATGTGCTTAATTCACATGCATGC TTGTATCAAAACATCTCACATACTCCATAAAGCCTGTA ATCCCAACACTTTGGGATGCCAAGGTGGGTGGATCAC TTGAGCCCAGGAGTTTGAGAACAGCCTGGACAACATG GCGAAACCCCATTTACACACACACACACACACACACA CACACACACCACACAAAACAAAATGAAACAAACACCTA ACCAACAA	SEQ ID NO: 23
DG5S6	167952553 - 167952858	TCCTAACGGCTGCTACCACTAAAGATCTTAGCATGGTG TGTGTGTGCGTGTGTGTGTGTGTGTGTGTGTGTGTG TGTGTGGTGGGGCTATTCAGTAAGGCTAGAAGTGAAA AAGCTAGTAGAAAGCCCCATGGTGATGGAGAATGGAGG AAGACTGATTAGGGAGCTCCTCAGCAGTATAAGGAAG GACTAAGAGCACATAAGGACAGGATCATAGAATTCCG CATCTCAGGATTTTTGAGGCTGCCACTGCCTTAGCTGT GAGGCCAGTGTCATATAAGAATAGTTTGCACAGTTCTG CTGTGG	SEQ ID NO: 24
DG5S87	167992779 - 167993149	CCTCTGGGATTAGCCTCTCAGGGTACAGATATAACGAT GATTGAGTTGGCTTATGTATGTGTGTGTTGTGTGTGTG TCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTG GAGAGAGTGACAGAGAGAGAATGAGAGAGAACTGGA AGTTGTCAACAAGAAGAGTCAAACCTCTGTAAAAATATT TGAAGAGATTTATTCTGAGCCAAATAGGAGTGCCACA	SEQ ID NO: 25

		GCCCCGGGAGATCCTAAGAACATGTGCCAGAGTAGT CAAGCTATAGTTTGGTTTTATACATTTTAGGGAGACAT AAGACATCAGTCAATACATGTAAGATGCACATTGATA CACTGGTTTAGTAGGGAAAGGTGGGACAACTCGAA	
DG5S91	168014827 - 168015078	GGTGCCAATTAATCCAACAAGGTAGCTGAGTGTGGT GGTGACGCCTGTAGTCCTAGCTATGCAGGAGGCTGA GGTGGGAGGATCACTTGAGCCTGGGAGGTGAGGCTG CTGTGAGCTGTGATTGCACCGCTGCATTCCAGCCTGGG AGACAGAGCAAGATCCTGACACACACACACACACACA CACACACACACACACACACACACATTCCAACAAGG TAATGTGTAGGAGGAAGTACCCGAGCTT	SEQ ID NO: 26
DG5S92	168065529 - 168065864	CAACTCCTGCAGCCCTTTACGCCAAGCACAGAAATCC AGGAGGCAGAGCCTAGCGCTTGATGACATGGTAATTG GGCCTGGAAGTGGGGATTTCTGTCACTTACCTCTCCTT GAAAAATAATCACTATTGCCAACGCCTGGTTAATTAGC CTGATTCAATTCTCTTCAGCCTCATTTTGCTCAAACTA CCAGATTTGTGGTGTCTCTTGGTCTCCACCACACTTT CTACCCCTCATCCCACTTTGTGTGTGTGTGTGTGTGT TGGCCAGGAATCCTGACTGGCTTCCTTTAAA	SEQ ID NO: 27
DG5S491	168081175 - 168081342	AAGACCACCCTCCTGTTGTGCTCTCCTGAAATGTATTC ATATCCACCCATACACACACACACACACACACACACA CACACACACACACACACACACACACATTCTCTCTCT CTCTCTCTTTCTCTCTCTCTCTTAAATGTCAGTTTTCTCT TCCTGCTTTCCAGA	SEQ ID NO: 28
DG5S9	168139425 - 168139680	CTTGACATTCAGGGCCTTCTGAGTACATCATCTTGTCA AGAAACACTGAACTATTCAGTACACAACAGGTCAGAG GTGCCCATTTGATAGCCTGAGGATGGAATCCTTATTGC AGCATTTTGCATGATGCCACATATATGTGTTTTTCAAT CCTCCTCTGTTTTAAAAATTGGAAAAATTCATACAACA CACACACACACACACACACACACACACACACACACAC ACCCCCATACCACACCACACACATCA	SEQ ID NO: 29
DG5S876	168266982 - 168267134	AGCCTCTGACTCTCCTCTGTGGGGCTAATCCAGAAAAT CTTACTTTAGAAATAACAATAATAATAATAATAAT AATAATACCTCATTCATCTTTACTTATCATGTGCTAGT ATGTTTCTAAGCCTTTTGGCATAGCCTTCAATGTCCT	SEQ ID NO: 30
DG5S97	168286866 - 168287096	CTCTTCCCATGTCTGCTTCTCTCCTTCCTGCGGGTTGG GACCCAGTACCCTCCATCTCTCTCACTCCTCCCCTCTCA AACCTTCTTTTAGGAAAGGAGTCCAAATCGACCACTT ACACCTCAGTTCAATGCAAGCCAGTATAATTAATAAG GAACATTTAAGGGTGTGTAAGGGTGTGTGTGTGTGTAT GTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTAT C	SEQ ID NO: 31
D5S2052	168324273 - 168324633	GATCACCAGGGAATCTAGATGGAATCCATAGTNCTNC CCTGCAAGAATGCTGCAATTCTGTACCGTGGAGGNGC CAACAGAATCACCAGGCTCTGTGACTCAGTCACAACA CCCTGACCTGCCCTGTCCATTCTCCATATCATACCCA GAGTGGTCTTTTCAAAGCACAGCTTTGACCAATTCTCT GTCTTTCACACATACACACACACACACACACACACAC ACATGCGTGCATGCATGCCTGAAATAGTATAGTATTGC TCTTAAGATAAACATTAANGTTCTTACCATGGTACAGA AAATATATGTNGTTAGGCCCCGTGGCTCTTTCTTTTCC AGACTCCTCTTACCTTTGTG	SEQ ID NO: 32
DG5S879	168369069 - 168369202	AAATCTTCCATTGACAGACCAATTAATAATTAAGATTT TCTCTCTCTTCCCCCTCTTCTCTCTCTCTCTCTCTCT CTCTCTCACACACACACACACACACACACAACTCTC	SEQ ID NO: 33

[illegible]

		TCACTCTTGGGCCGTGATGATGATGAGGGAGAGGAGC AGT	
DG5S38	168715977 - 168716367	TATTTGCCTGCCTGGGTTAGATGATTCTCCAGGCTTCT ACACAATTTTATGTTTATATGAAAATAGCCACAAAGG GAAAAGAGGACAATAAAAACAAGAGATATGAATAATA ATGTATTGTATACTTGAAATTTGCTAAAAGAGTAGATC TCAAGTGTCTACATACACACACACACACACACACAC ACACAAAGGTAATGAATGAGATGATAGGTGTTAATTA ACTTGATTGTGGTAATCACTTCACAATGTATACATATA AAAACATCATGTTTTACAACCTACATTTATACAATTCC TCAATTATATATCAATAAACCTGGAAAAATAAAGATG TATAAAAAAGATTTACAAATAAGATTTTTAAAAAAGG ATTGTGAGGAAACAAAG	SEQ ID NO: 41
DG5S37	168770226 - 168770418	ACCAGCTAACCTGCCATGAGACTGTTGTGTAGCCATCT TCACCTCCTCATCTTCAGGGAAGGGGATGAAAATATCT GTGCACTGCAAATGTTAACTATATATACACACACACAC ACACACACACACACGTACAGTAGGCCCTCCATAACCT GAGGTTCCACATCTGCATATTTTACCAACTCTGGTCCC TGC	SEQ ID NO: 42
DG5S886	168803195 - 168803445	TTGTTCTGAATGGGAGGAGGACTGGTGAGTGAGGGG GAAAGAATGGAGACAGGACTGAGAAGAACCAGAAAT TAAATAATAGTAGTAATAGCCTAACATGTACACGTA TATGAGATCTATCTATCTATCTATCTATCTATCTATCTA TCTATCTATCTATCATCTATATATCTATCATCCATCATG TATCTATCTATTTGCATATATAAGCTATAATATCTGGC TCTGTTCTAATTGTTT	SEQ ID NO: 43
DG5S101	168833451 - 168833700	CCAGGCTTGGATGAGAGAATAATCTTAAGGAAGTCAG CATATGTTCTAGAAACATTCAGAAGACAAAAGAGTCT GTTATGAAAGAACAAAGTATTTGTAATAATAAATTGA ATGTTACATGGACACACCCAGACATACACACACAGAC ACACACACACACAGTTTTTCTTCTCTCTCTCTCTCCC CACTCCCCTCTCTCATACTTTGCAACAAGCTCCTCAG CAGCTGGTAAGCTGTTCCCTGTCC	SEQ ID NO: 44
DG5S102	168895047 - 168895352	TCCTGACTGCTCAAAGCTCAAGGTGTTGCCTTTTTCAA ATGGGATGCAATAGCCTACTCATTTTCCAAGATTAAAG CTAGAGAGAAGAATGAATGAATGAATAAATAAATAAA TAAATAAATAAATAAATAAATAAATGAGCAAAGTTAA TATTAGCTGGAAAAAATAGGGTACAGGTGGAAGGAAT GAACCCATATTGAGAGTCCACTATGTGTCAAATTCCTT GCATGGAATCTCTAAGGTCTGTCTAGCTTAAAAGCAAT GCCAGCCTTGCTATCTGTACTTGATGAGGAGATGGATC GGAA	SEQ ID NO: 45
DG5S39	168920224 - 168920577	CCAAACTGCAAACCCAAACTTCTACAATGAATTCATGT GCAACTTATTCTAAAAGATCTATACACACACACACAC ACACACACACACACACACACACACACTTCCTGTCCCT ATTGCTCTTCACTACTTCCCTTCATCTCTGTGCTACAATC TGGGTTCATTTTTCTTCCCCTTGAGTAATTTATTATGTT TTTTACAGTGAGTCTGTTGCTCAAAAATCTTTTAGTAT TTATTTGTATAAAAAGTCTTAATTTTGTCTTCATATAAA ATTTTGTGTTGACACTCTATTATAAATTGACTGTTATTCT CTTTCCATGTTTTCCGGACATAGTTCCATTGTCTTCTGA CTTCCA	SEQ ID NO: 46
D5S1456	168968063 - 168968256	TTCNACCTTATGGGTATATCGAATTGTAACCCCGTTGT AGGTCAAGGAGCATCTNCATATATACATACATAGATG ATAGATAGATAGATAGATAGATAGATAGATAGATAGA TAGATAGATTTAATTCTAAANTTTCCAAATACTCTTTC	SEQ ID NO: 47



		ATTTAAATGATTATAGTTTTACAACAATTTTCATATATT NTATAGGTAGGAGAATTAGGGTTTTCCAGAGAAATAG ANNCAATAGGCTGTGTGTGTATATAANGATTTANTTTN AAGA	
DG5S106	169021310 - 169021609	GTTGGGCATGATGGTGTGTACCTATAGTCCTAGCTACC TGGGAGGCTGAGGCAGGAGGATCCCTTGAGCCCAGGA GTTTAAGACTAACAAGACTCCATCTCTGAAAAATAAG GCAAAAAAGTATGAAGAATAAAATAACAATCACTTA CATTCCAACCACCTATAATTAATCATTGCCAACACCTG AGGATATTTGCTTCCAATCTACAAGACTGCATTATTAT TATTATTATTATTATTATTATTATTATTATTATTATT ATTATTGAGATGGGGGTTTCTCTTTGTGCCCAG	SEQ ID NO: 48
DG5S40	169067041 - 169067434	GCAGACAGGGTTCAAATTCAGCCTCCCCCTCATATTAG CTGTGTGATCTTAGGCAAGTTTATTCATGTGTAAAAAG AAATAATAACCTCTTCTCGTGGGGTTGCAGGTTAAACA AAAGAGTAGGTATTAACAACAATAAAAGAGTATGATT GGATTGTTTATAACACAAAGGATAAATGCTTGAGGAC ATGGATCCCCATCTTCCATGATGTGATTTTTATGCATT GTATGCCTCTATCAAAACATCTCATTTACTCCATATAT ATGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT GTGTGTGTGTATGTGTATGCACACACTATGTGCCACACA AAAATTAAAAATTTTAAAAATTTAAAAATTTAAAAAT AAACATGCTGCTGGGC	SEQ ID NO: 49
D5S504	169142805 - 169143006	AGCTGCCAGCACACAAGGCCAGAGGTACTTTATTGG ATGCCAAATCTTTTAAACACACCATGAGAAAAGAAGT TGACAACTTTCCCATGCATTTTGGAAAGGTGTGTTAGAA CGATTCAACACACACACACACACACACACACACACAC ACACACACACACACATTTATTGGGTGGGGGAGCCTT AAAACTTACAAATCT	SEQ ID NO: 50
D5S1961	169173385 - 169173631	AATTTCTTACCCTTTATCCCCGTCTTCTACTCCCATTC ACATGCCCCCACCCTCATGAATGATTTGTCTAATGC GTTGAATATGCACGTGTGGTTTTGGGTGCATGTATGTT TACACACACACACACAGACTCTCTCTCTCTCTCTCA CACACACACACACACACACACACACACACACACTCAT GCCTCTCCTTTGAAGAGGATCAGATATGGACAGCAAA GGGCATTAGCATCTTAGCT	SEQ ID NO: 51
DG5S108	169203019 - 169203370	GCTCCAAAGTTCCTGATTCCAAAGCCTAAGTTAAGCCA TCTTAACCTATATTTTCAAGGTGACTAGTGGAATTTTTAT GCCAGTGTAGGTGGTAATGACGATGGAGATATGGCG ATGATGATGATGATGATGATGATGATGATGATGATGA TGGCAGTAGTGGTGGTGGTGGTGGTGGTGGTGGTGA GATCACCATGTCTGACCACTGTTGTCTGTGTCCTTTGT ACAATTGTTTCAGATGCAGTGTCTGGTTGTCACATAGA TGTCTCTGACTGTTTTACAGGCCTTCACCTACCACCAT ATCCAGGAGATCATGGTCCAGCTGCTGCGGACAGTGA ACCGGACAGTCA	SEQ ID NO: 52
DG5S41	169277936 - 169278300	TTAACCCACTGCTCCCATTTTGCTGGTGGAAAACTGAA AACCAAGAGATTAAGTCATTTACCCAAGGTCATGTA ACTAATATATTGAATCTCAGATGTTTAAATGATTTTGA CTCATTTCCAATTTGCCTGGCTATATAGAGAAAATATT TGAGGAATTGACAGGGAACACACACACACACACACAC ACACACACACACACACACACACACAGAGGGAGGGAG GGGAGAGAGAGACAGAGACAGACAGAGACTGAAC AGATTATTTCTCCACTGATGTTCAATTATTAGACTATT TTCAACATTTAAAGGCAATTGTCAGCATAGTCAATTCA GCCATTTTAAACCATCAAGGGCCAATG	SEQ ID NO: 53

DG5S42	169285983 - 169286144	GCAACCTATTTGTTAGCAGCACATGCGTGCGTGTGCAT GCACGTGGGCACACACACACACACACACACACACACA CTCTTTGCAGGGGAATTTTGAGCCAGAAATTTATCTGT AGGCCCATATTCATTCTTTTGCACATTTCTATTGTGA CCTTGGGCA	SEQ ID NO: 54
DG5S10	169356049 - 169356318	CAATTCCACACAGCTGGAGAGTAACAAAGCCAGAAAT CACATCCATTTGTGTGTGTGTGTGTGTGTGTGTGTGTC CAAATCCTGTGATTCCAGTGCCAGGATACACTGTCTTC CGTGTTC AACAGTCATGAAAGTATTTTAATGAACACCT GGCCCTGCAGTGCCTGATGTAGCAAATGCTGCAGATA CTCCACCCACCGACTCTTGGACCACCCAAAATCCACTG GCAGCTTCAGTGAGGCTTCTACTTCTTTCTTTCCCTG GGCT	SEQ ID NO: 55
DG5S110	169391090 - 169391341	CACTGGACTTGGAGTCAGGACATCATTTTAAACAGCTTT ATCGAGATGTAATTTACATGCCATACAATTTACCCAAA GTGTACAATCATTGACTCTTAGTATGTTTCACAGAGCTA TGTAACCATCACCAATCAATTTTACAACATTTTCAT TACTCTAAAAAGCAAACTGCACCCCTTAGCCACTGC TCTGCCAACACACACACACACACACACACACACACGC GTGCGCACACACACCCAAACACTC	SEQ ID NO: 56
DG5S11	169409260 - 169409401	CGCGTGACCTCCACATAGATGTTTGCCAATGCCTATG CCCAAGACACACACACATACACACACACACACACACA CAGGATACATTCAAGCACACACTAATGTATGTGCACTT GCCTGCACAGAGTCCACATCACACAGGC	SEQ ID NO: 57
D5S1973	169424532 - 169424861	AGCTTCTAGTCTGCTATGTTGCTAATTGTCTTCTTGTC ATCTTTTAAAACCATTTCTGTGAAATTATAGCCTCCTT ACTCCCTTACCCTGAGTCTGGATGTTTCTGAAGATGAC TGATCTCTACAGTGAGAAGGCCCTGGGAATTGACTGA CTCACTCTCTCTGTCTCTCTCTCTCTCTCTCTCACACAC ACACACACACACACACACACACTCATATACATACACA CATAGATACACATATACATGCATCCACACATGCACAC CCTGGGCACACCCACACACCCTACAACCTGCACATGCA TGACACACATAATGTTAACTGAAGG	SEQ ID NO: 58
D5S397	169542970 - 169543287	AGCTTTTGGCTATGGAACCTTAGGCAAGATGTTTCATAA ACCCTTTAATCTCTAGTGCCCTTGTTTCATAAAAAGAAG TGAATCGGATCCCTGCAGGACTGTTTTTGTATTTCAGTG CACAGGTGTGTGTGAAGACACCCAGCATGTTGCCAGG CACACAGAGATGTCTACCTTGATACTTTTCTCTCTCTCT CCCCGAAATACACACACACACACACACACACACACACA CACTCACACACTCTTATTTTGATCTTGGCCTGAGGC TGACAAGCCCCAGATTAGTGATCAGTGACAATTTTCGG CTTTATCAGCT	SEQ ID NO: 59
DG5S115	169586308 - 169586550	CGAGGATGCACACCTCATTAATTGAGGAGCTAGGATT TAGATCCAGAGCCTCATGATTCTAAAGCCTGTTTTTTG TTTGTGTTGTTGTTGTTGTTTGGCCACACTAGGTT TCTAGAACTTCCAGTTCCTTCTTAAAGTCCTTTTTTG GCATTCCGGCCTAAATCCCAAACTGTGGTCTGGGTAC AAGAGAGAATTAGGCCAGTGAGAAAAATTTAAACCAC CCTGCCCTCTAAAT	SEQ ID NO: 60
DG5S888	169653226 - 169653848	CTTGATGTCTTCTTTACCATCCCCCTGGCACCCGCCTAT ACATTTATTACTTGAAACAGACTGACCTTTATTTGGTT AGGCCACTGTGGTCAGGTTTCTGCAACATGGGGTCAC ATGCCTTCCCAACTGACACAAGTCTCAAGCTCTCTTTTC TCTTCTTTTATAACTTCTAGAAGCATAGCTTCTACCAG ATAAGGATCTAACCTTTTCAGTGGAACAAAAATGG CAAAGAAGTAAAGAAAGAAGAGAGAGAAAGAAGAAA	SEQ ID NO: 61

		GAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAG AAGAAAGAAAGAAAGAAAGAAAGAAAGAGAGAAAGAAAG AGAGAAAGAAAGAGAGAAAGAAAGAGAGATGGAGAG AGGGAAGGAAGGAAGAAAGAAAGAGAGGGGAGAAG AAAGAAGACAGGGAAGGAAAGGGAAGGGAAAAGAG GGAAGGGGAGAGGGGAGGACAAGGGAAGGGGAGAG GGGAGGACAAGGGAAGGGAGGAAGGAAGAAAGGAA GGAAAGAAGGCAGGAAGGAAGGAAGGAAGGAAGGA AGAAAGGAAGGAAGGAAGGAAGGAAAAATACTAGG GCCTTTCACCTTTGCCTTCAATAGCAGAGTGGCCCTGG ATAT	
DG5S44	169661202 - 169661574	TATTGGCAGAGGGTGAGTCCAGTGTATAAAAGCAACT ATATTTGTGCAATAAGGCAACCTCTAAACACAAGTTAC TACTTCATCTAATGCCACACACACACACACACACAC ACACACACACACGAGTCATCTGTTCCAAGGCTGTTGCC TTTACTAAGTGATGCTATGTTGGTCCTTGAGGTGGTGC CTTCCTGAGGGTTTTCAAGCATAGCTTTGGCCATGCAC AGTTTTCTTCTTATACACACTCTGAGGAGCCCCGCCGT CACGGTAATGCACCTGCCTCACAAGCTGGTGGGCAGC TAAATGAAATACACATTTTGCTCCAGGCCACGACTA GCTCATCAATGTGAGCTGGTGTTAGCCTCACC	SEQ ID NO: 62
DG5S45	169693772 - 169693912	CAGTAGCCAGGAAGCTGAGGAACACACACACACACAC ACACACACACACACACACACACACAAACACACCCCTTCC TGGCTCCAGTTCGACACCACCCACACCCCCAACACCG GAAGTAGATTTCTCAATAGGCAGGGCTG	SEQ ID NO: 63
DG5S46	169702377 - 169702678	TTTGCCAGAATGTCTCACACCAAATAGTGGACCCCTT CTTTTGCTGATTTATCTGCTATTGTATAGGTGTATGTGT GTGTGGGTGTGTGTGTGTGTGTGTGTGTTAAGGCAGGT GGTAGTATGTGTAGGGTAGGGTTTTCCCCAGTCACCTGG AGCCCTGAGTGCCTGCTTCCCTAAACTAGGCCAGTTTA GCTGACTGGCTTCCCTTGTGTATTGGTCCATTCTGCATC AAAAGCATCTGAATTTTCATTCAATCTCTCTTCTGAAT TTTACITTTTAAAAACCTGACCAGTCCCTTGTTG	SEQ ID NO: 64
DG5S47	169788696 - 169788899	CTCCTCCATGGTAGGGACTGGTTCTCTTAGGCCCTGT ATCCTCAGGCCCAGCATGCTTGGGAAAAATGTTTGCTAA TGCTTTGTGACTCAAAAGGAATCACACACACACACAC ACACACACACAAACACACACACACACAGTTTTTAATATT ATCAGTCATATCAGCCCCCTGAGGCAGCTGCTCTGTTC CAGACAAACCTGTT	SEQ ID NO: 65
DG5S119	169843903 - 169844041	GGGTACAGGAGAGTTGTGGTGGGCATTAGTACTACTC CTGCTGCTGCTGCTGCTGCTGCTGCTGTGTCCACTGTT AGTGACAGAAGTGGGAAAAATTTAAAGTTGAGTTTAC ATTAGTGTTCAGGTTTAGCGTGAGC	SEQ ID NO: 66
DG5S953	169866165 - 169866415	CCATGAGTTCAGGCAGTTGGGTTAAATAAGATTTCCCTT GAAGTCGAATGAAATCACAATGCACCACACACAGGGA CACACACACACACACACGCACGCACGCACATCACACA CACACACACACACACACACACACACACACACACATAC ACACACACAGTCTCCCTGGGGCCAATCTACTGCCCCCT GAACCTCACCCATCAGCCAGGTGCCTGGCCCCGGGTCT GTCTCTTAGGGTTACATGCTCCCCG	SEQ ID NO: 67
DG5S955	169951970 - 169952619	ACTTATGGAACACCTACTCAGTGCCAGGTATTGTTGTA GATGCCAGGAGTACAGCAGGGAATAAAACAACATCCC TGCTCTCGACACAAACACACAAGTAAATAGAGAAGGT CAGAGATAAATGCTGTGCAGGAAAAACAAAGCAAGGTG AGGGATGGAGAGTGCAGGAAGGTTGGGGCACTTTTGT TCAGATGAGTGTACAGGGAAGCCCCCTTGGAGGAGGCA	SEQ ID NO: 68

		CTGTAAGGGCACAGAATCGAATGAAAGGAGTATGTGA AGGTGCTTAAATTGTTTCTGTTTGGTTTGGTGTGGTGT GATGTGGTGTGGTGTGGTGTGGTGTGGTGTGGTGTGGT GTGGTGTGGTGTGGTGTGGTGTGGTGTGATGTGATGTG GTGTGCGGTGCGGTGCGGTGCGGTGCGGTGCGGTGTG GTGTGGTATGGGTTGAGGCTGGCCTTAGGAGCCTGTTG GCCTTCCAGGCCAGTCCTGAAGCCCAGCCCAGAGCAC CAGACTCTGCAGTCAGTCAGTGGAGGGCCCCACATCTC AGCCAATGCATGGCTTTGGGTGGTGACTTCATCTCCCC TAGTGTTCCCTTTCCCCCTCTGCAAAATGGGAATGGGGA TGGCTCAGAACTCCCAGCGGGAGTTAGGAGGAATAAT GTATAGGAAGTATGAGCAGAGTGCCTGG	
DG5S13	169961410 - 169961530	TGATGTGCTCGTTCCCATAGCCCCGCTGTGTGTGTGTG CGCGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTG TGTTTGGTGGGGTGGGAGGGGAGGCAGAAGAGGAAG AGAGGGCA	SEQ ID NO: 69
DG5S123	170015858 - 170015997	TGGTGATCAGCTCAGTGTCTTGAAAAGAGCAGAAA GTGGTATCACGAACATATCTTCTCCTTTGCTTCCTTCTC CTCACTCTTCATCATCATCATCATCATCATCAAAAT ATGGATCTGTGAGGCTACCTCTGGG	SEQ ID NO: 70
DG5S124	170041996 - 170042336	GGAGGAGAGACCAGCATTACATTACAGTTATTGTTGTT TTAAATCCATTACGCACATACATAGGAGAAAAATTTCA GCAACAGTCACCCTCTGAACCCAGTTCCCTCAGTTCTCT CCAGAGGCAACTAAAATGCTCAATTATTAGTGTATCCT TTTGAAAATATTTTATGTATATGACAGTGTGTGTGTGT GTGTGTGTGTGTGTGTGTGTGTGTGTTCCCTTTCCAATATTA AAATAATATTAACATTGGTAATAGTGGTACTAAACAA CTTAGGGTGTTFTTTTTTTCATTTAATAGTATATTTTTTA GTATCTTTCCAGGAAAAGATACATGGATGTGCCACA	SEQ ID NO: 71
D5S625	170105556 - 170105787	TCAATAAATGATTCTGGGGATGTGTCTGTCTGTCCATC TGTCTCTCTCNAGANACANATACACACACACACACAC ACACACACACACACACATCCTGTTAGTTCTGTTTAC CTGGAGAACCTTGACTAACATACCCATTAAAAACAAA ATATGTCCTTCAGGGTGTAAATGTTTGGTTGAAGAAAC ACAGAAAGTTTAAACAATTGTATCAGGCTGGGCACGGCC TATAATCCCAGCATTTTGGGAGGCCACAATGAGNNGGA TCACTTGAGCCCAGGAGTTCTAGACCAGCCTATGCAAC ATAGTGAGACAAAAAAATGAANAAAATTAGGGGTGTG GTGGAGCGCACCTGTAGTCCTAGCT	SEQ ID NO: 72
DG5S959	170167429 - 170167616	GAGTTCTATGGAACAGCATTTATTGAATAATAACATTT CAGGAAAAAATATAAGCTTTACTGTATATTTAAATAC ATATATACGTTTATATATTATATATTATATTATATTATA TATTATATATATTATATATATTATAATATTTATATATTA TATAGATATAAATCAACTACAAGATCCAGTTCAA	SEQ ID NO: 73
DG5S960	170203240 - 170203459	TTGCCTAAGATCTAGGTGTTCAAAAAGAATTTCTCCAAT CCACTTCAGCCTGTTATTATGTATGTATTCTGTTTTAAA TGAGAAACAAGAGTCATTTTCTCCAGAATAATAGAAC CATAGTGACACTTGAAGTAAGTCCAGTGGTCCTGATAT GATAATAATAATAATAATAATTATTATTATTATTATTA TTATTTTGAGACGAGGTCTGTATCTGTTG	SEQ ID NO: 74
DG5S16	170280782 - 170281084	ATGGAGAGACACGGAGTTGCTTGAGGGTACAGTGCCT GTAGATACTCAATAAATATTTGTTTAAATTAAGAAAATT TCTGTTATTTGTGTGCTCATACATACCATTTCAGTCTGG TGAGTATTGTTCTTTCTAGAGTTTACTTTTAATCTTAA GTATTTTCCAGGTCCTTTGTTGACTTCTGTTTAAACCAC AGTACACACACACACACACACACACACAACTTTTGTG	SEQ ID NO: 75

		TACTATAATAGCTTCCCCAAAATTATAATTTAGTCATT GTGATGCAGATCTTCTTCCAAGGCCTCTACTTTGG	
DG5S962	170338421 - 170338789	AAACAAACAAACAGAAACACCAAAATGGATTCCAGCA TCTTATAAGTGCTTTCTCTTATGATCGAGAGTAAGACA AGCATGGCTACTCCCTTCTCTTCTATTAAATATTGTACT AGGGGTTCTATTGAGATAAATAGGCACAAAAACAAAAC AAAAACAAACAAAAAGGCATCCAGATTTAAAAAAA AAGGAATCTAGGAATAAAGGGATTACATCTCTACTTG CAGATGACATGATCTTATGTATAGGAAATCCTAAGGA TCCACTGAAAACTGTTAGAACTAATAACATCAGTAA GTTTGCAGGATTATAAGATTAAACAAAACTCGACT GAATTTCTGTGCACTTGCAATAAACCAACCCAAA	SEQ ID NO: 76
DG5S132	170442700 - 170442947	TCTGCCACACACTTTATGCTTTAAAACAAAAGGCCAT GTTGAACTTGTAGAACCAATGATTGCTAATTACTTGG GGCGATACTAGTGATATATTATCTTACATACACACACA CAAAACACACACACACACACACACACACACACACACG GCTTGAGTCCAGCATGGCCTACTGATTTTAAAATAGGA AATGACAGTGTAATGCCAGGATAAAGGACAAAGTGC TCTGACCTGTTGCCAAACCTT	SEQ ID NO: 77
DG5S136	170469573 - 170469843	GGGTTTAGGACCCACGTATCTTTGTTTGTGTTGTGTTG TTGTTGTTGTTTGGAGTTCAACATGTTTATGGTGTGTA GCCATGGTTGAAAGCTTTTATTTTATAAGATAGACAAA GCAGGAATTATTATTCTCATTTTACAGGAGAAAAACA GAAGGGCTATGTGGTTTGTAAAAGGCCACACAGACA GTAAAGAACACAGCCTTTACATGGTCAGCCTCACATTC TAGTACTCATTTTATTACACTGCTCTTCTCTCTGTTGC CTG	SEQ ID NO: 78
DG5S133	170480360 - 170480621	CTGGCCTCTTTGCCATTTTCTAATTGGATTATATGTGG GGTTTGTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTT TGCTGTTGTGACGTTAGAGTTCCTTGATATTCTAGAT ATTAATCCCTTGCCAATTAATAGTTTGCCAGTATTTCT CCCATCCTGTAGGTTGTTCACTCTGATGATTGTTTCCTT TGCTGTGCAGAAGGTATTTAATTTGATATAATCCCATT TATTTACTTTTGTGTTCTGTTGCCTGTGA	SEQ ID NO: 79
DG5S17	170499980 - 170500284	CCATCCAGGGTCTAACTCCAGCATTTGTATAAACTTGG ACAATACTTTTGCTACAGGGTTGTCATTGAAAGTATTG CCTCATTATATTTCTTAGTGGTCCCTGTATGAAGCCAT ATAAGAGAACTTCTTAATTTAGCACTAGGAAATGCTT CTGTTGACTTGAGATGTGTGTGTGTGTGTGTGTGTGTG TGTGTGTGTCTGTGTGTGTGTGTGTGTGTGTGTGTGT GTGATTCCCCTAATTGATAAACTATAAAATAATCTTT CTCTTTTCACTTTGGCCATCTGGAAATTTGCCACCAA	SEQ ID NO: 80
DG5S137	170644993 - 170645364	TGGCTTCCCAATCCTAGAAAAGGAAGAAAGCTGCATG TTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTT TGTTAGATGGAGTTTTCTGTGCGCCAGGCTGGAGTGCA GTCACATGATCTCAGCTCACTGCAGCCTCTGCCTCCCT GGTTCAAGCAATTCTCCAGTCTCAGCCTCCCAAGTAGC TGGGATTACAGGTGCGCACCACCACTCCAGGCTAATTT TTTGATTTTTAGTAGAGACGGGGTTTCACGATGTTGG CCAGGCTGGTCTTGAACCTCCTGACCTCAGGTGACCCAC CTGCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTG AGCCACCGCACCTGGCTGAAAGCTGCAT	SEQ ID NO: 81
DG5S53	170673106 - 170673364	GCCTTCGCAGATTGTACCTCTTCTTTTACCCTTCTCGC TGGCCTGTGCTTCTCTCTCCATCGTGGTCTCCACGCCT TGGTTTCTCCTCCATCCCCATCCCCATCTTTCGTGAGCC CCTCCAACCTCTCTCCCGTGTTTTGTACGGTCTCCTGCG	SEQ ID NO: 82

		TTCACTTGATTTCTCTCACCCACCCCGCCCCAAACA CACAGGCACACACACACACACACACGCGCACACAC ACGGGCCTCTCGCACTCTCCTTCTCCT	
DG5S968	170675807 - 170676033	TGACTCTTGGCCTCTGTGTGTCTCTGGGTTTCTTTGTCT CCCTCCTCTCCACGGTCTCTTGTCTTTTGTCTTCCCT TTCTTGTCTTCTGAATCTCTTGCCTTTATGTATCTGTCT TTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT CTTTTCTTTCTCCCTGACTCCCTCTCTCCCTCTTCCAG GCCCAGCTCCCAGTAGCTCCTAAGGCAAA	SEQ ID NO: 83
DG5S904	170735417 - 170735632	CATTTGGGATAAATGTTGTCTTTAGTTTTCAACTACTTT TTCTTTGGCTTATTCTCTCTCTCTCCCTCCCTCCCTCTCT CTCTCTCTCTCTCTCTGTGTGTGTGTGTGTGTGTGTGTG TGTGTATTTCATGTTTTCTTAATCTATCTGAATTGTTGTG TCGGTTTTCCATGCGAATTTCCAGTTACCTCCACAGTA TTCGTTTCAGAATGCTTCCT	SEQ ID NO: 84
DG5S906	170820130 - 170820505	TTGCAGTTTCATGAACCAAGTATTACTGCCTCAACAAT TAAAAACAACAGACAAATTATTTAAAAAACCATGAGG CGAGTGGTGGCTGGTGGCTGGTGGCAGGGCGGGGGCA GGGTGGCCTCTGTGTCTCATGCTTTCTGGTTGGTCTGT GGTCTTTGCACTGAGAGCTAGGGCCTTGACATTCAATT CATTCATTCAATTCAATTCAATTCTTTGAATTCAACAT TACTATGCACCAGGCGCTGAGAAGGCAGCCTTAGACA GATGGAAATCCTTGCTTTCCGGGAGATTCCATTCTAAT GGGTCATTGATTCACTGGCCTCTTCAGTCATTTGTTCA TATGCATTTACTCGTACCTCTCATGTGCCA	SEQ ID NO: 85
DG5S141	170910447 - 170910786	AACTGAACCTGGGCTGTGTCACTCTAAGACTTATGCTT GGAACCTGTAAGAAGAACAAGTGTGCGTGCATGCATG TGTGTGTGTGTGTGTGTGTGTGTGTTTGGAGGGATAGTGA AGTTTTTCTACAGCTACAAATAGAACATGCTTTTCT ATACAATTGTAATAATCAATATTATTTCTTACATTATC TCCAGCCATTTCCCTATAATTAGACATTCAAGATTATTT CAAGGTTGTTATTCCTATAAACAGTGATGTGATGAATT TTTTAAAGTTGGTTCTCACATCCGTCTGTTCGTGTA TGTATCCATCATAGAACTGGACCACAAAGGTTGG	SEQ ID NO: 86
DG5S909	170941109 - 170941259	GGGAGTTCTCTTTCTTCAAGTGCTTAGGGGAGAAAATA AGTGAGAAAAAGAGAGATAGAGGAAGGAAGGAAGGA AGGAAGGAAGGAAGGAAGGAAGGAAGGAAGGAAGGA AGAAGAAAAGGAACGAAAAGGAAGGAAGGAAGGAAG AAAGGA	SEQ ID NO: 87
DG5S910	170946679 - 170947010	TCCATGTTATTCTCTACCTGTTGGTTCCTTCCTCATTGA AAATTGGTGTATAGATGGTAGATAGATAGATAGATAGA TAGATAGGTAGATAGATAGATAGATAGATAGATAGAT AGATAGATAGATAGATAGATAGATTTTATTTTGGTC TATCTCCTTTACTAAACAGTAAGCTCCATGAAAATATG GATCATCACTGTCTTATTCACCATTATATTCTCAGCAT ATGGTATTGTCCTGGTATAGAATAGATTCTCAATAAAT GCTTGCTAAATGAATGCATTCATGAGTGAGTGAATGA ATGAATATGCGAGTGGATGAGTGTGTGGA	SEQ ID NO: 88
DG5S911	170985696 - 170986066	TGCTTGAGGGCAGGATCTATATGTAATTCCTTTCTGGA AAACCAGGGATTGAAACAGGATCTGCCATGCAATGGG CTGGATGGGTGAATGGAGAAATAGATGAATGACAGAT GGATGGACAAACAGATGGAAGGAAGGATGGATGGAT AGATGGATGGATGGATGGTTGGATGGATGGATGGATG GATGGATGGATGGATGGATGGATGGATGGATGGACAG ATGGATTGGTTGGTAGATGTGTGGATAGATGGATGGG TGAACAAGCGAGTAGATGGATGAGTAAATGGCTAAAT	SEQ ID NO: 89

		CTGGTGCCTTTCTTCCAGAAATCTGGATTCTGAAGGGA GGCTTTGCAGCCCTTCTCGTGGATCACTTGCTCTG	
DG5S143	171018986 - 171019237	GGCTGAATTACTGGGCATGTTTCTGAGAAGAAAGAAC TTCTATTTTAATTATATATCTACAGAAACCAAATTGCC TGCTTACAGTTTTACATGTCTGATGATTGGAAGTTTTT GTTTGTTTGTTTGTTTGTTTGTTTGTTTCCACAGACTAG CCTCTGACTCCATATATTTCAAACTTTGTTCTCTTCCA CTACCCACATATTTCTGATGTGAGACATTCTAGAAAAA TTTCATATTGCAAGACGGCTTC	SEQ ID NO: 90
DG5S153	171039003 - 171039366	TTGGCAGGATTCAGTTCTCATGGGCACCAGACGGAG AGTCTCAGCAAATCACTAGCTGGTGAAGTGCAGCCACC GCAGTTCTTTATCACGTGGTTCTCTCCATAGGGCAGTT CACAGTGTGGTAACTTGCTTCATCAGAGCAAGCCAGG AAGAAGACCCAGAGACAGACAGAGAGAGAGAGAGAG AGAGAGAGAGAGAGGAGGCTCTGAAAGAGAGAGAG AAGAGAGAGAGAGGCAAAGAGAGAATGAGAACTCCAGA AGTCACTGTCTTTATAGCCTAATCTTGAAAGTGACAT TCATCACTTTCACTACATTTTCTTCCCAGCAGTGCTCA GTGGGAGGGGATTATACACGGCCATGGAT	SEQ ID NO: 91
DG5S145	171040948 - 171041151	GCACATTTGCAGAGGTTTGAGGTCCCATCATTAGCCAT GCTTCTTGGTTCTGCACTATGAGTATACGTATGTGGG CTGATGGCCTCATTCACTGGATACACACACACACACAC ACACACACACACACACACACACACCTCACCAGGGA CTTGGGAGTATCTAAATGTTTGAGAATCATAGAGCAG GGAGACATCCAACAC	SEQ ID NO: 92
DG5S146	171073796 - 171074122	GGGCACATACAGCTTTCTTGAGGAAAAAAACCTGC TTAACTTTGTTTATTATATATTATTTGATCTGTGCTTCA TATATTATTCATATATTATTTGATCAAGTTGCTTCATGT ATTATTTGATCAAGGAATCATGTGTGTCTACAGCACCT ATTAATAATCCCTGGCACTGAAATTCTGTAGAAAACCA TTTAGGAAAAGTTGATCTAACTGTATAATTATTAGTAA AACATATACACACACACATACACACACACACACACAC ACACACACACCAACGAACAAAAAACCAC CTTAATGGTCTCCTAACCAAGGCA	SEQ ID NO: 93
DG5S147	171107565 - 171107831	GCATGTTGCGCCACAGAGATTCAATTAATTTAAATAGGT AGAGGACTTGGGGCAGTGCCTAGGACAACATTACACT CAGGGATGGTGATGATGATGATTATAATGATGATGAT GATGTTGATGATGATGATGTTGATAATGATGATGATGA TGATGATGATGATGATCATGATGATAATGGAAAAGAA GATAGAGGAGGTAGAAAGAGGAGACAATCATGATGTTG GAGGTAGACTCCAATCTTCAGAATCAGAAGCTCAGGG TTGGA	SEQ ID NO: 94
D5S462	171134297 - 171134396	AGCTTAATCTATTATTTNAGAGGCAGAAAGTTAACTTG CTTATCTCGAAAAGAAGTGCAAATATATCCCAAAAGT GCCATTCTTTCACTCATCCACTCAAACAGATACACACA CACACACATACACACACACACACACACACACCCCTTTTC ACCCCTTGGTAGTGACAGTCTCTGAGTTGTAATAAAT AGTCATTNCTTTCTGCTTGAAAGACTGTATTAGCT	SEQ ID NO: 95
DG5S148	171140975 - 171141303	CCAGCATGATCCTATGAATCCTTATAAAAGGGAGATG GGAAAATTTACACACACACACACACACACACACACA CACACACACACACACACAGATAGAGACAGAGAGAAG AGGATAAGGCAATGTAACCATGGAGGCAGAGATGGG AGTGCTGTAGCCACAAGCTAAGGAATGCTGGCAGCCA CAGATGCTGGAAGAGTTGAAGAATGGGTTCCCCCTGA GGGAGCAGCCAGATGCATGCTTTGAGAGTTTCAGCC CAGTGCTACTGACTTTAGACTTATGGTTTCCAGAAGCTA	SEQ ID NO: 96

		CAAAAAATTAATTTCTGTCGTTTCAAACCATCC	
DG5S914	171219902 - 171220159	CAAACGTCGCTGACCTGAGTCTGACCTGGGCTGCCTCG TGTTACCAACATGAAAAGGGAGTGAGAAAATCTGAGG CCAATTAACTTCTCTCCCTCTCTCTCTCTTTTTCTCCCT TGCCACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTC TCTCTCTCTCTCTTTTTCCCCCTCCTCTTCTTGGAGAC ATGATGAAATTTCTGAAACAAAACTCGCAGCCCGT TCAATAAAATGCTTTTCGCCCTTTGGTG	SEQ ID NO: 97
DG5S150	171232854 - 171233077	ACAGTTGCCATTTGCTCATTTAAAATGTAGTGAGGTGT TTTAAAGAGGGTTTGTTCAATTTACCAAAAAGGGAAA AAAAGGGAAAAGAAGAACTTATTGTTGAACGAACAC ACACACACACACACACACACAAAGAGCCTGGCTTAAT TTAGGGATAAAGCAAAGAAGTCAATACCCCCACATCA ACTATTGAAACCTAAGCTATTGCTGGAGTTGACAGCG	SEQ ID NO: 98
D5S429	171276128 - 171276490	AGCTCTNCCTAGCATTGTTTTCTTTGCTTCATTTCTC TTAAATGTGTTGGATGCACTTNGTTCCTGCTAACTAAT CTATCTTNCAGTTTCAAATCAAATGAACCCAGAGAAT TTATTTTACATTATTATCTTCAGATTTAGATTTGTTTT GCTTTTAATCCTGTCTTCATGAAGGGGAAAGCCATGTG TACCAGCATGGTTGATAAACCACCAAATCGTGAAACT TTGCTTGCTCCCCAAACCCCAACCACACACACATACA CACACACACACACACATACACACACACACACACACAC ACACACACACACACACACAACCTGGGAAATTGGGNAG AAAACCTGGCAAACCTTAAACTAG	SEQ ID NO: 99

5

10

15



Table 7 The DNA sequence of the microsatellites employed for the association studies across KChIP1 (including Build 33 locations).

NAME	POSITION	SEQUENCE	SEQ ID NO
DG5S1173	169653708 - 169653840	AAGGGAAGGGAGGAAGGAAGAAAGGAAGGAAAG AAGGCAGGAAGGAAGGAAGGAAGGAAGGAAGAA AGGAAGGAAGGAAGGAAGGAAGGAAGGAAGGAAGGA CCTTTCACTTTTGCCCTTCAATAGCAGAGTGCC	SEQ ID NO: 100
DG5S44	169661202 - 169661574	TATTGGCAGAGGGTGAGTCCAGTGTATAAAAGCAA CTATATTTGTGCAATAAGGCAACCTCTAAACACAA GTTACTACTTCATCTAATGCCACACACACACACAC ACACACACACACACACACACGAGTCATCTGTTCCA AGGCTGTTGCCTTTACTAAGTGATGCTATGTTGGTC CTTGAGGTGGTGCCTTCCTGAGGGTTTTCAAGCAT AGCTTTGGCCATGCACAGTTTTCTTCTTATACACAC TCTGAGGAGCCCCGCCGTCACGGTAATGCACCTGC CTCACAAGCTGGTGGGCAGCTTAAATGAAATACAC ATTTTGCTCCAGGCCAGCACTAGCTCATCAATGT GAGCTGGTGTTAGCCTCACC	SEQ ID NO: 101
DG5S45	169693772 - 169693912	CAGTAGCCAGGAAGCTGAGGAACACACACACACA CACACACACACACACACACACACAAACACACC CCTTCCTGGCTCCAGTTCGACACCACCCACACCCC CAACACCGGAAGTAGATTTCTCAATAGGCAGGGCT G	SEQ ID NO: 102
DG5S46	169702377 - 169702678	TTTGCCAGAATGTCCTCACACCAAATAGTGGACCC CTTCTTTTGCTGATTTATCTGCTATTGTATAGGTGT ATGTGTGTGTGGGTGTGTGTGTGTGTGTGTGTGA AGGCAGGTGGTAGTATGTGTAGGGTAGGGTTTCCC CAGTCACCTGGAGCCCTGAGTGCCTGCTTCCCTAA ACTAGGCCAGTTTAGCTGACTGGCTTCTTTGTGTA TTGGTCCATTCTGCATCAAAAGCATCTGAATTTTCA TTCAATCTCTCTTCTGAATTTTCACTTTTAAAAACC TGACCAGTCCCTTGTG	SEQ ID NO: 103
DG5S1178	169745438 - 169745539	GTGCTCAATGGCTGTTGAATAAATAAATGAGAGGA GGAAAGAAGGAACAAGGAAGGAAGGAAGGAAG GAAGGAAGGGAGGGAGAGAGGGAGGGAAGGAGG	SEQ ID NO: 104
DG5S47	169788696 - 169788899	CTCCTCCATGGTAGGGACTGGTTCTCTTAGGCCCT GTATCCTCAGGCCCAGCATGCTTGGGAAAATGTTT GCTAATGCTTTGTGACTCAAAAGGAATCACACACA CACACACACACACACAAACACACACACACAGT TTTAATATTATCAGTCATATCAGCCCCCTGAGGCA GCTGCTCTGTTCCAGACAAACCCTGTT	SEQ ID NO: 105
DG5S1592	169794522 - 169794686	TTGAGCTGTTTGGCCTCAATGGCATTCTCTCTCT CTCTCTCTGTGTCTCTCTCTCTCTCTCTCTCTCT CACATTGAGCCATCTTCTTACAGCTGAGGTTTTTCA ATAAAAAAGCAAGTTGCTGGTTCTCTTTAAAGT AGGGCAATCTGGCAGTTCT	SEQ ID NO: 106

DG5S119	169843903 - 169844041	GGGTACAGGAGAGTTGTGGTGGGCATTAGTACTAC TCCTGCTGCTGCTGCTGCTGCTGCTGCTGTGTCCAC TGTTAGTGACAGAAGTGGGAAAATATTTAAGTTGA GTTACATTAGTGTTCCCAGTTTAGCGTGAGC	SEQ ID NO: 107
DG5S955	169951970 - 169952619	ACTTATGGAACACCTACTCAGTGCCAGGTATTGTT GTAGATGCCAGGAGTACAGCAGGGAATAAAACAA CATCCCTGTCCTCGACACAAACACACAAGTAAATA GAGAAGGTCAGAGATAAATGCTGTGCAGGAAAAC AAAGCAAAGTGAGGGATGGAGAGTGCGGAAGGTT GGGGCACTTTTGTTCAGATGAGTGTGAGGGAAGC CCCCTTGGAGGAGGCACTGTAAGGGCACAGAATC GAATGAAAG GAGTATGTGAAGGTGCTTAAATTGTTTCTGTTTGGT TTGGTGTGGTGTGATGTGGTGTGGTGTGGTGTGGT GTGGTGTGGTGTGGTGTGGTGTGGTGTGGTGTGGT GTGGTGTGATGTGATGTGGTGTGCGGTGCGGTGCG GTGCGGTGCGGTGCGGTGTGGTGTGGTATGGGTTG AGGCTGGCCTTAGGAGCCTGTTGGCCTTCCAGGCC AGTCCTGAAGCCCAGCCCAGAGCACCAGACTCTGC AGTCAGTCAGTGGAGGGCCACATCTCAGCCAATG CATGGCTTTGGGTGGTGACTTCATCTCCCCTAGTGT TCCTTTCCCCCTCTGCAAAATGGGAATGGGGATGG CTCAGAACTCCCAGCGGGAGTTAGGAGGAATAAT GTATAGGAAGTATGAGCAGAGTGCCTGG	SEQ ID NO: 108
DG5S13	169961410 - 169961530	TGATGTGCTCGTTCCCATAGCCCCGCTGTGTGTGTG TGCGCGTGTGTGTGTGTGTGTGTGTGTGTGTGTG TGTGTGTTTGGTGGGGTGGGAGGGGAGGCAGAAAG AGGAAGAGAGGGCA	SEQ ID NO: 109
DG5S123	170015858 - 170015997	TGGTGATCAGCTCAGTGTCCTTGAAAAAGAGCAGA AAGTGGTATCACGAACATATCTTCTCCTTTGCTTCC TTCTCCTCACTCTTCATCATCATCATCATCATC ATCAAATATGGATCTGTGAGGCTACCTCTGGG	SEQ ID NO: 110
DG5S124	170041996 - 170042336	GGAGGAGAGACCAGCATTACATTGATTATTGTT GTTTTAAATCCATTACGCACATACATAGGAGAAAA TTTCAGCAACAGTCACCCTCTGAACCCAGTTCCTC AGTTCTCTCCAGAGGCAACTAAAAATGCTCAATTAT TAGTGTATCCTTTTGGAAATATTTTATGTATATGAC AGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTG TTCCTTTCCAATATTAATAATATTAACATTGGTA ATAGTGGTACTAAACAACCTTAGGGTGTTTTTTTTT CATTTAATAGTATATTTTATGATCTTCCAGGAAA AGATACATGGATGTGCCACA	SEQ ID NO: 111

-127-

D5S625	170105556 - 170105787	TCAATAAATGATTCTGGGGATGTGTCTGTCTGTCC ATCTGTCTCTCTCNAGANACANATACACACACACA CACACACACACACACACACACATCCTGTTAGTT CTGTTTACCTGGAGAACCTTGACTAACATACCCAT TAAACCAAAATATGTCCTTCAGGGTGTTAATGTT TGGTTGAAGAAACACAGAAGTTTAAACAATTGTATC AGGCTGGGCACGGCCTATAATCCCAGCATTTTGGG AGGCCACAATGAGNGGATCACTTGAGCCCAGGAG TTCTAGACCAGCCTATGCAACATAGTGAGACAAAA AAATGAANAAAATTAGGGGTGTGGTGAGCGCAC CTGTAGTCCTAGCT	SEQ ID NO: 112
DG5S959	170167429 - 170167616	GAGTTCTATGGAACAGCATTTATTGAATAATAACA TTTCAGGAAAAAATATAAGCTTTACTGTATATTAA AATACATATATACGTTTATATATTATATATTATATT ATATTATATATTATATATATTATATATATTATAATA TTTATATATTATATAGATATAAATCAACTACAAGA TCCAGTTCAA	SEQ ID NO: 113

Table 8: The Build 33 location and size of KChIP1 exons.

5

EXON	START (NBCI33)	END (B33)	Size (bp)
1a	169716298	169716511	214
UTR 1	169848417	169848523	107
UTR 2	169861083	169861154	72
UTR 3	169864589	169864679	91
UTR 4	169867066	169867173	108
1b	169867120	169867180	61
Ins-r	170075401	170075433	33
2	170081305	170081429	125
3	170082868	170082937	70
4	170084380	170084450	71
5	170085260	170085367	108
6	170095347	170095451	105
7	170096383	170096445	63
8	170098306	170099177	872

10

15

Table 9. The Build 33 location of SNPs found across KChIP1 after the first round of sequencing that was limited to the exons and flanking sequences.

START (B33)	MARKER	VARIATION
169716197	KCP_e1a_249924	C/G
169716300	KCP_e1a_250027	C/T
169716322	KCP_e1a_250049	A/C
169740666	KNB_24222	A/G
169740703	KNB_24259	A/G
169741172	KNB_24728	G/T
169746339	KNB_29895	C/T
169747941	KNB_31497	A/G
169751742	KNB_35298	A/T
169751814	KNB_35370	C/G
169751843	KNB_35399	A/G
169848476	KCP_UTR1_382206	C/T
169848542	KCP_UTR1_382272	A/C
169861338	KCP_3UTR2_395068	A/G
169864750	KCP_3UTR3_398480	C/T
169864875	KCP_3UTR3_398605	C/T
169866182	KCP_e1b_399912	G/T
170081292	KCP_1152	C/T
170081464	KCP_1324	G/C
170081473	KCP_1333	A/G
170082789	KCP_2649	C/T
170085097	KCP_4957	C/T
170085116	KCP_4976	C/T
170085151	KCP_5011	A/T
170085191	KCP_5051	C/T
170085217	KCP_5077	A/T
170085342	KCP_5202	A/C
170095344	KCP_15204	C/T

170095540	KCP_15400	C/T
170096292	KCP_16152	A/G
170098209	KCP_18069	C/T

Table 10. The DNA sequence of the SNPs identified across KChIP1.

NAME	SEQUENCE LISTING	SEQ ID NO.
KChIP1	See FIG. 1	SEQ ID NO 1
SG05S872	<p>TGGCTGTCCCCTCTGCCTGGAGCAGGCTTTGCCAGATGTC  CTCCTGGCTCACTCCCTCACCTCCTTATGTCTTGACTCAGAG  GTCACCCCTCCAGATTAGACTGCCTGACCCCTTCTGTGCTTT  CTGTTTTCTCCTTATTACAAATGAATCTGCACCATATTTAC  TGATTGTGTTTGCTGCATGCATGAGGGCTCACATAAGGATG  TGCTTTTTGTCCACTTTGTTCAATTGCTGAATCACTAGCACTG  ACAGCTGTACCTGGCACAACTGGGTGCTTAAGAAATATTC  TTGAATCAAGGAATCAATAAATGAATGTTATAGAGAAAGC  AGGAGAATAGATGATAATTGAGAAAAGTGAAGCCAGAGA  TGGGAAGTCACTGGCCCCATGTCACACAGCAGCAAATGCA  GAACCGGTCTGGAACCTTCAGCCTCTCAGCCCCGGCCCTGT  CCTCTCCTGTGCTTCTCACCCTTTATGTAAGTTTTTCTTTA  TTTGTGGAGCTCTCAGCAGGCATTTTTCTCTCTGTGCTCAGT  TGGCATTITTTCCCTTGAACCAGCTGTGTCTTCACTCTCTCC  CCATTTTCTCCAGAATATGTTCTTCTGTTTAACTGAATGTTT  TCTTTTTCTGCAGGTCTGGCCCACTGCAATATCCAGAGAC  TTTTCGGTGTCATATGAAAGAAAAGGAGCAGGAAGCCAAG  ATGCCCCACCTGGCTTCTACATCAGGGTGATCTGCATAGTA  AGATGCAAAGACACTGACATATGCCTGGGGGTAACGAGGG  CAGTGGGGGGAGGGAGCTAAGCCAAGATAAGCCTCCTCCC  CACCAAACATAGGTGCTACTGAGCAATGATAGGGGGCATG  CTGTCTGCTCTGGTACTTGGTAGGGAATGCTCTGAGAAAC  CTCACTAAATCTGCCCTCTAGAGTAGAGCAACCTGGGAGCT  CAGGCTTCCCTTTCTCTGTGTGATGGGTTGGCGGCTCTTAG  AGCCAGCCATTTT[A/G]TCCTGCTCCTTCTCTCCTCCCCCTCC  TGACCAATAAAGATTGTGTGCTTCTGCCAGTCAGCAGGGT  GGGCTCTCACTCCATCCTGCCTCTGGTATGACAGCACAAAT  CCCCTCATTCTTTATAATCATTATAAAAATAAAATAACTACCT  TTAGAATACTTATTTGATATGAGGCACTTTGCAAACCCAC  AGTCCTGCATATCCCATTTGACATATCAGGATGCTGGGCTT  ACAGGTTACCCAGGGGTGGAGTTGGGCTCAATCCTAGGAT  TGTCTGCATCTGATTCTGAAGCTTGTCTTTTCCCCTATA  CACAATCATTCAATTCATTCACTAGTAATTTTAAATTGAGA  CATACTATGTACCAGCACCTGTTCTAAGCATTGGATTATGG  TGATGAATGAGGCAGACAGGGTCCTTCCCACAAATACTA  ACTCTATTCAAGCAGTGGGAGAAAAAGCAATGAATGGGAA  ATAAATGCACAAATCAAGTAATGTTGGATGGGACAACCTGCT  GTGGTCCCATTGAAACAAGCCCAGAGTGAGCCCACTGTAG  GGACTTCTTCATTGACTGGTTGGGAATTGAGTGACAATCGG  TTGCTGCATGCTGATGGGTGCCAAATACAACCGTAAGGAAA  CACTCCCCCTGGGAGGGAGGCGGGATCCAGGTTAGGAAAGA</p>	SEQ ID NO. 114

	GCCTTGATTGAGGCAGAGTGTGTCAGGAAAGTGGGGAGGTAC GCAGCTGACCTTGGAGAAAATCCCTGAGTGGTGCAGATCTC TTGAATCTCTGAGTGGCTCAGAGTCTTCCTGGAAATGCAGA AATCCCCATGCCACTTAGGGGCATCTTCATTCATCTCCAGC CCTCCTTTATTAAGTCATGTATACCATCTCCTCTCTTATGCT TAATGTCATGCCACTCTTCAATCCTTGTCCCTTCTTTCCCTCT GTGCCTGCTTGTGGTTTACTCCTGCTGACACCAAAGGCTGA GGAGGATGAAAGAACAATTCAGCCCTGAC	
SG05S873	GGTAATTCTTAAGCTGGCTGGGCCTAAACTGCAAAGTGGTATTGG GCATGCCAGAAGGTAACCATAAATGGGCTATTTGGAGATTTCTAGG AAGAAGAATGACATTTTGTTCATTCCATTCCATTTTCATTTCATTC CATTAATACTAAAAATATTAATAAGCATCATTTCTACTATATAT CCAGAAGAGAACATGGTCTTAGGTCTTTTAATAAATGAACTTCAGT TGCAAAGTCTCTGCTGTGACGTTATATTTCTCTTTCCACCCTAGAC CAGCCCTAATGGGGCCATGAAGTCAGATTTTGGTTCATGGTGTT GTCGGGGCAGCATAGCCCAGAAATCCACTTCCTTCCCTGAGGACAC ATTTATTCTGGTAGATGTGCTGTTTTCCATTTAAATGTCTTTGGC AATAAAGAGCTGGCTCCAACAGCAGACCACGGGGCTGGCTTTGTC GGCAGACACCACGTGTTTCATGACTGGCAGCTTTGTCTGGAAGAGGG AGCTTTTAAATGCAAGTTCTATGCTGACTCTTTGGAGTCTTCCCAG GAAGATAACTGCTATTGCATTGCATGCTTAATTTAGAGCACCTATT TTCCCTCTCCTTCAAGGTTTCTGTATATCTTCTCAGTTCATGAAA TTAATTATTTGGGTACAATAATTGTACAAAGGCACTTTATCAGACA CTTCGTATAAATTATTTCTCATTCTCAAGGCAACTTGAAAGGTCA GTCTAGGGGTGAGCTGCTACTTTTGGTGATCAGGCATCACCCCTC CTTCCTCTTAGTACGTTATGACAGTGGCAAGTGAGCATTACCTGTG GACCCCAAAGGAGTTCATTCCTTAGAGCCAGCCATTCCTCAGTTA ATCTGG TCTGTCAGACACTCTGTCCCAGGACACTGAGCCTTGAGCAT GTGAAGGTGTGGGCTCTGCTGGGGGCTTGGCAGCCAGCACC TGTCTGTGTATCACCTGGCTCCTGCAGCGAGAACCTGC[A/G] GTGTGATTTCTGCAGCCTGGCCCTCTGAGATTCCATGGCTG CTGACCATTTTCCACTTTCCAAGACTGTTACATTCCCAGCA ATTCTGTGAGGCCCTGGCCTTCAAAGGTGTTCAATACATTC CTTTTTTTTTTTTTTTTTTTTTTTTTTGGAGACAGAGTCTCACTCT GTCACCCAGCCTGGAGTGCAGTGGTGCCATTTAGCTCACC GCAACCTCCACCTCTCGGGTTCAAGCAATCTTCTGCCTCTG TCTCGCAAGTAGTTGGGATTACAGGCACACATTGCCACTTA CGGCTTTTTATCATTATTATTATTATTATTATTTTATTTAGTAGAG ATGCAGTTTTGCCATGTTGGCCAGGCTGGCCTTGAACCTCCT GGTCTCAAGTGATTCACCCACCTCAGCCTCCCAAAGTGCTG GGTTTACAGGCGTGAGCCACTGTGCTGGGCCCCATTTGTTA TTAAGGGAGAGTCCGTTTCTGCTGTTTGTAACTAAGGACC TGCTGATCTCTAGGAATTATTGACCCCAAGTTTTCAGATAA AGAAGTTAAGCTTGAGGTTAGAGCTTTTGAGCAAAAACCTCC TCTCCTAGAGAACTCAAGTATCCAGGAATACTCGGTCAAGG CTGGGCTGGACCAAGTCTGTAATCCTGATATTCAGAAAAGG GATGATTTCTCCTCTTTGGTTTGGTTTTCTCACTGAGGCCTG CACACCAGTTTATTTCTGACTTGTGCATTCAACATGGGCA AATCCAGGTCAACAAAGACTGGCAGCTTATTCCTGAGTACA GTTCCACCAGGTATGGCACACAAAGTGATATGAGTTAGAAC ACAGATGGATATAGATGTTTTACAAATGTAAAGTTTGATATA CACACACACACACATTGCTATGTGTTAGAAAAATACAATAA GCTCATCTAATTTATTATTTTCATGTGTCTTATTGCTCAGAAA GAGGAAAAGATTTTATTGAAGTTGAGAAAAGAAATTGAAT TAAAATAATA	SEQ ID NO. 115

KCP_rs31 5773	AGAAACTCCGACTGTCTTTTCAGCACACAGAAGACACTGTAC TGGACCCGGACATTAGGCAGACACCCACGCCTGACTTTCAG GAGAAAAGAGAACATGACTAACGGATATTCTTAGTAGATG GTTTATTAGAAAAGAGAACATCTTCCAGCATGTGTCTGGG GTGATGGGTGTGGGAAGCACTCAGTCCATAGTCCTGGTCCC TGGCTTCCCCAAGCCCAGCACCATGAATGTACAGTGGAAG CAGAGGGTGCAGCGTCTCAGAAAGATGCTTCCACTCACAA GGATTGGAGCTCACAAGTGAGCTCCATAACCTGCAAACCA GAGAAACCTGAGACACTGCCCTTGGCCATTTTATCAACGG AGACTTTATTGTGATTATCCCGGCAGGGGGCCGAGCTCTCC TCTCTGCAACAGGAAATGCTCTTTAGTGAAAATGCAGCATT TCTCCAAGGGTAACAAAGCTGAACGCCTGCTTAGCTTATGA ACCCTCAGTTGGCCTAGGTGGTGCAAAGACCCTGCTGTTAC TGCTTTGATCATCAGTACTGTGGACTGTACCAGGAGATCCC TGGGAATGTGCTCTGGGCGGAAGCAGCTTTTATCTTTGGCC CTACCCCATGCTTTATATGGTGAGGTTGGGAAAATGGCACA AGGCTTCTCCTGAACCTCAAATCAACACCCTTGCCCCATTT AGATCCTATCTGGCTGTTTCTTGCTAATATTACTGCATCACT GCACCATCTTCTCTATTTTCAGCAAAGTGAGTCATGTGTGG TTTATGGGGTAGATGGACCCCAAAACTGATAATATGAATCA AGCTATGGTGTTTACTCCCTAGGAAATGCACAATTTTCTG GAAACCTACAGAAGCTTCAAATGCATTCGCCATGCAAAGCT AAGTCAGCAGAACAAACCCGTTTGGCTTTGGAGGCTAGTTCA GTTCCGCGGACAGGGAGAAAGATGAGGCAGACTGTGGTTT TTCAGTTCTGGAGCTTAC[A/G]GAGCTCCAAAGCTCCCTCT CTTCCACCCCTGGCTGCACTGTTCTTAATTTTAGATAATACC CTGCCTTCTCGTATTGCTGCTGAGCTCCTAGCATCCTCAGTT TATCTGTCTGTGAAATGAAAAATCTAATGTTAAATTTTTTAC CTATGGCATGAGAGAGATGGCTATGGCTCTTGTGAGCCTCT CTGCAGCCCTCTTTTCTTCAATCACCCCTCTGTCTCTCCTG CCTTCTGCTTATTCTCTCTCTCCCTCATCCCCCATTTCCCAG TGGGTCTCTGTTCTCTTTTTTTTTTCTTTTAAATCTCTCT ATGCCTCCAGCCGAGAAGATAAAGAGTGTACATCTTCTGG TTAAAAAGTTTTGCTTTGCAGAAACACAGCCAATTTATGAT TCTGGCCTTCCCAGCTAGGGACAGTGTTCAATTTACATTTAG GACCATGAGGAGAGAGGCTTAGCTGTGTGTTTCTGAGGCCG GAGAAAATTACAGTGATATATAACAGTGCTGCACTCATAGA GGTGCTGAGCCGGGTTGGGCTCAGGCGGCCGCTAAGCTC AGAGTGGAAGTTTCAGAGGGGAGGCAGAAAGGAGAGGTC TATAGCTCCTCCAGATTCTAGGTATTAATTTACTAAGATATT CCTAAGCCAGAAAACAGAGACAGAAGACAAAGAGAAAGA GGGAAGAAGAGCAAGACAGAGAGTTAGAGAGAGACAAAG AGAGAGAGTTAGAGACAAAGAGAGAGTGAGAGAGGAGAGA GAGCAAATATTGAAAGGAAAAGGAAAAAGAAAGAAACCT GACAGCTCATGAACTTTTTAAAAAGTTACAAATTAGATTTG AAGAGATGGGCAGAGGTTTAAAGATTTCTTCATTAGGCTGGG TGTGGTGGCTCATGCCTGTAATTGCAGCACTCTGGGAGGCT GAGGGTGGCAGATCATCTGAGGTCAGGAGTTCGACACCAG ACAGGCCAACATGGTGAAACCCTGTCTCTACTAAAAATAC	SEQ ID NO. 116
SG05S876	TATATACAACCTGGAAGCTCTTTTTCCAACCATATCACAGA CAAAGAAATTGAGGCTTGTACAGGTGAAGGGGCTGCCTTT CCTTTGCTCACAGGAATGTGAGGATGATACAAAAGTAAG GATATTGGCATTCTTCAGGCAGGGAGATAACCTGGACAGG GGTGGTGCAGCAGGCATGTGCATAAAAGGAGCAAGAGAAG CCTTCTCTGTCTGAGCAAGCTTGCAGGCCAGATGGAGAAA AATGAAGTAAAGTCACCCCAAAGCCTGGATTCTCATCTGGA	SEQ ID NO. 117

	<p>GTGCCTCTTGCCTCTTGGCCCTTCCCAGAACGCTCCAGCTTGG  CACTGGGCTGGAATTCCACTAAGAATTGAGTTGATTTTCGTC  ATCTGAGGCCCTGGGCACAATGACAAGGGTGGTTTTCTCGG  ATCTGCAGTGAGCATTACACCAGAGTGTGGGAAACAGTGC  CTACTCAGGGACCCCACTCTGGGACCCAGGGCAAACCTTGCC  ATCGTCTCCAGTCAGCTCATTAGCCGCCCAGGACTCTGCCA  GCCCATCCAGGCAGTGATGTAATTACCAAATGGAGATGA  ATATTTAAAGGGACTCTTACTTAACCGATATACTTCCTCTCC  AAGTTCCTCCTTCACCGGCTCTGGATGAATTTCTGGAGGG  ATTGCTCTGACATAGGCCCAGAGCTACCTGTGGTTTGACCT  CATCATGAGGCCTTTCTTCACCCTTTCTTGGTGGCTTGCCCT  GAGGGTGTAGGAGATGGTCCATTGTCTGACTGTGAACAGC  AGGGCAGCTCTTATATTCTCCATCAATGGATCTCTGGGGAC  AAGACCCAGATGGGTGGGGGGACAGGGGAAGGAAACATA  AAAGCCAAAGGGACTGGATACCTGTAACATAATTACCCCTTT  ACTGTTTCTGTCAACCAGACCTTAGTGCCACAAAGGATTGGG  GGTCATTTGTGACAAATGTATGTTGTAAATGTAAATGCAA  GTGACCACAAATCTGAAAGC[A/G]GTATAGAGCTTTGGTTA  AAATAATGCAGGCTCTCCACTGGCATTATTATTGTTGTTAG  GAGAGTCTGGTGCTCTGTTCAAGGGCTTTTCTGTCTATGG  ATTATCTCTGTTTAGCACAAATATCTTGTGTCCCTGGAAAC  CCCTTAGTCCTGAGAAAACCAGGGCAGTTGGTCACCCCCCT  GTTCAATGCAGGCATCAGTTCCACTAGGTAGGGGGTCTTAG  CTGCATTTTAAAGATAAGGAAATAAAGACTTAATGGGTGG  AATAACTGGGTATGTGCACATAGCTAAAGAATGGTTACAC  AAACAACCTCAAGTCAAATATTAGACCTGCGTATTCCTAAA  ATCCCTATGGCTGTTTGCAATAACTTGAGGCCAGCCTCCCT  CTCCTCTTTTCTAAGCCCTCTTTACCTTTCTGTGTCTCTGAT  GGCTGTTGTTTATCAAGGCAACCATCGTGATTCATACCTCA  AAGCACGCTTTGAATTCTACTCCTATAGGCTCCAAAACCT  TATTATCCAGGTTCAGTATTGCTCTAAACTAGGTGAGTCC  TGAACAGACCCAGATTTCAAGCATATTCAGGTGGATTTGTT  TAACAGAGTGTGGCTACTGGAACATCTGGAGCCCAAAGTA  CACAGGAGGCAGGAGAGAGCCTACTTTCTGAAGAGAGGG  ACGGGCCAACTGTCCGACAATGAGGAGGTGGGCATTCTTTC  CTTTGTAAACAAAAAGTATCTGAGACAGGGGTCAGTCAAT  TCAGAAGCTTATTTTGCCAACTTATGGACCATAACCCATG  ACACAGCCTCAAGAGGTCTGAGAACATGTGCCCGAGGTG  GCTGGGTACATCTTGGTTTTACATGTTTGAGGGAGACTGA  AGACATCAGTCAATACATGTGAGGCATACATTGGTTGGGTC  CAGAAAGGCGGGACAACCTCAGAGGTGGGGAGTGGCTTT  AGGTCATGGGTGGATTCAAAGATTTTCTGGTTGGCAATTGG</p>	
KCP_rs95 2767	<p>AAAAGTAGCATCGAGAATCAATTTGCATCTCAGAATTGGGA  TCCCTGCCCTAATCTCTCTACTTTATGCGGCCGTGTCTGCT  TTTCATGACTCTAGAAAGCAGAGGAGAAAGTGGATGTAAG  ATATAAATTAGTCTGTCTTGTAGGGCTTTCTCTTGGTCCCAT  TCTGGGACCAAGCCAGTGTCCATACCTGTGGCCTTTGGTATC  CAATTTAAGGCAGTTCTTCTCTTTCCATGATCACACAGTAA  AGGAGCCCCGTATACAGTGCTCCAGGACTGAGTCCAGTTT  TTAGTGTAGCGTGCAACAAGAGCAGAAAAGGCAGAGTTGG  GAAGGACATGTCAACGGGCAGCAATGAGGTGGTATAAAGA  CCCTGGGCATTTGGAGGCAACAGAGGGAGAAAAGGTCTGCT  TCAAGGACCAACTTGGTCTCTTCCATCTCTGCCCTGGCAGC  ACCAGCAGCTGCACATTGGCCCTTCTTACCACTTCCATGGC  AAAACCAAG[G/T]TTTCTCTACCTCGCCTAGCCGGCCCTGC  AGACTTGCTGACACAGCTGAGTGCGGAGTGCATCTAGACCC</p>	SEQ ID NO. 118



	CAACATGAGGCGCCCTTCTCTCAAAACAAATGAGCCTTCGA AACTCCAGCAAACAGTGCTAATGAATTGCCCTCGGCTTCTT AGGCATCATTTTCTCGTAATTATAATGGGAAGAAGACATGG AGTCCCAGTGAACGTGGAGCTAGCCTGCCCTAGAGCA AGGCAAAATCCCTCTCTGAGGACCACACTCAAGCAGA GATTTTTCTAAGACTTAGAGAAGAAACAAAATCTGATTTAA TTCTTAGGAAATTGCTTTTTTTAACCCACCTGTGTAAGCCTG TATTTAAATGCTAATATATTTGGCCTGCCGGGATGCCACAT TTATTTTCTTCTTAGCAGCAACAAAAATCATTTATTTATGA GAATTCTAGCTCCTACCTGCTCTCTGAGTTCCTCATCTTCA TTCCATCTACCAGCTGGA	
KNB_2422 2	GAGGGGTTTTTAAGATTGTGTGTTCTGAATGGCCTGTCTGACTG GAACCCAACTCCGTCCCAGACCCACTTCCATCTTTTTCTGTGAGG GGGACACACTCTTCAACTTTTCCAAAATGGCATCTACCATGGCTT TTCTGATTAAAAGCAAACGAAACACACCCCTTCTATAATCAAAAAT TTAGAAAAGCAGCAAAAATAAAAAGGGGATAAGGAAGAAAACAGAA ATTAACCAACCATCCC [A/G] CCGCTAAAAATTTGATGAGTTCCTCAT GTGTTTCCTTNCAGCTGATTGTTGTTTGGCATACTTTATTAA	SEQ ID NO. 119
KNB_2425 9	CACTTCCATCTTTTTCTGTGAGGGGACACACTCTTCAACTTTTC CAAAATGGCATCTACCATGGCTTTTCTGATTAAAAGCAAACGAAAC ACACCCCTTCTATAATCAAAAATTTAGAAAAGCAGCAAAAATAAAA AGGGGATAAGGAAGAAAACAGAAATTAACCAACATCCCNCCGCTAA AATTTTGATGAGTTCCTCATGTGTTTCCTT [A/G] CAGCTGATTGTT GTTTGGCATACTTTATTAATATTGGAATAAAAATATATATGGCA CTTTATATCCTAGAAAATAGTAATACTGTAAATGTGTTCTAGAAAT GGGAGCTGCTGTTGCTCTTATTAGAGAATTCAAACAAAGAGGGAG GCTCGCTGGGGACAGCTTCTGGGGGAGGATGGGTACCGCTTTGAGA CA	SEQ ID NO. 120
KNB_2472 8	AGGTATGAGTCAGTTGAGTGGGGACAGGTAATAGAGAGCTAGA GGCTGGCCTTATGGCCTCCAAGGCATTGGGGAGCCACTGTACATTC TTGAGCAGGCAATGACTTCACAAAAGGATTTCTCAAAGGTTAGTCC TGCAACAGAAGACAGCGTGGATTGGACTGGAAGAGTGGGAGGGCAG GTGGAGAAGGCATTG [G/T] CTGCAAGTGGGGAGCAGCCCTGGGGG CCCAGCCAGTCCCTGTGCCCTGACAAGTGGTATGGCATGGATGGA TGGCTCTACTTCTGGGCCGCCAGGATGGACAGGTACTGGTTGCTCT TCACCATGGCGATAATGAGGAGGCCACCGGTGAGCAGGAAGGTGGG CCAGAAGAGGGAGAAGAGGAGGGCCTGGGGCCCGTAGAGGCGCTGG AAT	SEQ ID NO. 121
KNB_2989 5	CCCCATCCCTCCAGTTCAGTACCTGCTGGTCTGGTCCCGAGTGT CTCCGTGTGGTACAGCACAGCCACCTGCCGGCAGCTGACACGTTG ACCCACAGGCATGGGTACTGGGGACCTTCTTGCCCTTCAGCT [C/ T] CTCCTGGTCCCTGATGTTGGTCTCAATCAGGTGGCACTTGATT CCTGGGTCCACACGCTGAGGAGACCACACACATGCACACATACACA TCTCAGAACTGGGTGACACACAGAACACCCATTGAACCCATTATC CCCTGGGAGCCTCTAGAGGGATCCAGGACTGGGCTCCTCATCTTGT CTTCAGCATCCAGCAATAAAGGCACAT	SEQ ID NO. 122
KNB_3149 7	TTCCCTGCACTTGAACCTAGAACCTAAGAATGAGCATCGTCTTGA CCCTGCTGCCTTGAATGAGGGTCAAGGAGAGGGGTGAGTAGAAGGC CAGGGTTTCCTTACAGATGCCAGACCCTTAGGAGAGGGTTGGGGGT GGGCAGGCCNNGGAGAGCTCAGTACCTTTTCTGGTAGAGGGGCAGCA CAGTCGTGACCAGGATGTAGTAGGTGATGACGGCACACACCACAT GGTTACACCCAG [A/G] CAAAGGGCTCGTGTCTCTCCCCGCTTCTG GGCCATCACCAGCTTCTTACCATATTCAGTGGGGCAGTGATCAT TTCTAGGTCCACAGAAGCAAACAGAAGTGAGATCAGCCAGTTTAC AGGTGATCCACAGAAAGAGAGGACAGGTGAGAGGGGAAGGTACTCA ACTATTAATATCACTCTTGTATTATTTGGAGCTTTGCAACTTCCA GAAGTCTTGCTTTTGGACCCCATGTA	SEQ ID NO. 123

KNB_3529 8	AGAGGAAGGGAGTCCTCCTGCCTGCCTCCCTCCCTGCCCCGTGGCA GGCTGCTTTCCCC [A/T] GTCTCCCTCCAGCCCGGTCTTCAGAGAA ATCACTTCCCAAGTGCTTTTCAAGCCCGGTACTCACAGTCTTCCCGG CGTCCGTGGGTCTTGAGCAGCAGACAGTTTCTTTCTGCCTGGACC C	SEQ ID NO. 124
KNB_3537 0	AGCCCGGTCTTCAGAGAAATCACTTCCCAAGTGCTTTTCAAGCCCGG TACTCACAGTCTTCC [C/G] GGCGTCTGTGGGTCTTGAGCAGCAG ACAGTTTCTTTCTGCCTGGACCCCCGCCCCACCCCAAAGAGGCC ACAGAGCTTCA	SEQ ID NO. 125
KNB_3539 9	AGCCCGGTCTTCAGAGAAATCACTTCCCAAGTGCTTTTCAAGCCCGG TACTCACAGTCTTCCCGGCGTCCTGTGGGTCTTGAGCAGCAGAC [A /G] GTTCTTTCTGCCTGGACCCCCGCCCCACCCCAAAGAGGCC ACAGAGCTTCA	SEQ ID NO. 126
KCP_rs31 4129	CTTATCTCCACCTTCACTTGACCCAAGAATCAAAGAACCT GAAACTGAGACTTGGAGGCTTGAAGTCACTGGTGCAACCCT AGGGGCCAGAACTAGATTCCAAGCTGGCCCTTCCAGATGG CACAGCTTGGTCTGTCTCTGATGACCCTGGGGCTGCTCTGA GACATTAATAATCACCTCGATCATACAGTAAGCTGCCACCT GAGGCTCTGGAGGTCACCTGAGTTTCCCCAGCCCCCAGGG AGGTGGGTGCAGCCTGGCCTTCCCTGCTGAGCGAGCTCACC ACCTTCTCCTCCTGCCTCCAGCAGGCGCGAAATGAAGGC AGCCACTCAGGCCTCCCTGACACACTCTCAGGCGGTGAGTG CCCTTCTCCACCCCTTTCCTAATTGAATCTTATTAACAGGAG ACTACAGTGTCTGTTAATGGGCACCATAGCACCAGAGGGT CTAAGACCAGCTTCAGACCTTGACGGCAGATTGACAGAGG GATGTAGGA[C/T]CTGGAATTCAATCTCAGAAGAGCAATTTT CCAAGGATGATCCTCTGTCCACTCAGAAGCAGGAAAAGTCC TCCTGGGGGCTAATCCAGAAATGCCAGGCCCCCTCCTGCTT CCCTGGGGGAGAGATACACAGTGCAACAGGCTGCCATTTAT GAGTATAACCGAAGGGCTCCTTGCTCGTGATACTCTGAATA AGTTATTAAGGGCTACATATTATTTGGAAATCATAACAAA CTTTAGCATTCTTCCAAGGGAAGGTGGGAACAAACAGGG AAGGGGGGCGGTGGGGTCTTCTGCTCCCCCTAAATGAGCCA CAACCAAAAGGCATTGACAAGCCCTGTCTCGAGGGTTTGT GGGTGAAAACCCAGGTCTTTGCTGGCTGCGGGGTGTGTG TGACAGATGGCTACAGGTGGAGGGCAAGAAAATAACAATG CTGCAACAATAAATATTGACGGTTTGCATTAGTACGGGGTG TCAGAGATCACAAAATATCTTC	SEQ ID NO. 127
KCP_rs18 3398	TACTTTTCAGCCTGAGGTCTCCTCCTCACCCTAACACCCCTT CCCTCCAATCAAACCTGATCCATTGTACCTACAAAAAGCCCG TCCCACCTCCTAGCCTTTGTTTCACTGGGTTCTCTGTGGA TCACCATCCCTCCACATTTCCAGGTGTCCCTCAAGACTACTC AGCAGCAGCTATCCATACAAGTTTCTCAACCCCTGGCTTTCT TGCCCTCAAGTAACCAGTTCATCCTCCCCAGTCATATAGCC CTCTATTTACATTTCTTTTCTGGAAGCTATCATTTTTCACGT GCCATTTGAGTGAGTGTCTCGCTAAGACGATATTTTCTTTG AGGGCAGTAACCTTTCTTATATGTCTCTGTATCCCATGAACT TAGCAAAAAACAAGGGACAGAACAGGTGCAAAGTCTACGT GGTTAGTGAATTTAACAGATCTTCTTAACGTGTAACGTCG TTGTCCAGGTGAATGGAAGAAGTGAGCTGAGATAGAGGGG ACAGACAGAGTCAGTGTCAGTGCTGACCTCTGAAATGGA AAAACATGGCCAGTCTTAGGAGGCTGCAGAGGCCAAGAC CCCAGTGAGGTTTGGGGGTTCCACAGCAGAGGAGGAGCTG TGGACCACAGCAGGACCCCGATGCCATCAGCAGGGGAGGA AGTAATCAGAGAGGTGGAGGAAGGAAGCCAAGGGAAGTC AAGTAAACACCAAATATTCCTCCCGGTCCAATGCTGTGAC	SEQ ID NO. 128

	<p>CTGCATAAGCCACCACTCCCCAGTCTAGACTCTACCCATG  GAAGAAGGAAGAAGATAGAACTCTGGATTTGAATATAATT  CTAAAATAACCAAATTTATCTGAAAATGACTAGGCTGAGTT  TTCTGCTTCAACCAGAAATGGAGCTTGGAGTCAGAAATTAT  GTGAAATTATAGAAGAGAAAGTCACCATCTTCCATCTCTGA  GTCGTATGATCATTTTAGACATAAAAATTGTGCACTTACGAT  GTACCAAGTGCTTAATATA[C/T]GTGATCTCATTTACCCAGG  GAAACTGTATAATTCATTGCTTTAACTGACAAAATTCTGCA  ACTGAAGAAGGTGCTGTTAATAATTGCATTGGGACGCAGGC  CTGAGCAGGCCATGATTTGTGGCTGTCTACATCTGACCCCT  CACAGTATCCATGGGAGAAAGGCAGCATGTTTATGCCCCCTG  ACAGCTGGGGAAACCAACACTTAAAGTGATTAAGTCACAA  GTCCAAAATAAATGACAGAGCTGCAGTTCAAGCCCAGGTG  GTCATTTACCAAAGGCCATGCTCTTTTCACTTTGCATGGGAC  TGTGACCGCTGGCTCTACCCAGCTTCCCAGTGCGACCCCTTC  CCCGCCCACTGTTTCTTCTCTGGCCAACGGAAACACAAT  GAGACCACATATGTAACATTACATTTTTTTCATAGCCACATT  GAAAAGAAAAAGGAACCAGGTAAAAATCCATTTTAATATGA  TATTTTATTTAACCAATACAGTTGAGGCTTGAACAACACA  GGTTTGAAGTGTGTGGGTCCGCTTACACATGGCTTTTGTTC  GTCTCTGCCACCCCTGAGACAGCAGGGCCAGCCCCCTCTCT  TCCGCCTCCTCCTCAGCCCACTCTACATGAAAACAAAGAGG  ATGATGATCTTTTGTGATGATCCACTTTCACTTAATAAATAGC  AAATATATGTTCTCTTCTTTATGATTTCTCGTAATAACATTT  TCTTTTCTCTAGCCTCATTTACTGTAAGAATACAGCATATTC  CCAGCTACTCAGGAAGCTGAGGCAGGAGAATCACTTGAAC  CTGGGAGGCCGAGTTTGCAGTGAGCCAAAATCGCACCATTG  CACTCCAGCCTGGGCAACAAGAGCGAAACTCCAACCTCAAA  AAAAAAAAAAAAATAAAAAAGAATACAGCGTATAATGCATGT  ACATATAAAATATGTGTTAATCAACTGTCTATGTATGGGT  AAGTCTTCCAGTCAACAGCAGGCTATTAGGAGTTAAGTT</p>	
rs103285 6	<p>CGCTCAGCAGCCATTAAAAGGATATCATCCAGTCACTTAGTTTCTC  AATTTAACTTTAAAGGAAAGTTGCCTTATTAGAGAAGTGGCCTCTA  TTTCAATGTAATGGTCTTTGTGCATCTTCCAATGTGCTGGCTTAG  TGCTGAAGGATGGGGAAAGGCAGTTTTTACATATTGCAGCCACCAT  ACCACCAAAGAAAACAGGTGCACTTCCAGGCATCATTTAGCGGGGT  ACCA [C/G] ATTCTGGTTCCAGTTTCCTTTTGAAGAAATCTGAAA  GTAACCTTGGGGCATATCTTTAAGGAGTACTCCAACACGACTAGT  GGACAGACCCTAAATTAATTGCCAATCAGCTCTGCCTTCTGGTATT  TACACCTTTATGTAATAACCTCCACTTGAAGGTAGATGAGATCTGT  GACTTGCTTCTAACCAGTGGAATATGGCGGAGGTGGTGGGACGTTA  CTCCTGTGATTACATTACATCATGTGGCTCCTTTATGATGGAAGAT  TCATGCTAGAGATTCTCCTTGCTGACTTGACAAAGTATGTAACCAT  GATGAAGACTTCCACGTGGCAAGGAGCTGTGGGAAGCCCAGGTGCT  GAGACTGGCATCCAGCAAAACCCAGCAAGAAACAGACGTCTCTGG  TTCTACACATACAGGAAATGAATTCTGCCAACATCCTGAGTAAGGC  TGGAAGTAGATTCTCCCAAGTTGAGCCTGACAAGTAAATACAGA  CCAGCCAACACCTTGATTGCAGTCTTGTGAGACCTGGGGAAAAGGA  CACAGCTGAACCGTGTCCATTCTTCTGACCCACAGAACTGTACAC  TCATAAAGGTATGTTAGTTGTTACACAGTTTAGAAAACCTATTACAG  CTGCTCAAGAAGGTAGCTAGCTCCAGATTTCATCCATTACAGG  AAAGCAAGCTTTATTCCTAGAAGAATAATTCATGCTTTGCAAAAAG  AGGAAAACGTCTGCAGTTTTAGAAGGTCTTTCTTTCTCAACACA  CCCAAATTTCTTTAAATCCTCAAGAAGTGCAATTTGTTTTCATGGT  TGACTCGAAGAAGTGAGTATAATTAACCTCACAAAAGGTGGGAGGAA  GGGACAAATTAATTTTGGT</p>	SEQ ID NO. 129

KCP_rs88 8934	CACTCAAAGGGCTGGGGACCCTTGTCCTCCCATGTGCATC CATCTCTCTATCTCTGAGTCCCCAGTGAAGTCTGCCTCCC TAGAGAAACAGTGCTAGAAGTCAGTGGCAAGAGCAGCAGG AGGACTTGGAGCTACATGCAGAGTGTGAGCTCCGGAGTCA GACCAGCTGAGTTCAAGGCCAGCTCCACCATCTATTCAGT TGACTTCAGGAAGGTTGCTTAACCTCTCTGTGCCTTAGCTGC CTCATCTATAAAACAGGAAACAATGAGAGTCTTTCCTTATG GGGCTATTGAAATGATTAAGTGAGATCAGGCATGTGATGGC ACACAGTAAGAACTCCATAAACAGAGGTCACCACTGCTAA TGCAATTATTCTATCACCTCAGGAGACTAAAGCAGGGGAGG AAACACCATTGACTCCTGGACATTTACCCAAGGAGATTATG GATCCATGTTTTGCACACACTTTAGAAAGACAAGGAATTCT AACCACAGC[A/G]TCTGTCTCCACTGCCCCGTCATTTCACT CTACCCGTCACCCCTCAACCTCACCAGTGTGGCCCGGAAA TGCGGTTGCCAGGGCCACTCTACCCACCTCAGCCCTGC TCTGCTCAAGTCTCACTTCCACTCCTTCCAGCTCCCATCCCT TTCTACCCAGCTCCACCCTGATTTCTCCACCATGACCTTAC CCTCCTAGTCTGATCTAGACCCCTGATCTTGCCGAGTATCTA GGACTTTGGTGCTTTGACCCCTCAGCAGCAGAGGTAGAGAG GGATCTCGGTGAAGTCTGGGATGTTATAGTGACTTGTTTAT CTAAGTGCCCTGAGACTGTGAGTTCCTAATGCAGGGAGCA TCAACCTCTGCAGAGAGCCCCAGAGCCCTGCTCAGGTGTGA TGAACAGGAGGCACTCACTTGATGCCCTCACAAAGTTGTGA GTGAATGAATGAATGAGTGAATGAATGATTGAATGAAGAT TAGTGATTATGTTAATGA	SEQ ID NO. 130
rs905823	GGTGGGGGGGAGAGGGGAGGGGAGGAGAGGGGAGGGGA GTGGGGGAGAAGGGGAGAAAAGCGCAGCTGGCTTCCTCAC TCTCCTTTCCTTCCTCACCATCCTTACCCTGGCCAGGGCAG GAGGAGGATTGGCAGAGTAGAGGCAGGGTCTTCTGTCTTA GCTGGGCCTGTTGGTGACTTTCTGTTGGCCAACATGGGCTG ACTGGAATGTTCTCCAGCATGGCACATGGTCATCCAGATGC AGGCTCTTCCCTGGGGCACTATAGCAGAGAGGGCTCTCTTC CAGTCTATTGCAGATGGATGCCCTCGTGAGCTGAGTTTTGA TGAACATCCCATGTCCCCAGCCACCCATTGAGAGCCTCTT TCTACTCTGGTCTCTGGTCCCAGCAGCAGCCCTCTGGGTA CTGAGGGGAGGGCATCTCACCCAAGCCCCTTAAACCTGCTC ACCTTCTTCAAGAGCCACGTGGCCCGCAGGAAAGTCACAAAC CCTTGCTGCCACAGGGCACACGTGTGCACACGTGTGCAG CTACCTTCTCTCTAGTTGGTACCTGAGGCTGCCTCCTGGATT TTCCAGTCTCTGTGTTCCCAGACA[A/C]CCCCAAGCCCCAAG AATACAAGAGCTCTGTCACCAAGCATCGGGCCTGTGGCTGC ACTACACGTCTGCAGCTCAGGACCCCTGGCTGCGGCGTAAG CTACCAGCATCCCCCTTCTCATGGGCACCCTCATCTCCGGCTC CCCATCGCTGGGCTGTGACCTGCGGGGGCGCCCCTCTATGG AAGGGAAGGAGAAAAATTCACAGTGCTATCTACTCCTCTGA ATGCACTCCCACCAATTTCTTGGAAATTTCTAGCTTTCACT GACATATCTGGGATGGGGCGGTGGTCACAAAATCA	SEQ ID NO. 131
rs883849	CTGGCTGGGGGACCATGGGTCAGGGCTGCCACCCCTGGCTCTGTG CCTTCACCTGTGTAACGAATGGGGCACTCACAGCCCTCTCAAGTG GTCCTGGGGATGAAGTGAGAAGGTGACATATACAAGTGAGTTATAC ACGTTCTGTCTGTCACTCACCAGTGCTCACTGGGTGGGTCACTG AACTCCCTCAGCGTTTCCTTCTCCATCTGTAAACCACAGTCAA ACCTTTCCAGATAGTGCTGACCCGAAGCAGGAACCAAGTCCCTC TGCCCTCAGTAAGTCTGCCAGCAG [A/G] GGAAGCCCATAGAGGGT CTTGGGAAATGAAGCCAACAGAGTCAAGAGGGTCAGATGATGAGGG	SEQ ID NO. 132

	ACTTCAAGTGCCACCTTCATCCCATTCTTTCTGCAAATATTCACCA CACACCTACGTGACCTCAGGCTCTGTGTCAGGTCTGGGGATGTAA TGGTGTCCATGAAGAAACAAGGTCCCTGCCCTCATAGAGTGGCCTG ACATATGCCCAGGCAGTCAGCAGCCGAGTGCGGGAGACTCTTGAG CAGAGATTGAGTGTGTTGATATCTGTAGGCATCAGCCTGGCTTTGC TGAGTGAGCTATATCAGAGTGGAGGAAGCCAGAGGCAAAGTCCAGA CTCCACTGATCCTGGATTGAGGGGAGAAGGGGCTTGGCGGAAGAGC AGCCTGAGCACCTGCATCTCACTCCAAGTGGTGTGATTTGTTCCT AT	
rs213504 6	TCCACAGGTTTGATTATAAATGTGTGTATTGAATTGGAATTT CTGTTGAAATTTCTGATCCCTTCTAGACAAAGAAGGTAAAAA TTGAAACATGTCAATGGATATCTAAATATCATTACTACTG GCTTTATTTGCAAATGGCTTTCCATTGACAACAGTTACATTT TGTTCAAAGCAACAAATGATTGGCGCTGACAATCCACAGG AACATGGTGCAAGTCATTAATGAATGTGCTCATTATTCCTCC CTGCCGGGAGGCATCGACTCCCGTTCTCCAGCCTGTTTTAA GCAGACAGACCTACATCTGCACCTGTCAGCTTGGAACCTTA GTAGGGGAGGGGGATGCTGATGTGATGGAGAATGAAGAAT GGGCCCTGCAGGCTGACATTTTGGGAGAGTAGGTTCTGAAA TTTATCCCAAAGGACATGGAATCCTGGAAGCAGGGTTCAAAG ATCCTCCCAAATTTGATCTCCAGGATGCTTGGAATGATTG TTC[C/T]GAGGGTTTTGTAAAATGCCAGGGGAAAACCAGGA AGCTTCTCTCCAGTTGTCTTGCTCCTTCTCTCCAGTCTCC ATGGAGCTGACTTTGAGAATTAACCTGAGGGACAGAGA CCCTGGGATGGAGAGCCAGCCCTGCTGGATTCCACAAGGTG CTGCTTAAAGCACAAACACCTCTTCCCAATGACAGGTTCTGA AAGAAGGCCTTGTAGCTAGATGCACAGAGGGTTTTGTTTTG TTTTTTTTTTTTTAACCTTTACGCATCTGTCTAAAATTGCTCT GGGCTGGGTACAGTGGCTCCACCTGTAATCCCAACACTTT GAGAGCTGAGGCAGGAGGATCGCTTGAGCCAGGCGTTCT AGACCAGCCTGGGCAATATAGTGAGATCTCTATGTCTAG	SEQ ID NO. 133
rs50057	GGATCTGTGCCTGAAGCTGAGCTGCTGCAATGAACTGACATTTCT GCCTTGACAGCCTGGCCATGGGCTTAGCTGGACTAAAATGCTGCTGC AGTGGTGAGGGCACGTGAGAGTCCCTAATGTACATGGCCTTGCTCC TTGTCTGACACATCTTTAGGGCTGCTGCTTTCTCTAGTGCTGGA ATCTAGATAAATTCCTTTCCAGCCGTTTGTCTTCAATCTTGGA AATATCTGGATGAATGTAACACTGTCACACAC [A/G] AACAGAATT ATGACTTACGTACATTCTATGTCGTGATTTTGTGGACTTTTAATA ATTGCATTACATTTGTGACCATTAAATTTCCACCATCGCCCTGCTCC TGAGAATCTGTAAGGGACATTTGACACTCCTCTCCCCAGCCACCTC AACATTTGTGCTGACCTGAAGGTCACATTAAAAA	SEQ ID NO. 134
KCP_4976	GCAACTTTCCCTGGCCTGCAGGAACCTCAGGGACTCAGGGGA CTAATAACAACAGTGTATGAGCTTCCGGGCACACTGCTTCC CAGTGGCAGCCCCTGTACTTAGGGCTTTGTATGTATTAATTC ATTTACTCCAATTTCCACAATAACCCTATAGGGTAGGGTTT TATTATTGATTACCTTTTTACAGAAGAGGAGAGTAAGGCAA AGAGAGATAGAGTAGTTTTCCCAAGGTCAAAGAGCACATA AATGATAAAGGATGGATTTGAATGTAGGCAGAATGACCCCT CAATACAGACTGTTCTACAGTCCACGTCCTCAGCCACTAG ACCATACGGCCACTGGGATGATAGACAGACCACTGCAGCC ATGGATAAGGCAAAAACAGGGCTGGCTGTGTTGATCTGTGT CTCTCAGAGCTCCATTCTTCTCAAGGGGGCACCTTGCAAA AAAAAACAATAAATGGGGCAGGGTAGGGAAGTGAAGGC AGGAGCTCTTCA[C/T]AGAGCATAGCCACATCCTCCAGGCA GACAAGAGGACGCAGGAGGCACCATTTCTGTGAGAGTATCA CAGTCTGACCCAAAGACACAGCTTCACACTGTCTGATGGCT	SEQ ID NO. 135

	TGATGGTTAATGTCACTCTGCCTTTTCCCCTTCTCAGGACTT TGTAACCGCTCTGTCGATTTTATTGAGAGGAACTGTCCACG AGAACTAAGGTGGACATTTAATTTGTATGACATCAACAAG GACGGATACATAAAACAAAGAGGTAAGTGAGCTGGGGCCAG GGGTGTGAGAGGGCTCCAGTGAAGGTAACCTAACCCAACAG AAAACAGCCCCAGGCATGAGGATAGCACTGTCTGAATGAG GCAGGCTCTGCTTTGGGGCTAACAGAGCTGGTCCCTGGCAA AATAAAGAAGGCCTCCCTCATTGCCCTACCCTGCCCTGTTC CCAAGCGCCAGAAAGGATTAAACAGATTCAATTCTCACTGG GTCACCTAGATTCAGTAGATATTACAC	
KCP_5077	TAGGGCTTTGTATGTATTAATTCATTTACTCCAATTCCCACA ATAACCTATAGGGTAGGGTTTTATTATTGATTACCTTTTAA CAGAAGAGGAGAGTAAGGCAAAGAGAGATAGAGTAGTTTT CCCAAGGTCAAAGAGCACATAAATGATAAAGGATGGATTT GAATGTAGGCAGAATGACCCCTCAATACAGACTGTTCTTACA GTCCACGTCCTCAGCCACTAGACCATACGGCCACTGGGATG ATAGACAGACCACTGCAGCCATGGATAAAGGCAAAAACAGG GCTGGCTGTGTTGATCTGTGTCTCTCAGAGCTCCATTCTTCC TCAAGGGGGCACCTTGCAAAAAAAAAACAAAAAATGGGGC AGGGTAGGGAACCTGAAGGCAGGAGCTCTTCACAGAGCATA GCCACATCCTCCAGGCAGACAAGAGGACGCAGGAGGCCACC ATTCTGTGAGAGTATCACAGTCTGACCCAAAGACACAGCTT CACACTGTCTG[A/T]TGGCTTGATGGTTAATGTCACTCTGCC TTTTCCCCTTCTCAGGACTTTGTAACCGCTCTGTCGATTTTA TTGAGAGGAACCTGTCCACGAGAACTAAGGTGGACATTTA ATTTGTATGACATCAACAAGGACGGATACATAAAACAAAGA GGTAAGTGAGCTGGGGCCAGGGGTGTGAGAGGGCTCCAGT GAAGGTAACCTAACCAACAGAAAACAGCCCCAGGCATGAG GATAGCACTGTCTGAATGAGGCAGGCTCTGCTTTGGGGCTA ACAGAGCTGGTCCCTGGCAAAATAAAGAAGGCCTCCCTCAT TGCCCTACCCTGCCCTGTTCCTCAAGCGCCAGAAAGGATTA AACAGATTCAATTCTCACTGGGTACCTAGATTCAGTAGATA TTACACAGTGGATAAAAATGACTTGTTTCAGTGTGAAGAGT TACTCTCCCTAGGGAACCTGCATTTGGGAAGGTTAGGAGC CACAAGTCAAAGCTAAAAGTTGAAA	SEQ ID NO. 136
KCP_2410 99	TTGAAAGAGAGCGCTTTGGGGGGTTTTCTTACTGTATGTCT CTATTGCATGTTCTGTATTTTACATTTTCTATTATTTCTTCT CTGAGGTATAGTATTGAATGTAGAAAAATCCTCAAATGTTT GGTATTAAGCAATACACTTCTAATTCATGGTTCAGAGAAGA AAATATCTCGAATAAAAAATAAAATAAAATATGACTTATCA AAATTTGTAGGATCTAAAGCAGTATTCCAGGAATGCAAGGT TGGTTTAACATTCAATAATTGGTCAGTGTAATTAATCACATT AATAGAATAAAAAAGAGAAAAAATAATCATTTCAGTGGA TGTAATTGTTTCAGAGCTTCTTAAAAAGAAGCAACTCACTATT TACTAGATGATTTGTTTCTTCTGAATTCCTCTTTAAGGCTA CAGGTGGTGCTTCTTACTTTGAACTGATCACTTTCTAGGTCC CCACCTTACTTCTTGTCTTTCATACCCTTGTAAGATTTTCTC CA[C/T]ATAGGAAACCCATGCTTGACATTTGCTCACCAGAGT TACAGAGCTCTCAGGGAGGAGACTCAGAGTTCTAACCTCT TGCCCTCCTTTTTTCCCAGGACGACAACATCATGAGGTCTCT CCAGCTGTTTCAAATGTCATGTAAGTGGTGACACTCAGCC ATTCACTCTCAGAGACATTGTAATAAACAACCACTTAAC ACCCTGATCTGCCCTTGTCTGATTTTACACACCAACTCTTG GGACAGAAACACCTTTTACACTTTGGAAGAATTCTCTGCTG AAGACTTTCTATGGAACCCAGCATCATGTGGCTCAGTCTCT GATTGCCAACTCTTCTCTTCTTCTTCTTGAGAGAGACAAG	SEQ ID NO. 137

	ATGAAATTTGAGTTTGTGTTTGGAAAGCATGCTCATCTCCTCAC ACTGCTGCCCTATGGAAGGTCCCTCTGCTTAAGCTTAAACA GTAGTGCACAAAATATGCTGCTTACGTGCCCCAGCCCACT GCCTCCAAG	
rs189530 1	TTTTTTTTCCCAATCATGCTGTATTCTTAGCGTAATTTTAAAATA CTTAAACAAGATCATGAGAAAATAAATGCCAGATTCTAGCACCA AAATTCAGAAGGGGGGGCTATGAGAATGAGGGGCGGGGAGAAGCCT TCCTGAGAGTTTCTAAGAGGCATGGAGGCAGTGGGGATAGTGATTA GCTCTGGGGGAAGAAGAGGCTACTGGCTGGAAGGGCATGAGGTA GGGTTGGTAATCACCTA [C/T] TGTTTATCTGAGTGTGTCACA CAGATGTGTTCACTTTAGGAAAATGTATTGAGATTACACTTGTGAT TTCTGCATTTTACATACGCACATTAACtcagtcatatgctgataa atgtttaacaatgggtttgctggagaaaaagggtcccccgattt gtaatgtctgcccatttccgtggtgtaataactcccttcacaactg atttcaagcttcccatgcactgtaactgaagacagagttgggaaga tacgtgcagtagcacaacattaatcatatttccaccatatacacaca caatagggtgtaaataacacccagagcatagaaaa	SEQ ID NO. 138
rs142275 2	GGTTGGCAGCTTTTAATAACTTAGAAATGGCTGGGGGTGGGGGGGA GGAAGTACTGAATCATTCTACTCATTCAGCAAATAACCAGGGAATAC CTACTCTACACTGGTCACTGATGGAGATA [C/T] AGACTTGGGCAA AAGCCGCGTCATCTGGTTGTGTTCAAGCTGAACATTCCCTTGACCC AGTCACTGATGGAGATATAGACAGGCAAAAGCCACGTCATCTGGCT GTGTTCAAGCTGAACAGTCCCTTGACCCAGGGCCCATGACAGGGCA GAGGGCAtattattatccccattttacaaaggaaagagctgtcaga cacagTGTCACACAGGAAGGTAGACGATAATGTCAATATCCCTCAT CTTAGTATAAAGTTGTCCTTAAAAACTCTCCATTATTTATTAATTT ATTGACTCACTTATTCATGTTTCTGCACAGTGATACTTATCCTGC ACGAGACTCTCACACCAAGTGTCTTGGGTGTAAGAACACCCCAAGGA TTGTGTTCCCTTTTCTCGAAGAGTCTGTGGTCTAAGGGGATTCAAT GGGGTCCACTTTCCAAACCAAGACAGCAAAGGAACACTAGGAGAGA AGTATTCTGTGCAGAGATTCAGTTAT	SEQ ID NO. 139
rs142275 4	GGATTAacaggcatgcaccaccgcacctggctaatttttgtatttt tagtagagatgggtgtttcaccatggttgccag [A/G] atggctcatg atctcttgaccttgggttctacccacctcagcctcccaaagtgctg agattacagggtgtgagccgctgcacccggGCAACTGGTTTCCTTTT ACTGCCACTTTCTACTAACCGTGGTATTTCTCCATGGGCAGCATTCT TGGCATTGTTGGGTGTGTAGGACTGTCCCTCACATAGTGACCTCTTAC TCATGAATTGCCAGTGTACATTTCAGATTCTTATGGCAACCAGAAG CTCCCTGCTCCAGCATTCTGGAAGTCAAGCTGGGCTGGGGAGGT TAGCTCAGACCAATATCTCCTTTCTGCCAGTTGCTCTGCTAGGCC CAGGTCACTGCTGAGCAGAGCAAGATGTAGCTGAAAACCAATAAGT CACGTGTTCCAGCTTGTGGGGTTTTGTGAAGAAAGCAGCCACCCC TCCAGTCATATAGTTTGCAGGTTGGGATTGTCATT	SEQ ID NO. 140
rs205560 6	tggctattgtcttaagctactattaccttcttgccttgctcaagttgc gcatttacttttcaaggcttgctacgtgcctggaatttctagattt tcctttatttccatgcttggggagaggagtgctggcaggctccta agaggggtctgtgctccatctcGCCCCCTATCTGAACATCGGTT GGGTGCTCTAGAATCTGTATGGGGTGGAAAGTTCATTCAATTTCT GTACAAAAGCAATCAATGCTTATTGTGGAACCCAAATAAGAGAG TTGCTCTAAACAACACCCTCCCCAGTCCCAATACCTTGTCCAGAAG AAACCACTGTTTGGTGAGTATATTAGT [C/T] AATGTCTGCAGACC AGATCGGATGACCAAGTTTTCATAAATGGATGGCCATCCACTTCC CTTCAAGGGCGAGGGTAGTTTGTCTGATCCATCTCCCTGTTTCAC AGCTCAGGGAGGGAGGAAGACCCAGGAAGGAGAGCTGCCACAGTTA CTAGTGGCCAGCTGGGATTAAAGTCCGCCGTGACTGAAGCTTGG CTCCACATGCCAGTCTGCAAGGCCCTGAGTGCCCTCAGCAGTAATT CCAAGCAAAGCAGGGAAGCAGCGGGCCAGGTGCTGAACTGAACTGC	SEQ ID NO. 141

	TGCTCAGGGCTCCTG	
rs933656	CTGCATATGTTCCCCAGGTATTTGCCCCGAAGCACAGTCATCTC ACTGCCTTG CATAGTGAATGCTAATCAGCAGAAGACCTTCTATG GGAGGCAGCTTGAAACCTGGAGGAAGCCCTGGCTGAGGAGGCTAG TGGTCAGGGAGCCTATCCTGGCCAGGTCACCTTTCCCCACTGGGGC CTCGGTTTCTCTTTGTAAAGGGAGAACTTACATTAGGCATTTCC TCAGGTTCCATTTGGTTCTCAAATTCTAATATTTTTATGGTTGATG CTCTCACCAGAGCTGCTGCTATGATCTCAGAGACGTGAGGCTCAGA TCTAATTAGAAGCAACCGGAAGAGAGCAGTTGGGATTTTTCAactc aggaatcagtcctccctgctgggttcaaattcaggctctgccactta cagctgtatgacTAAGCCTTGTTTTCTCAACTATAAAACAG [A/G ) GATAGTAGTAGTTACCATCTTAAATAGCTGTTGTGTTGTGTGGA TTTCAAGGATCATGCAAGTCAAGCATTTAGCACAGTCTCTGCTACA TAAGTGGTCAGCAAATTTGAGGTACTATTC	SEQ ID NO. 142
rs233909 1	AGACCTTCTATGGGAGGCAGCTTGGAACCTGGAGGAAG CCCTGGCTGAGGAGGCTAGTGGTCAGGGAGCCTATCCTGGC CAGGTCACCTTTCCCCACTGGGGCCTCGGTTTCTCTTTGTA AAGGGAGAACTTACATTAGGCATTTCTCAGGTTCCATTT GGTTCTCAAATTCTAATATTTTTATGGTTGATGCTCTACCA GAGCTGCTGCTATGATCTCAGAGACGTGAGGCTCAGACTA ATTAGAAGCAACCGGAAGAGAGCAGTTGGGATTTTTCAactc aggaatcagtcctccctgctgggttcaaattcaggctctgccacttactagctgtatgacTAAGC CTTGTTTTCTCAACTATAAAACAGAGATAGTAGTAGTTAC CATCTTAAATAGCTGTTGTGTTGTGTGGATTTCAAGGATC ATGCAAGTCAAGCATTTAGCACAGTCTCTGCTACATAAGTG GTCAGCAAATTT[G/T]AGGTAATTTCAATTTATGGCTCTAT TGTTTGGGGCTTCCAAATGTCCAGAGTAAGGCCATTTTCGA AGTAGGCAGTACATCTGAGAGCCTTAACAGCTCATTTCTGG AAACCTTATCCAGCCCTATCCAGATAACTAGGACCAAAAAAC CCCAGCACACAGATGCTCGTCCCTTGCTTCAACCCCTACTG ACCTCTACTCTGTGGCTTGTCTGAAAACATCAAAGCCTGC TCAATTAATAATCCTGAATGCCTTGATAATAAATTTAGAAA CATACATAGTTTTTAAATAGGGCAAAAACTCTGCATGATTA GTGCTGCAAGAAGATATCCAGCCCAACCTGGGTGTTTCAGGG AGCGCTCTCTAAAGGCAACAGAAATCTAAAGTAATTTAAG AGCCATGCCACTGAATAAAAAATATTCAGGTTCAATTCCTGT CCTTCTCTCTGTTTGGGATCTTTGTGTGTCTTTAATTAAAG TAGGAGAGCCCTGCTTTT	SEQ ID NO. 143
rs186233 1	ACTACTTCTAAAGCCTCTTAGACCCTGGTAATCTTCCTCCTAACAC CATCGGGTGACTGCAAAGCACTGCAGGCCAGACTTCAGTTCTGCTG TGTAATTTGCAAGCTGGGTGACCTTCCTTATCTATAGAATGGGCTC T [C/T] CTGCATGGCTGGCATGAGGAATAAACAAAATGGTTGTGTC CAGTGCCTGGGGCATAGCACAGCTCAAAAACTTAGTTCATCCTCC TGAGGGATCAAGAAGATACTTGGAACAAATGTCCAAGGGCGTAAT CTTGAAGGGGCTTG TGCCAGGCATATATGGAGAGAAGGGTTTTGTG GGATGTCAGACTTAATAGTGCCCTTTACTCCCCACCCCCGCTCTCTC TGTTCATAGACAGGAAATCTGTGGCCTATCTGGGACCTCAAAGTG CCACAGGGTTAAAGATACCAAGTCAGAAATCTAAGGTTCTAAATGG ACTTTAGACCATTTTTCAATTTGGGAAGGAAGAAATCTTTAAGGGGT TGTGCTGGCGCTGTCTGTATGCATGTGCAGAAATGTGCTTCCAGA TGGGGTAATGGTCTGAGTTTGAGGACAGAAGTCCACTCCACTGCAT TC	SEQ ID NO. 144
rs233913 9	GGGTGTGGCCTTTGGACAGCACCTTAGCAGGAATGTGGTGG AGAGCAGCCCCATTCCTCCAGAGGAGAGCCTCAAACCTCT CAGGCAGATCTAGCCTAGGTAGAATCTTGCCCTGGCCCCCTC	SEQ ID NO. 145



	<p>CGGGATGACAGGTGCCATTGCCCAAGAATGGGGAAAAGGC  TGAAGTGCTCCAGCCAAAGACCCCAATTTATCTTCAGGACA  ATTTTCACTGGAAACCTTGCCTCACCCTGCCCACCTTTTCA  GAAGTAATTAGAATGCTAATCTATAAGAAAGATGACtattaa  ataaattaataataGATAATACATTTTGGCTTACAATTTTGAATAAT  ATAGCCATCCCATCTTAAAGTAAAAATTCATATATTTTAAAT  AAGCCTGAGACATGTTTTCCAATGAACCACAGATGGTTCAT  TTTTATTATCCTATAAAGAGACATTATGGGCAAGTGTTTTT  AAAATGGTAAACAGAACCTTAGAGCAGCTCTCTTTTG[A/G  JAGATCTCTAAGCACTTTCTAAGCATCAGGACCCCTTCTGT  CATCACAGAGACTGAAATGAGGAGATGGTCTCTGTACCCCC  CTCACTCACCAGTGAGCCCCAGACCTTCATCCCTGATCAGA  TGGAAGCAGTGTGGCATGATTACAGTTCATATTTCAACTCT  GCCACTCAATGACTAATAGCCAAGCACTAATAATGCAGAA  AATGTAAATTTAAAAATAATCTTCCTGAGATTGGTTATGA  AATGCACTCAACACAGCACCATCCACAGAGAGGTTCTTTTT  AATTGCTCTTTTCTTTCCTCTCGACACCCAGAATCAGAAAGC  ATGCCTGAAAGCGTCACACATATATGTCTGTGACCATAACA  TGGCATTGCACATGCAAAGGAAATAAATAGGTGTTACCCAT  GTGACAAAGGTCCATGAGCTCTGTCCGCAAAAAGCTGTTGA  GTTTAAAGAACAATAATTCTGAAAAATCTTCCAG</p>	
rs872435	<p>CTGCCATTCTGATCACTGCAAGACCCCCACCCCAATACTCCCAAT  TGTACCACCCACCCCACTCACCAGTGTCTCAGAAATGCCTCCTCC  AGAAGGAAGGCATCCTGTCTAACCCACTGCTTCTAGCCAAGCTGTC  TTCTTTCAGAAGGTAGAAAA [G/T] ATTGTTAGTCATTGTTAAT  CTTTATTGAGTATATACCGCCACACCAATTGCACTGCCATTTCATTA  TCTCATTTAAATCTGACAAGAGCCTTGTAAGTAGGGATTATTTCC  ACCATTTCCAGATGTTGAACTGAAATTGATAAACACGACATGTT  GCCATGGCTACATGAAGATCTCCAAGCCGAGGATCTCCACCTTCA  CCTGCCTAGCTTCCCAGACCTCTCTGCAGAAAAGGGACTGACCCCC  AAGACAGCCCTGGCCTCTGGGCTCCACCCCTTCCACATCCATCCCA  GGGCCGCTGAGGACTGAAGAGTTCTCCACGTTTGGCCCTTTAAAGTG  ACTTAAAAATAATCTTTATGAATTTCTTCATATACAAAATTTGTAC  TTACTCATTGCAGCAAAATTTAGAAAATACACATAAGCAAAAAGAA  CGTAACAGCCATCCATAACCTTAACCTCTCAGAGATCACCCTATTA  AAATGTTTATTATCTAAGAGAGAGATGATATAGACAAAGATGAGAC  AGATTGACACAGACAAGATGGGTACATGATAGATATTTCTGTGTT  ATAACCTTGCTTTTTCTTGCATTTCTAGAATTTTCTGAGAACT  AATCTGAAATCTGCACAGGGTCCCCACGTTTGGATCCTCTATCCCA  TTGCCTTCCA</p>	SEQ ID NO. 146
rs329468	<p>AGCTGAGCCCCAGGGCTCCCCATGAGTGGGGAGGAAACT  CATGAGTGCCTTCTATATGCCAGCGCTCTATCTGCAGGGGT  TCTTTTGATAGCAGCAGACTGAGAGATGATGTTACTGTCCC  CTTTTTCCTGTGTGGCAACTGAGACTCAGAGGATGGAAG  TGACTTGCTCAGGTCCACCACCTCTCAGCTGTGGAGCTGC  GACAGGAGCCTTTGTTTGACTTCAAAGCTCACCATCACTCC  TCTCTCACTGATGCTCAAGTGGGCTATCACCTCGCCTTTCTCT  GAGCCTTCCCTCGCTATCCTAAAAACAGCGCCTCCCGaaatcacca  ctaaagaacttattcatgtaacaaacaccagcggtccctaaaacctatggaataaaAATT  AAAAATAAAACAGTgcctcccatgacctatgtctccagtcctcataactctgctct  atttcattcacagctccatccccacctttatgtctttgttactgctttatccccagtgcttagaagagt  gcttggcacctagtagacactcagtaagtattgtgaatgagttatAAGGTTGTGAAA  AGAACGTTAGATTACTGGAAGGATTCATCTGAGTTTAATTC  TGCTATGCTGGGAATCCAGTGTGCGGCCTTGGATGA[A/G]G  CCAGTTCCTCCCTGGGCCCCAGTAGCCACATCTGTACATTT  AGAGGGCAGGAGAAAAGCCACACGCTCTGTGACTTATACA</p>	SEQ ID NO. 147

	ACTTGTGCCCAGAGTGGAGGCTGCTTTGATGCTCAGAAAA AAGAAACAAACATGGAAATGCTAAATGGGTGGCAGAGAGC TTGAGGGAGGAAGGAGATGGGGAGGGTACTCTTGAAACTG TTTGGTGTCTTCCCTCCTGCCCCCTCAGTACCAA	
rs50364	GCCTGACAGATTTTTACTGAAGGGTGCACATTGGAATAAAAAATGT GTTACCTATCTGGTTGAGTCTTCAGCTTCAGAAAGGTAATAGAGCA AAGGCAGATAAAATCCAAACAGGGACTGAGCTGTTTTTCATGCAGGCT GCCTTGGTAGCTCTCCAAAGCCTTCAAAAATGATGAGATTTTTTTT TAAATCCTTTTTATCC [A/G] GTTGTCTCAAGGGATTCCACCCCT GCATAGGAGAGCTCACCATTCTGGGATCTTCAGCTTCATGCCTT TGCATATGCTCTTCCCTTGTTCctcattcttcaacactcaactga attatcacctcccttgaagccttctctgacatcccTCTAGTCCCA TGCCACCCAGGAGGCACTAAGAGCTTCCTCCCTCAGTCCCAGTT CTTAAACATGTCAACACTGTTTTGAAATGATTTGCCAATGAAAAAT TCTAGACCAGCAACCAACAcatccttcccaaagggtgtgtatata tggtacatgctctatgtgctaaacaccaaattcattgataacagct aagaaccaggaaacaaaccatcgtaattatggcatctcttgaaaa atctaagatctggactcactgggcttaaatgactgcatgataaca actggttgagtaacaactgttcccttcatggagcagttactctc cagttctcagttcctaccactctctatagttgtacactcatcatct gtcctcatctgaattacctgccaatgactactggcatttgagtttc taatccatgTCTATGTGTATGCCTCCTCACCAGTGTGAGAACTCA TGTAACAGGTATTATGTCTTTTCATCTCTCTCCTAA	SEQ ID NO. 148
rs155158 3	ATAATGGTCACGTTGGAGCAATTGCCATTTCAAATCATTAG GAACACTCAGGTCACTTTGGCATGGAGCTATTTTGTAAAAG ACGTAGAAGCCATTTATAAACTTTGGTTTGCTTTTTAAAAAT TTATTTCAATTCTGAGGCTTATCCGTGTAAAATTACCAAAATG ATTGTGGTTAGACTCTACATTGTCACAGTATTTAAATGTGC ACAATATTCCACTTAGAAATAATGTCAGTACTAAAAGTAGT AGAGGGCTTTGATAGCAATATTAATACATCGTTAAGCCCTT CTCATTAACAGTGTAATAGTCTTGTTGAAGTTTGTTAGGC ATTTTAACCACTACTAATTAATAAATAGACCTACTGACTAGT CTGTTTACTGTGCTTTATTGTGTCTTGGATGTTTCATTGAGA TACTTTTGCTGTTGAGAAATCAAATCGTCTCTTATGGTTTTA ATTACAAAATACATATTAGAGGGGATACAGTTCCTTAGGGCTG TGATTTTTAATTTGTGTAACCTTTTTTTATTTTGGAAAGGAA ATTTGAGATTTTTCTAGTAATTTTTCATTTGTGAGTGTGTT TTCTAGATACAGAAAATGTACCTAGATAGATGATCACATTT TAGGATATTTTGCTTACGTGTTATTTTATATTATATACTAT AATACCATTTGTATAGTTCAGAACAAGAAAATATCTTGATAA ATCATCTGCTACTGTGAGGCAGTTAAAAAATTTGAGGCTC ACTGAAAATGTGTGACTTGCCCACTGTCTCATATTGCTAGT ATTGGAGAGAAAAGTAGAATCTAGGCCTTTATTTTCCTGAT GTAATGATTTTAGCTAATTATTATTTATTTTCTTAAATCATT GCATTAATT[C/G]ATTTTTCAAGTAGAGCCTATATCAGTG TTTGCaataataaattttaagatatatttataattgtaataaaatCCTGACATTTGTT ACAGGATGGGGTTTTCTTTTCATCatattttataataaaaattaaGCAGTT ATAAAAATAAATAGCCTAGTTTTTTCAATTGGTATAAGCTGG CTTTATTTTATACTGCTAATAAAGGCACATTATGTTCAAGCA	SEQ ID NO. 149
rs145769 2	CttatatattcattaattaataatttatattCACACAATGATTGTA GAAATGTGAGTGTTCCTTAGATTACCAACATCTGTGAAATCGTGA AGGAGTATTGAAATTTAGTAATTTGGTTTGGATCTTTGAAGATATT CTGTAGAATTGTTTCCAAAAGTTACAACCTGGTTTACAATTTTTTT CTTAATTGCCATTAAACAAGTTTTGACCTGAGATGAGAAATTATTC ACAAATTTCAATTAAATACTGGAATGCTTCATATTTTCTGTACTTT AGGAcagggatccccaacccccaggccacaggttggtactggtttg	SEQ ID NO. 150

	tgacctgttaggacctggactacatggcaggaggtgagcgggtgcgt gagaa [A/G] cattactgcctgagctccacctcctgtcagcgacag cattagattctcataggaggacggaccttattgggaacacacacaa gagatctaggttgcggactcctcatgagactctaatagcctatgatc tgaggtgggacagttttatcctgaagctccccactatccgtccag ngaaaaatttggtccttgtgccaaaaacactggggacctctgCTT	
KCP_1035 5	AGGGCTGGGCGTCCCCGCCCCACCGTGCAGCCCTCGCCCCGCC CCGCCCCCTCCGTAGTTGCCCGCCCGCCGCCCTCCGCGCCCCCT CCGCGCTCCGACTCTCGCCCGAGCGCTGGCAGCAGGCAGGC AGCAGGCGGGCGCGCTGTGGCTCCGCGCCGCGCGGTCCGGGCTCTG TTCATTCATGATTGGTACTCGGCCCTCCGAGACCCAGCCCCAGCGC AGGGAGGGGAGCCGAGTGTGCGGCAGGAGGGGCGGGCGGACGGCGG CTCCCGCACCGCACGCGGCGCTGGCTCGGCAGCCTCGGCCGGGCGG CCGCTCTGGCCCCGTGTCCAGTGCCAGGCAGGCTTCAGGGACCGT CCTCGGCCCTGGGCGAGGGAACCGCCGGGCGGGTCTCGCGCGGG GAAGCGGTTCCGAAGGCTCGCGGGGAGCGGCTAGCCCTGAGTCCCT GCATGTGCGGGGCTGAAGAAGGAAGCCAGAAGCCTCCTAGCCTCGC CTCCACGCTTGCTGAATACCAAGCTGCAGGCGAGCTGCCGGGCGCT TTTCTCTCCTCCAATTCAGAGTAGACAAACCACGGGGATTCTTTTC CAGGGTAGGGGAGGGGCGGGCCCGGGTCCCAACTCGCACTCAAG TCTTCGCTGCCATGGGGGCGGTCATGGGCACCTTCTCATCTCTGCA AACCACAAAGGCGACCTCGAAAGGTAAGCCACCTTCTTCCTTT TGTTCCCTGTCTGGGCTTGGGGGTGCTAGGCGCCGAGGTGGGCTG TGCCACCTGCCTCCCTTAGTCCGGACTCTCCTCTCCACGAGGAGCC CGGACAGGTGCTTGTATCCAAAGGAGAGAGAAATCGGCGGGAGGGC TGGTGTGAACACCCAGAGGAGGGAGCCGGAGTGGACGTCTGCCCA GCGCAACTGGACCCCTCTGGGGCACCAGGTGTGCGGACTCTCCTC CTGGGGAATCTCTGAGAGCCGAAGGAAGCGGCA [A/T] GTTACA GGTGGGGGTGACCGGATTCTCTGGTGAAGTGTGGTGAAGCTCTTC CCATTCATGACAGCTGGCGTTTGAAGCACTCAGTGAGGGTGCTGC CACACTCCACACTCCTCCTAGGCGGCTATGCCAGGTGCAGACCTG CGAGTCCCTTCATCAGGAAGAGTGCTCTGTCTGCACCCCCAAACC TCTGCAAGCCAAAAGGAATCAGCTGCTGCCAGGGGTAAAACTCCCA GGCCTCATGTCTTGGTGGCTCCGGGAGTCAGGAGGAGCAACCGTGA AGGGCTGGCTGCGAGCTGAGCTTACATCAAGGATTAAAAAGCATAA TATCGTGGAGTCTCTTCTGCCTGGACGCTGTTCTTACACACTGT CCCCAGCCGAGGCATGGCTGATCTCACCATCCGTGGGAGAGTCTC AAATGGGTCCAGGTGAAGTTGGAACCAAGTGTGTTGGGCCCTGGAGG ACAATGCAGGTCTCCTTACCAGCAGTTCAAAGTTAGTGGTTGGAA TAAAGAGACTGGAAGCAGTTAGGAAACGGGAAATGATGGGTTTTGT TTTGTTTAATGTTCAAATGTCACTACGAGTGGTAAGATTTTAAGCA GCTTGACACTTAAACATTCAAATTCTACCATCAGAGCCCCCATCCT GGATACAGGTGGGAGTTAAGCTCCTACCCTACAGGCCTGATAGTGA GTAGAAGTGTAATGGGTAAGGGACCCCAAGTGAACAATAAGTCTC CTCTTAGAACTTGGTTGGTCTCACCCTGTTTAGAACCACAGAGATC TCCATAAGTAAGCTGTCCTTGAAACCCCTGGAAGAAGGGTCCCA GCTTCTGGCCCAGCTCCAGGGGCATCAGGCTGGCTGAGCCCCGAG GAAAGAGATCTCTGGGTGCAGATCTTAGGTGCTGAAGCTGGGTGG CATTTACATCCTAGAACATAGGAAGAGGCTTTGGCCCATTTGTCCA GCTGAGTTACATGTCTGCTGGCAAGG	SEQ ID NO. 151
KCP_1044 6	TGGGGGTGCTAGGCGCCGAGGTGGGCTGTGCCACCTGCCTCCCTTA GTCCGGACTCTCCTCTCCACGAGGAGCCCGACAGGTGCTTGTATC CAAAGGAGAGAGAAATCGGCGGGAGGGCTGGTGTGAACACCCAGAG GAGGGAGCCGGAGTGGACGTCTGCCCCAGCGGCAACTGGACCCCTC TGGGGCACCAGGTGTCGGGACTCTCCTCCTGGGGAATCTCTGAGA GCCGAAGGAAGCGGCATGTTACAGGTGGGGGTGACCGGATTCTCT GGTGAAGTGTGGTGAAGCTCTTCCCATTCACATGACAGCTGGCGT	SEQ ID NO. 152

	TTGAGCACTCAGTGA [C/G] GGTGCTGCCACACTCCCACACTCCTC CTAGGCGGCTATGCCAGGTGCAGACCTGCGAGTCCCTTCATCAGGA AGAGTGCTCTGTCTGCACCCCCAAAACCTCTGCAAGCCAAAAGGAA TCAGCTGCTGCCAGGGGTAAAACTCCCAGGCCTCATGTCCTGGTGG CTCCGGGAGTCAGGAGGAGCAACCGTGAAGGGCTGGCTGCCAGCTG AGCTTACATCAAGGATTAAAAAGCATAATATCGTGGAGTCTCTTCT GCCTGGACGCTGTTCTTCACCACCTGTCCCCAGCCGAGGCATGGC TGATCTACCATCCGTGGGAGAGTCTCAAATGGGTCCAGGTGAAG TTGGAACCAGTGT	
KCP_3858 9	TCAAACCTTTTCATTTGCTCAAAGCCTACAGCAAACCTCAGTCCACAC ACTTGGCTATACAAGAAAGGTGCTTTCTTTGTTGTTCTATAACTG ACTTTAATTTCAACTTCAAGTCCCCATTCTTGCCAAGGGGTAGAAA TGGAATCTTGGTCAACTTAGGTTCCCCCTCCCTACTCTCTGGGGTTG CATTTCCAGGCCAGGCAGTTTCTGCTGGTGCTTTTGTTCCTTGGTC CTCAGTCTTCTTTCTGTGTTGACATCCATTGACATGTCCTCGACTC CCCTCATCTCAGATCACAGGCCCATGCTGACTCCAGGAGTATTCTT GTATTCTCTTCATCTGAACCTCAACACTTTTTGAGACCACGCATGC ATGTGCTCTCTCTTTCTCTCTCTCTCTAACACTTCTGGAACACTCT TGGACATGAGGAGATATTGGTCTTTCTAGGATGGGGTCAACTGGCC CTGCCTCAGATCCATTGGCCTGTACATATCTTGTAGCCATTGTGGT GCCATGGATCACAGGTCACGATGCTGTGTGGCTGCCTCTGCTCTTA GACCTGCCCCCATGCCACCAGAGGGAGTGTCTGCCTCCCCCTGCC CTGGACACTCAGCTGGAGGGGAGGGTCACAGTCCCTCACAGTCCCT TCTCCAGTGACAAGCAACAAACTCCCAGTCTTCCTTTCTTTCTGAT CCTCTCCTCCTCTTCCTCCTTCTCCTCTTCCTCCTCTCCCAGTCCA AGGAAGTTTTATGCAAAGGCCAGAGGAGGGAATAATGAGGTGGAGG TCTCTCTGACCAAGCATGTAGCCTTCCGGATCTGTTGTGCTTTCCA GGAGTCCTTCAAAGCTCTAAGCTTTTGAATTCTGCAAGCTCAGGA AATTGAAAACCTTTTCTCTCACAACTGCAGGTCTTTGTCTGCAGTT GTAAAAGTCTGTTTAGAAACTCAGGAGACAAGCAGCATCTTCTTTG TTCCCTGCTTTCTGGAGGCAGTCAGCGTGGAACA [A/C] CCTGCCT GCAGTCTGACTCAGGGAAAGGGTCACTGAGTGTGTGTGTGTGTGTT GAGGGGTGGATAATAAGCAAGGAGAACACTCAGACAGAGAGCTCAC AGAGGGGCACCCAGCACCTCCCTCACCTCTATATTCCCCGCCTGG GCATAGTGGAGGGAGGGTTAATGCCAGCCAAGTTAACAGGCATTT CTGATTGCGGGCATTGTTGTTGCGCTATCCTGCAATCCTACGCTGC GGGTACTGTTTTTATCCTGATCCTTCAGCTCTGGAAACTAATATAG AGAGCTGAGTAACTTGCTTGAGGCCATGATGCCAGGATCCACGGTG CCCCAGGCTGAAGAGCCTTAACCACTGGGCTGTACCACCTCACAG GAGGGCAGGTGGCACAGTGCCTGGAACCTGGGAGGGTCCAGCACGT GGAACATATGCTCTGTCAATTTACTTACTGTGTGTCACTGGATCAGTC ACTCAACACCGCTAAGCCTCATTTTCCACCTCTTCAAAGGGATCT AATAAACCTGTTAGCAGAAGGCTGCTGTGAACACTAAATGAGGTGG CTTAGGTGAGAGCTCTGGTCTGAAGATGCTCACACTTTGAATCTCA AGACTTGTGTGAACCAATATCAGATTTCTCCTATTAGATTGCAATT CTCAGGGAGTCACATTCCGTCTCCAAATGCCATCTCCTGATCCAC AAAATGAGCACAACTCTCTGATAAACGGTAACTAGATGGTTCCAG TGGGCAGCGGGAGTGGGAGGGCGTTGACTGGGCCAGAACCTCAAA TGTATTCTGTGTAGTTTCTCATGCATTCAATCAGTTTGGCACCAG AAGGTGCCCAGACTCACTTTGCAGCCAGTCTGTCCCCATAGAGGTG ATAAAGGAAAAACATATGCACATTTAACTTTTAAAAGTTTATTTG AACATTGAGCGATTACAAACGGTATAGCACAGACAGCAAGCAACT AGCACTCCTCTAGGAGGGGCCAAACAG	SEQ ID NO. 153
KCP_6519 9	ACAGAAATCCTTAAGAGCATCAGCCGTGACACAGAAATCTAATACA ATAAAACAAAGTGCTTATAAACCCAGAGTTGTTTAAAACCCAGAA ATTGCCAATTGACATATGGGACTATATCTTCTTAGCCCCTAGTAAA CTGAGTGGCTTCAAACAAGTCCCTATCACCTCCCAGGGCCTCAGTT	SEQ ID NO. 154

	<p>TCTTCACCTGTGAAATAAGAGGATCAAAAAAGATAATGTTCTCTC  TGTTCTCTTCCAACCGAGGCAGGCATCTCAAGTATTTCTTAGTCAG  TTCTACTCTAGGCTACACAGTATCTGTATCTGGCAGCTGTATGAAC  TACTGTTGAAAATCCTCTTCCCAATCCCAGTTTCAACATCACTCCT  CAAGGCAGCATCCACCTTCACTCTAGACTGAATTAATTCCTCTGTC  TTACCACCTAAACTCCTCTAGAAAACTTGATAGAGGTAAAGATAAA  TGCATTTTTTCAAAAATTCTACTTTTCTAGTCCCAAGGCATTGTGT  ATATCATTCTTATGTAAGTTATCACAATAAACCCATAATTAGTTAC  TTCCATTTATGTCAAATCGCCTACAAAGCAGAAACATGTATTATTC  ATTTTTGGCTTCTCCCCAGTATCTAGCATACGAACGTTTTGCAAA  CATGCCCAGTTCTTCAAACCTTGTAACCTTCATGCCTTTTCTATCTA  CTACTTGGGATGGGCCCACCCTCCCTTGTCTCTAAGCACACTCC  TATTCATCCTTCAAAGTCCAGCACAAAAATCCCCTCCTCTGTAAA  CTTCAAACCTGCTCCAGGCTGAGTCTTATGTTTGGGTCCTTCATACGT  ACCCCTCTTCTATTGTTTGGGGTATTGTGTGCTGTGGGATCTGTTT  ACTCTCAGTTCTCCCCTCTAGGCTGGGTCTCTTGAAAAACACCTC  TGGACATTTACCTCTACATCCTCTGCATTCTTGGCCAGGCTCTGA  GAGGCATTGGTAAATGTTAACTGCCTGGCAATG [A/G] TGATGCT  GTTAACTGATGTGTGAGGGGTCTGAATAAAGCTGCCTCAAGGTAG  GCAGATGCCACAACCAAGCAAGAACTCAAAGCTGCAGGCTCCTCA  GCCTGAACCTTAGACAGCGTCTTGGTCACCATTTCAACACCTTGAC  CACATTTCTCACTCTCCCAAATTCCTCCTGCTTATTCCTCATCCA  CATACATAAGGCTGTGTCTCCAGGGGAAATTCAACTACTTGGTAA  TTATCCTGCTTCTTAAGTTTGGGGCTAGGGGATTATAGATGATGT  TCAGTATTATGCTGTGCAATGTAGATGCTTCCTAAACCTTCTCAGG  AGCTACCACTGAGTGGCACCTGGGGACCTCTCAGGAAGAGCCAGTT  TTCTGGGCAGTGTGGGGCAGGACAGAGCTCATTAACCGCTTACC  ACCTGTCTTCCAGCTCCTCCTCTCAGCCTCTGGGCTTCCAGCAGAA  AGCACACGAGAGCATTCCTGTTGGTTTTCTTATGACTTGAGCCAGC  GAGACGTACATGCCCAGCACCTGTTACCTGGGCTGGCTCTTGGCTG  AGAGCATACATGCATTGGGTGAGTTTCAGATCTGTGGAGGAACA  CAGCCAGAATGTCTTGACAGGCAGCCCTGGCAAAGCCCAGAAAAAT  ATAAGATCTGAGTCTTATGATGGACTCTGTGACCTTGAGCCTCTCA  CCTCGTGACCTTGGGCATCTCATGTTCTCTCCACAGGTCTCGGTTT  TGGACTCCTTCATGGGAGCTGTATGCCCTGTACACAGCAGTGT  TGTGCCCCCGGGGATCAGGGACCAGGATGGTCCTTTCTTGGTGTG  AAGGGGGCATTGTCATATTCCAGAGATTCAAGTTTCCAGACCTAT  CTAGAAAGAAACATTTGAGTTTACAGGTTGGCGCTTCTCAGCCTCT  GTCTCTCTTCTCTCTGTTTCATCTCCCTCTGTCCCTCTATGTATG  TTGTGTCTCTTTCTGTCTCCTCTGCC</p>	
KCP_8246 8	<p>CTCACTGCCTGCAGTTTATTCAGGCATTGGATGAGACAGCTTCTTC  CTGCTCCATGTGGAGTCAGCTGGGTACTTGAAGTGGGACATGGATG  ATCTACTTTCAAGATGGCTTATTCTCAGGGCTGCCAAATGGATACC  GGCTATCAGTTGAAAGCTATAAGCAGGGGCACTCTGCATAAGCATG  GCTCATCTCTACAAAAGCTCCTCCCCAGTCTCCTTGTTTGGGCCTC  ACAGTGTATGGTAACCTCAGGGCAGTCAGAATGTGACAACCTAAAGA  CTTCAGGAGTAAGTATTCCAGGAAGCAAGATATAAGCTATGTGGCC  TTCTAAGACCTAGCCTCAGAGGTACATAGTGTAACCTCTATCACA  CCCTATTGGTAGATATTGTAACAGAAGCCACCCAGTTTCACAGAT  GGGGACATAGACTCCATTTCTTAATAGGTAACGGCCAGAGTTGTA  AAAGAGCATGTGGGATGGAAGATATTGTTGCAAGCATCTTTAGCAA  ATACAACTGGACATACCCAATGCAAGCACAGGATTGATCCTCCACT  CTGCCCCCATACCCCATGATTTATTAGCCACTCGGACAAGTGACTT  CAACTCTCCAAGCTCTGTCTCCTCCACTAAAGTGGGGACAAATGA  GTATTACAAATGAGACCATTAAATAAGATAATACATTTTAAAAATT  AACCTGGTACCTGTACAAAGTACATGCCCTAACAAATGTTTGCTTC  TGTCTCACTTCTCAATTTCTATCTCAGTCAACCTGGACTGACTCAA</p>	SEQ ID NO. 155

	<p>AATGGCATTCTTCTTGGCTGCCCCCTTTGAAGTATTTCTGCTGAGA  AAATAGTTTCTGTGATTTGTAAATTTACAGGTTGAACATAGATCA  TTATTCAAGCATTGCTGGTCGATTTCGTCTTTTCAAAGGCGGGAGCT  GCTGGCTGTGGGAAGGGACCCAGCAGGGGTCTCTTGCAACCCTGCT  CTATGGGTGGGGAAATCTGGACCTCCCTCTGGT [A/G] GGGTTGA  TTGAAGTGAAGGGTCACCATATGTCTTTCCCAAGAGGGTGACTGAC  TTCTTGCTTTGGTCCCAGTTTCCCTGAGATTTTCTGAAAGCCCTT  CCGGCTAGCCAGTTGGGAGTGTAGTACATCAGATCCCATGCTTT  GGTGAAAAATGTAAACACAGACCTGATTTTTCATTTTAAATGAAGC  CAAGCATATTGCTCCCAGCAGATGCCGAGTGACTCAATCTGTCCTC  TCGGTTCTGAAGGGAACCTGAAGAACAACATGGTAAATAAAGCAAA  CAGCACATTTATTGGTTGATAAAATGCTGTTTTAGTCTACCCCTGGC  ATTATATGGTGATTGCTATGTGGCGAACATCTGTTATTAAATCCAG  ACTTCTGTGCTGATACATTGAGTCAAAAGCTGGAGCGGATGAG  AAATCCATTTATGCGTCTGTTGCGTGTGAATGTGAGAGCTCATATG  ATGCCCTTGTCTTCACTTAAGTGAATCTTTTAATATGGACCGTCT  CACTTGTTAATTCTGACTCAGGGGCAATAATGTTTTCACTTGATTA  AAAAAGGTTAAAGAAACAAAGAAACAGTGTTTTCTCAGGTGCTCTA  AGTAATTCTGTTAATGAATTTTCGGAGACAGCGTGTGAATTTGAAA  AGAGTAGGACTTTTTAAAGAGTTCATACTATGAACCAATAATTCA  GATCCTAGGGCCTTATCCTAAGGACATAATAGAAATGAGCACATTT  ATAAGAACAAGATGTTCAATGAAGTGTACTTACAACAGCAAAAA  AACTTGAAAGTCACCTAAATGTTTGAAGTCAAGAGCTTCATTGAT  ATTGACTGCAAAGTCCATGTTATTCCATGTGACGAATTTTTTAATC  AATCACCTCTTGATGGATTTTAAATTTTTTACAATTTTTTGCTATC  CTAAAAAAATGTGTCAATGAACAACCTTGAACCTACCTGACTACC  ACTTTAGGATAGATTGCTAGACGTGGA</p>	
KCP_8579 3	<p>ATCACCCCAAATAGTTATGATGAAGGTGATCTATGTACGACACTTA  GAGAATCAGTGATGGAAAATTCACCAAGAACAGCCACAGGCAGGCC  AGAAGAATGGCCCTGCCCTCTACTTTTAGGATTAAGCAGAAGCTG  GCCCTAGATCTCACCAGTTACCAGTGATCTTGGGCATTTTATGAT  CATGTGCATTGCTTCACTGTGATACCATCTTGCTGGCAGCCATG  GAAAGCCATGAGTTAATGCATCTCCCATGTAACAAACCTCCCTTA  GGACTCTGGTCCACACCTATCTCTGCTAGATTCTCTGGCATTGCAA  GAAATCTTTCAGACTGCCCAAGAGATTCGTTCCAATCTAGGGGCT  CCTTATCCCCAGCTCAGAGCTGGATTGGCTCTTGCTTGGAGGCGG  GAAGCCCTGCTGGGCCAGGGCTTAGAGGGGCTCACAGAAATCAAA  GCAAGCATTCTCCGCCCTCTCTCTACAGCCCTGCATGCATCTTCTC  TGATCCCTTGCTGAGTGGGGGTGGCATTCCAAAAGCTCATTACT  GGCTTACATACTTTGCCTTAAATCAGCTCTTAAATGCCCTGGGATG  AACAGCCCTAAATAGGAAAGAAAAAACAAGTTTCTTGCAA  GTTACAGATATGCTTGGTGCTTTCTGTGAGGCTAGGGTGTAGCCT  TCTCTGTTCTAAATTTGATTTTCTGAGTCTTTAAGGAAAAATGGCT  ACTGGTCCCTGGACGCTGATTGCTTCAGCATCTGAATCTGCTCCA  TCACTTCTACCTCCACCCACTGGTCCACGTCCAGTGGGTAGAGGTA  AAGGGGATGGAGATATCATTTATCTTCAAAGGATAAACTGCTCTG  AGAGATCTTTGCTTTCTTAGAAACACTGCTGGAAAGTTGTTTCTTT  AGACTACATTAACAGAAGTACCATCTCTAGGAAGACAAGGTGGTAA  TAACTAACATCAAATGAGCAGTTCCTATGTACCC [C/T] GTACATG  TCTTAGCCAACTTCACTCTGTAAACAAACCTGGAAGGCAGGCACTG  TTATCACTCTTATCCCAGGTGAACCAGTTGAGGTTCCAAGAAGTC  TTTTGTGCAAGGTCATGCAGAGTTGAGGCCCCCAAGTCGGTAGACT  TCAGGAGCCAGACCTCAACCCCTCACTGCCTCCCGCTCATGCT  GCACTGAGCAGACCATACCCGATGGTCATGTTCAAGTTGGTATC  AATGCAGACCACGCTGGGCATATTAGGGGACGGATACTCAGAAT  ATATAACATAAGGAATAGAGGAAGGACTGGAGGATGTATTAACATG  AAGAAAAGGTAGACTCATGGCAGGAGATGAGCAGGGTAAAGAGGTG</p>	SEQ ID NO. 156

	CAAGACATAAAAAAGCCAATTTTCATATACATGAAGATTTATCAAGAG CCAGAAGGCCCTCTATGGGTCCAAGAGTTACAAGGCCTAATGAGGT GAATTAATGCCAGCATATAAGGAAAAGCTTTTGAATACTCAGAAAGT GTCCAAAAAGGGGTCAGGCTGCCTTGAAAGTAGTAAGCTCTCCAT CAGAGGCTTGCCAACCTTCTTATTAGGGATGGTATGAGTATCTCAAG TACAGATACAGATGACCCAAATAACCACTGAGGCACCTTCTGACCCC AAGTATAAGAGATTCTATTGTAACGCACAGGAGTCCATCTCAAGCA GCACACTGAGCCATCTCCTTGATAAACCTAAAGGTAGGTATTATTC CTCCAGATGCTGTCTTCTTAGCCTGGGATGCAAAAGCCATAGGAT CACTTCACGTCCAACCCCCATCAGGTGATCTGTTCATGAATCACAAAG TTATTGGAGCCAGATGGAACACAGAGCTAAAAGATACATGAAGAC ACCGAGGCCTGCAGACAGGGACTAAGTTTCCAAGGTCACAGAGCTA ACAAGTGTGAGAGTCAGGCTAGACCCAGGACTCACAAGTTGAGCTC ACAATTAGTTCCACTTCTACACCACC	
KCP_9354 5	CCTGAGCCTCTGCCTCCTTCTGAGAAAGACCCTTGTGATTACATCA GGTTCACCTGGATAATTACAGGATAATCTCTTCATCTCAAAATCCTT AAGTTGATCACATCTGCAAAATCTCTCTTACCATGTAAGGTAACAT ATTCACAGCTTCTGGGGATTAGGACATGCATCCCTAGGGAACCATG ATTCAACCTAGCATGGGGGAACCCACTACAGGCAGGTGTTTGTCTT GCCATCGCCAGCTCAGTGCTTGGCACAGTAGAGGCCATGGATATT ATTCAGAGAGAGCATGCACTGAGGCAAGCCTGACCTCAAGATCAAG ACAGGAAATTGGCTTTTCATGGGTTAAGGACCTGTTACTTTGCTCAT CAATGTATCCTTAATCATCAGAGGTGAGATCTGCTGGAGAGTGCAA TCTTTCAG [G/T] TTCCAAAAGTAAGACTGGATGCCTTAGAACTTA AAGTCAGGGAGGTACCCAGAAAGCAATCATAGACTGAGTCCCCAT GCAGTGCACTTTCTCGGATGGACAATTTCTCTGTTCTGACAGTCAC TGTGACTCCATTTCTCAGATGAGGGACCGAGGCACAGAGAGGTGC AGTCAGTCACCTGAGGCCACACAGTCAGGAAGTGGAATCCATGGA AACTCATCATCAGCTGCCTCGCATCAGGGCCAGTGCTCTTTATCTC CACCCACACATTATAAAGCCACTCAGCTTTACACTCAAGGGAAGT TCCTATTTCCCTACTGGATTATATGTATAATTTGTAGTATTGCAAG ATTTGAACAGAAGCGAGCAGCAGCTTGTAGTTGTGTGTGCTACTCA CTCCTGCCTGTGGGGATGCCACGTGATTGTTTAAAGGGTTGGAATC AGGAGAAAGGCAGGCTCAGAGCAGGACCAAGAGAGAGCCCCACCCCT CGCCTCCC	SEQ ID NO. 157
KCP_9784 4	ATTATAAGTATATACCACACTTTGTTTTATCCATTCACTTGTGATG GAAATTTGGGTTGCATCCACCTTTTTTTTGCTATTGTGCATAATGCT GCTATACACATGGCTGTGCAAAATATCTAATATTAGTCCCTGCTTTC AGTTCTTTTGGATATGTATCCAGAAGCAGAATTCTTGGATCATATG GTAATCCTATTTTTAATCTTTTAGGAACTGCCATATTGTTTTCCA CAGCAGCTGCAGCATTTTACATTCTACCAGCAGTGCAAGAGTT CCAATTTCTCCATATCCTCACCAACACTTGTTATTTTCTGTTGCTG CTGTTTGTTTTTTTTATTAATAGTCATCCTAATGGGTGTGAAGTTGT TTCTCATTGTGGTTTGCTTTGCAGGTTTTGATTGTAGATTTTCCT GATGATTAGTGATGGGTGCATCTTTTCATGTTCTTACTGACCTTTT ATATATCTTTCTTGAGAAATGTCTGTAACTCTACTCATACTTTT GTAAATAGTATTTCCCAATCCTTCTAACTCCCCAATGAGGTGGATAT TAGTATGTTTCGTGTTACAGTAAAGCCAACCTAAACCTTAGAAAGACT AGGTT [A/T] ATTATCCAAGGTCACACAGCTAGAAAATGACACAGC TTGTATTGAAACATCAGTTTTTCTCTTTCCAAACCTAACGCACATT TCATGAAACCTACATTATTGCACCATAACATCATGTTGATTTACTT ATCTGCTCTCCTGCCTGTCCCATCTACTACATAAATTGAGTGTGGT TTGAAATCAGAGACTACTTCTCATCTTTGGCACAGTGGCAGCCATG GATCAGAATCTCTTACATGCTGGATAAGTGATGCAAGCTCAAGGC CACACCTAAAGTCCCCAGGTGACTTGATCACTTGAGTTAGCTGCTG GAAACCTGGGCTTCTCTCTGCAAAATGGGGAGAGAAAATAAATT CTCAGTGGATTGTTTAGAAGATTTGAGCAAAGACCTCTGCAAAGTG	SEQ ID NO. 158

	CTAAGCATGTGGCTAGCATGTGGCAGGTGCTGCCTAAATAGTAGAA ATTAACACTGCCATGCTTATAAGCTCCGGACAAACACAAGAAGCCC GAAACATAATCTGTGCCTTCTGCTTGCATTCTCCTAGTTGGGGAT GTAAAAATAGCCCAGCTACAATCAAAGAAGAAAATCAAAGTCAGCAC AGACTATGGATATGCTTCTATATGTGTAGATTATTTCCAGACTCAT TCGGAAGAATCTGGACATACTGGTTGCCTCAGAGGTCAAGAAAATT GGCTCATTTACTTCTGTAACCTAATTTTCGACTCTCTATGCTTTTAC ATAGTTGGAATTTGCCATGCACATATACTACATTTAAAAGAGCGTG TACGCG	
KCP_1028 82	CACAATTATGCTGTAGGTGAGTTTACCTTGGGAAACCAAGGCACA GAATTTAAGTAACATATTGAAGCTCATGCAGCTGCTAACACGGGAAG GCCAGGGTCTGAACCCAGCTGATCCGGCTCCAGCATCCGAGCTCTG AACCCTGGTCTATCTGCCTCTGTTAGGACTTGGTCCAATGTCAT CATCTAGAAGGAACATTTAGGCCCGCACGGTGGGTGGCTGGTTCA ATCCAGTTTAAAGGCCAGGAGCAGGACAGTGACTTGCAGCTGCAGC AATCCTATGACTCAAACCAAAGCAGCTGTGACAAATAAAGGGACTG ACTCTCATTCTCCGTGCTAGGGAAGGATGAGCTATCAGGCCTTGT TGCAGGCTGAGTCAGTCATCCACAAACCACCTAAGTGAAACCTCT TCACTGAGCCTTATTTCTGAGCGCTCTCCCTTTATCTGTGCTTGC AAAGAGG [C/T] GTCTCCCTCCATGCCAGCCAACCCACCCACCCCC GCACACACATAACCACCTCTGGCTGGAAGTACGACCATGGGTTTTA GAAATGAGATAAATCTGGGAGATGAATGTATTTCATGAGCCATAAA GGGTCATGAATCACTGGCCCAATTACTGCCTTCAATCCTGACAG GATGAATTCCTCAAGCAGATTCTCCTTGTGACACACACGGGAGG CAGTGTGATGGCTGATCTAGAGCCACAGATAACATCATTATTCCAT ACCAGGCTGGTTTCGGTTTCCAAGCCACCTCCACTTGATTACAG CTCACTTCTGATGCTGGAGAGAGAGATAAATATATATATATATA TATATATATATATATATATATATATATGAAAGAAAGAAAGAAA GAGAGAGAGAGAAAGACACAAAGGGGAAGCTTTCATGCC	SEQ ID NO. 159
KCP_1073 80	ATCCCAATAGGACACATGTTGTATTAAAAAGCCATGCGAGACGGAA GAAGGAAATTGAATGAAATTTGAGGGCAGGTAGGAGCAGAGACAAT AAATAATTGAGCAGTGAAGGAAGCAGAAAAAGATTGCACTCATTT CGCCCTTCAACAATTATACTAAACACCTGCTCTGGGCCACAGAAGG GCCAGATCCCATTCTGTGCTCAGGAAGCCCACAGGCCCGGAGGGA GAGGCTGGTTGGAATGTGTGCTTTGCACTGTAACGGAGGCATCGAG CATGGTAAGGGAAGTGGCGGTGGCTGCTGCCTGCGGACGTCGAGCAG GGGCCTTTGAAGAGGCAGGACCTGTCTGGAGTCTTACCTGGCCCTT GGCCCTGGCAATGGGGAATGGAGCAGGCAGCAGGGGACAGATGCTG CCAGA [A/G] ACCGAGATGGTGCCGGAGGACTGGGCTGAGTCTGGG TCAAATGACACCGCCCCAGGCTCTCTGCCCTCTGGGGTGAGGCAGG AGGCTGCCTCTGTGTGTGATTGAGAGACCTAGAATCCAGTGGCC ATCACCCACAGCACATGCCAACCTTTCTGTGATAACTTTCTCTTG TGAACTGTGAAAGTGAAGACCAGCTCCTGTATAGTGCATGGCCA TCCTTTGCTTTGGGGACAGTAAGTCAGTCAACACATACTTATAAAT GGGGTCCTGGGCCGTGGCACTGATCTGGTCTCTCCACCTTGCCCTCA CACTGCCCTTCCCACTCACCACCTCCCTCCTCTGCATCTTAGCCGC AAGGGACTTTGAGACCAAGCAGACCTGGAATCAAATCCACCGCTG GGCCTCAATGCCAGTGGAGACAGGAACAGCTGATCCCTGGAGCCCT CAGGAGGAAGAGGACGGGATGCCTGGC	SEQ ID NO. 160
KCP_1087 03	CCCACTCACCCTTCCCTCCTCTGCATCTTAGCCGCAAGGGACTTT CAGACCAAGCAGACCTGGAATCAAATCCCACCGCTGGGCCTCAATG CCAGTGGAGACAGGAACAGCTGATCCCTGGAGCCCTCAGGAGGAAG AGGACGGGATGCCTGGCTTGGCTGCTGGTCTGGGGCAGGTGCCAG TTACAGCAGTTGGAATAATCCTCAGTGTGGAAGGAAATTTGGAAG TGAGCATCTACCTGCCTGCCGTGCAGTTGTGACTTTTAAGATGGT TGACAGAACATTCCCAAAGGACCACAGCGGTGACCACTGTTCTCGT TTCCCTTTGGTGGCTCACTCACTCAGTGCTGGACACAGTGGTCTCTG	SEQ ID NO. 161



	<p>ACAAGACAGTGCTGTGGCTTCCATGAACCTAGGACAGGGATAGACT  CAAGGACTAAGAACAAACCAGGAAGAAGCATCACCACAGGCTCCTT  GCCAGTCACCTCATCTCACCCTCCTGGCCCTGGCGGATGGGTCTCC  ATATTTACAGGGGCCAGATGAAAAACCAGAGGAGCCAGGAAAAGG  AGCTTCCCTTCCCAAGGGCGCAAGGTGAGGTGCCAGTCATGAGAT  GCAAGCCCTGAGCTTTCTGATTCCACTGCATGTGGTCCCAAGGTTT  GGCGCCGCATCACACAGTTAGTGAGCACACTCTCCTCCCTGGCCC  CGAGTGAGCCAGCTGGATGGCAGATCAGAAAGAGAAGTCCCGGGTG  CCCCAACATGGCTAGCTCCTTCCAGGACCAGGGGCTAGGCCCCAG  CTAAGGCTGGTGACACAGCAGGGCAGGGGGCGAAGGAGTGGGATC  CCACCAGGGATCCACCCACCCCAAACCTGCTTTCCGACATCTTT  CCAATGCATAATGTGCAGATGAGGCCCTTTGATAAGGACCAAATCC  CTTTCCGTGCTTGGCAACCTGGCTCACAAGTCATAGCAGGGAAGT  AATTTACAGGAATTCAAAGTGTGCTGGAGGTTT (G/T) GCTGAGC  TGAATTGCTGCAAAGAGGAACCTCAATGGTCCAAATCACACCTCTG  GCGGGGAGGAGGGGCTGAAGGAAAAGCTTCCACTTCCGTCACTTGA  GAGTACAGAGCCCTGAGCTCAGACTCAGCGATCGTTTTCCATTAAC  GGATTTACTGGTTCCATGTTGAGCTCCTGCTGTGTGGCAGGCCCTG  TGCTGGGAGCCAGGGACACAGTGACAAACGAGACAGATGCCAACCC  CGGATGCACAGAGCTCAAAGAGACAGAGGAGTAAACAGGGCTACAC  ATGTGACAAGATAGGCTGTGCACAGGGGTCTGAGCAGGACCTTGG  GGCAGGAGGAGGCAGTGGAGGGATGGGAGGGTAGGGACGCAGTGGT  GACCAGCTAGCCAGATAGAGAACAGAGGGTGTCCAGCACAGGGCC  ACACAAGCAAAGGCAGAGGTGGGGAGAGAAGAGCCTGCCACACTCT  CAGATCACCATGTGGTTGGGCCAGGGCCCCAGCTGAGGCTGAGGAC  ACATGGAGCCCAGATCCGGCAGGGCCTTGAATGCCAAGTCAGAAAG  CATCTGAAATTTAGTCTACAGATGATGTGGGTTATTGACAGCCAGG  ACAGGGAATGACATTTGTGTTTCAGGAAAACCACTGTCTTCACTGT  TAGGGGGTAGATTACAGGGAGAAAACAGGAGGTGGAGGGGAAGAACT  GTGAGTAAAGGAGTCTCTGGGGTACAGGTGAAGTTTCTGTGAACT  GGAGAAGAAAACCTGTTGAGGCAAGAGTTGACAAAACCTGAAGTAGG  ATGGAGAGGAAGGGACAAGTTCCCTGGCATGGTGACGGCCCCGGTG  GTGGGAACCAGGGAAGAGGAGGGGCTTTGCAGGTGTCTGACTTGCC  CAACAGGTGGCGCCATTTACCAAGATGGGAAGGGCCGGGAGAAGG  GAGGGTTCCATTCTAGGGAATCTCAGGTCCTCGCTATTAGGATTCT  TTTCGGTTGCCAGTGACTGAAACCCAG</p>	
KCP_1248 77	<p>ACTGTCTAGATCTGGGGACCTCCCAAGCTCTCAGAGCTTTGGAAG  GAAGGTCCCTGCAGGGAAACTGTGTGTGTTTCTTCAACAGTGTATC  CTCAGTGCCTAGCACATGGTAAGTGTTCATAAACAGCTGTTGAAG  AGACGGATGGATAACTGAATGAATGGATGCTTCCATGGGCAATGAC  ACACTAATCTGAAAAGCCCTGTATCAATGAAAGAATCACTTAATAG  TTAACTTTTCCCTCATCTTCAGAACACAGATGGCATGCCATCTT  CCCTTCAAATCTCTTCCAGTGCCCCACACAGAAGAGGCACACTTG  GACACTGGTGTCTGATGGACCCAAGTTCACAGCCTGTCTCTGGTCA  TCAGGTATCATGACCTTGGGCAAGAAGCTTAACCTCTTGAGCCCTCA  GTTTCCCTTCTGTCCCCCAGGGAAAATGAGTCTGCCCCCTCTAA  GGGAGGTATGAGATGTAAGACCCGAAGGACACAAAGGTT (C/T) G  CCAGGAGCCTTCAAGTAGGAGGCAGGTAAGGAGGTCTGCTAGATTG  GAATGAGTTTCTGGAAGGCCCCAAGGAGCTCAAATCAGACCTGGG  GTGAAGGTGTCTTGACCAAAATGAGACCCATCAAAGAAGCCTGGAT  GAAGGTGCCCACAGCATCCATCAGTGCCAAAAACAGAAACACTTTA  GCCCAGGATACAAGGAACATTTTAAAGCAACAGAGATAAGAGATAG  TTAGAACTCAGGCCTCCTGGCTCTTGCTGTCTTGGCCCATAAATTA  GTTGTTATGGGACCTTAATAAACTTCTTGCTTCTTGTTACCTTTG  CCAAACAATCTGATGAGGAGAATATTGAGTCATGGTGCCAGGGAAA  ATTAGCATATTCTGCAAATTCCTGGCACTGTAAACACTGGATTCTG  TCCACCTTTAGAAATCCTCAGATCACTATGTCAGCATCCCCAATC</p>	SEQ ID NO. 162

	ACAGCTCTCCAACTTCAAGGAGGGTTGAGGGGTCTGAAG	
KCP_1260 86	AAGAATATCAGTTCCACTTCCCTTGTCCCTAGAGAGCCTTGTAGTG GATGTTGATGTGTCTTCCAACACATGCACCAACCTTTCCCTGTCCCT GTAGCAGTTGAGATGGAATCATCCCACTCCCAGCTCCAGGAATAGG CTCTGATGGGCTTGAACCCAGCAGCTTAATTCCATTGGTTCTCTAG GCCTTCATCATTAGTACAGGAAAGGCACTTGACCTAAATTAGTTCG ATAAGATTTAAGCTCAGAAATCTGGTTTGTGGATGGAGAAAGAGA TGCTTTCTTCTCTCTGGAAGGAGTTTATTGCAAAAGTAAGGGCTG GGGCTGCTACAGCCATTGTGCTACCATGAGGGAAGTACCATGATA ACAAAAGTTCCTGGGGAGGGGTACGCATCACAGAAAATGATGCC AAAGTCCTGCTCAAACTGTGCCTGATGCCTGCCTGATCTATGGACT TCTTAGTTCCATGTAATGGATTCTCTCTATTTTTAAAGCC [A/G] T ATCAGGTTGAATTTTTGGAGAAATAAAACAAAAGCATCTTGACTA ATTTAAAAAATCTTCTTTGGGTATTCAACCCTCCTAAACTCACCCC CAAATCCACTGGGAGCATGTCAAGATTTTTGTGAGCCGATTTAGGA GATGCAAAATCATTTCCTTAATTGGATCTCCAGGAAATGACTTCT GCCCCCTCTTAAATCATTAAAGCTCAAAGAGGCATGAGGGCCCTC CCCAAGGATGCAGGTATCCTCTGACTGACAGCCTGTATGCTCTGC TTCCAGGATCCTTCCATCTCCTCCCTTTACTGAGGGAGTCTGCTAT GTGTTAGAGGTGTCCATCACTGGTCACACTGGGAAGCTGTGGCAGG GAAGCTGGAGAAAAGCAAGATAGGCCCCAGAAAGAACCAAACTC CAGACTCAGGGAGACTCAGGCCAGAATCCTAGCTCAACTTCTTCCA AGCTCCCAAAGTCACACTCTTTCTCTGAGCCTCGATT	SEQ ID NO. 163
KCP_1262 08	ATCCCACTCCCAGCTCCAGGAATAGGCTCTGATGGGCTTGAACCCA GCAGCTTAATTCCATTGGTTCTCTAGGCCTTCATCATTAGTACAGG AAAGGCACTTGACCTAAATTAGTTCGATAAGATTTAAGCTCAGAAA TCTGGTTTGTGGATGGAGAAAGAGATGCTTTCTTTCTCTTGAA GGAGTTTATTGCAAAAGTAAGGGCTGGGGCTGCTACAGCTTGTG CTACCATGAGGGAAGTACCATGATAACAAAAGTTCCTGGGGAGG GGCTACGCATCACAGAAAATGATGCCAAAGTCTGCTCAAACTGTG CCTGATGCCTGCCTGATCTATGGACTTCTTAGTTCCATGTAATGGA TTCTCTCTATTTTTAAAGCCGTATCAGGTTGAATTTTTGGAGAAAT AAAACAAAAAGCATCTTGACTAATTTAAAAAATCTTCTTTGGGTAT TCAACCCTCCTAAACTCACCCCCAAATCCACTGGGAGCATGTCAAG ATTT [T/C] TGTGAGCCGATTTAGGAGATGCAAATTCATTTCCTT AATTGGATCTCCAGGAAATGACTTCTGCCCCCTCTTAAATCATTTA AAGCTCAAAGAGGCATGAGGGCCCTCCCCAAGGATGCAGGTATCCT CTTGACTGACAGCCTGTATGCTCTGCTTCCAGGATCCTTCCATCTC CTCCCTTTACTGAGGGAGTCTGCTATGTGTTAGAGGTGTCCATCAC TGGTCACTGAGGAAGCTGTGGCAGGGAAGCTGGAGAAAAGCAAG ATAGGCCCCAGAAAGAACCAAACTCCAGACTCAGGGAGACTCAGG CCAGAATCCTAGCTCAACTTCTTCCAAGCTCCCAAAGTCACACTCT TTTCTCTGAGCCTCGATTTTCCCATCTGCAAAATGGGGATACTAAG GGTCACCTAGCTGGGCTGCCCTGGAGATTCCAAGACATTA	SEQ ID NO. 164
KCP_1290 93	GGGTCTTAACAGGCCACAGACCCATCCGTGGCCAGGGGATTGGCG ACCCCTGTCTTTTTTTTTTTCTTTTTTTTGGAGATGGAGTTTCGCTC TTGTTGCCAGGCTGGAGTGCAATGGCAGCATCTCGACTCTTCAAC CTCCGCCTCCTGGGTTCAAGCCATTCTCTCCCTCAGCCTCCCAAG TAGCTGGGATTACAGGCACCCGCCACCATACTGGCTAATTTTTGT ATTTTATAGTAGAGATGGGGTTTCTCCATGTTGGTCAGGCTGGTCTT GAACTCCCAGCTCAAGTGATCCGCCCACCTCAGCCTCCCAAAGTG CTGGGATTACAGGCGTGAGCCACCACGACCTGCCCGGGACCCCTG TCTTAAACCACCCAGCCTGTGATACTTTGTTATGGTGACCCTAAG AGGCAAAATACCCCTCCTTTCCCCAACCTCTCCCTCAGACGAAAC CGATGCGAAAAGTGCTTTCATGAAGTTTCAGGTAAAGAAGT [C/G] T GGGACGAAAAGGGATAGTGAGGATGGCGGGAGGGGCTGAACTCCAA ATGGGCTTATCAAGGCTCTGCAAAATGGCGTGACGGCGCTGCCCCC	SEQ ID NO. 165

	TTCTGGTGGCCTGAAGACTAACGCACATGATGTCAAGTGCGGGGCC CAAGTACTCAGGAAAAGGTTCTCATTTGGACACTGGGAGGTCTTAC ATTGGGGGCCCTGAGCCTCCAGCCCTTCCAAATCTATTCTCAGCAG GAGCTCAGCCACACCTGTGTCCCAGAACTGAGGCCAGGCCAGCCT TCACTCCACGCCCAGCCAGCCCCAAGGAACCGACTCCCTGAGGCTC TATGCTCCCTGCCTCCAGTGGCCCCGTGTCTGGGAAATAGTGGCC TGGCCTGATGCCCTGACCTGGGCAATCCATCCCCTGGTCTCTCAG CTCCCGGGCCAGGTTTTCTGGGCTACTTTAACCAGGGCAAACCTCA TTCCTCGAGTACAAAATAAAAGATTCTGAACAGCATAATC	
KCP_1291 27	GGTTAGTGGGATGCAGCGCAGGCTAAGGAGTGTCTGGGGCCACCA GAAGCCAGGGAAGCCTAGGAAGGGTTTTCTAGAGCCTTTGGAGGG AGCACAGCCCTGCTGACACCTGACTTCAGACTCCAGCCTCCAGA GCTGGGAAGGGATAAGTAGCTGTGCTTTAAACAGTGGTCCCCAA CCCTTTTGGCACCAGAAACCGGTTTTGGTTTCACTGGAAGACAATTT TTCCACGGACAGGGTGTGTGGGGTGGGAGATGGTTTCAGGATGAAA CTGTTCCGCCTCTGATCATCAGGCATTAGCATTAGTTAGATTCTCA TAAGGAGTGAGCAACCTAGATCCTTCGCATGCGCAGTTCGCAATAG GGTTCATGCTCCTATGAGAACCCTAATGCGGCGGCTGATCTGACAGG AGCGGAGCTCAGGCGGTAAATGCTTGCTCGCCAGCTCACCTGCTGTG CAGCCGGGGTCTAACAGGCCACAGACCCATCCGTGGCCAGGGGA TTGGCGACCCCTGTCTTTTTTTTTTTCTTTTTTTTGAGATGGAGTT TCGCTCTGTGTGCCAGGCTGGAGTGAATGGCAGATCTCGACTC TTCAACCTCCGCCTCCTGGGTTCAGCCATTCTCCTCCCTCAGCCT CCCAAGTAGCTGGGATTACAGGCACCCGCCACCATACTGGCTAAT TTTTGTATTTTAGTAGAGATGGGGTTTCTCCATGTTGGTCAGGCT GGTCTTGAACCTCCCGACCTCAAGTGATCCGCCACCTCAGCCTCCC AAAGTGCTGGGATTACAGGCGTGAGCCACCACGACCTGCCCGGGA CCCTGTCTTAAACCACCCACGCTGTGATACTTTGTTATGGTGAC CCTAAGAGGCAAATACACCTCCTTTCCCCAACCTCTCCCTCAGA CGAAACCGATGCGAAAAGTGCTTCATGAAGTTTCAGGTAAAGAAGT CTGGGACGAAAAGGGATAGTGAGGATGGCGGGAG [A/G] GGCTGAA CTCCAAATGGGCTTATCAAGGCTCTGCAAAATGGCGTGACGGCGCT GCCCCCTTCTGGTGGCCTGAAGACTAACGCACATGATGTCAAGTGC GGGGCCCAAGTACTCAGGAAAAGGTTCTCATTTGGACACTGGGAGG TCTTACATTGGGGGCCCTGAGCCTCCAGCCCTTCCAAATCTATTCT CAGCAGGAGCTCAGCCACACCTGTGTCCCAGAACTGAGGCCAGGCC CAGCCTTCACTCCACGCCCAGCCAGCCCCAAGGAACCGACTCCCTG AGGCTCTATGCTCCCTGCCTCCAGTGGCCCCGTGTCTGGGAAATAG TGGCCTGGCCTGATGCCCTGACCTGGGCAATCCATCCCCTGGTCC TCTCAGCTCCCGGGCCAGGTTTTCTGGGCTACTTTAACCAGGGCA AACTCATTCTCGAGTACAAAATAAAAGATTCTGAACAGCATAATCA AATAGGTCATACCCATAAAATCAACACATTTGAGCACCTATTTTGTT GTTCTTTCACTAATCCAAACCATATTTATTGAGCATCTACTATGTG CCATTCTCCAGTAGCCATTCTAGGTGCAGGGGATACAGCAGAGACC TTGAAAAAAGGAACAGTCTCTGATCTTGCTGAGCTTAGAGTCAAGT GGAGGTGAGGAGGAAGGAAATGAATTAACAATAAGTGAAGCAGAA GGTAACCAATTGATTGACTGACGAAGGGGTACAAACAACAAACACC TTCCTTTCTCCAACTCTATCTTTAACTGTATTCTCTCGTTTTCTC TCCTCTCCATTTTACAATCATTTTACAACATCTCTGGCTATTCTCC TATATTTCTGATCACTTCGGTTCTCATCACAATAATAATTTAGTT TTCAAGCATGGAAAGTCCCATCCAATTAATTAATCTCACAC GCAGTTTAAACGTTTCGCCTGCCCGTGAGCTCAGACCTGTCTGGT GCCTCAGTTCTTGTGTGGAGGGAGGA	SEQ ID NO. 166
KCP_1296 90	TGGTGGCCTGAAGACTAACGCACATGATGTCAAGTGCGGGGCCCAA GTACTCAGGAAAAGGTTCTCATTTGGACACTGGGAGGTCTTACATT GGGGGCCCTGAGCCTCCAGCCCTTCCAAATCTATTCTCAGCAGGAG CTCAGCCACACCTGTGTCCCAGAACTGAGGCCAGGCCAGCCTTCA	SEQ ID NO. 167

	CTCCACGCCCAGCCAGCCCCAAGGAACCGACTCCCTGAGGCTCTAT GCTCCCTGCCCTCCAGTGGCCCCGTGTCTGGGAAATAGTGGCCCTGG CCTGATGCCCTGACCTGGGCAATCCATCCCCTGGTCTCTCAGCTC CCGGGCCCAGGTTTTCTGGGCTACTTTAACCAGGGCAAACCTCATT CTCGAGTACAAAATAAAAGATTCTGAACAGCATAATCAAATAGGTCA TACCATAAAATCAACACATTTGAGCACCTATTTTGTTGTTCTTTCA CTAATCCAAACCATATTTATTGAGCATCTACTATGTGCCA [G/T] T CTCCAGTAGCCATTCTAGGTGCAGGGGATACAGCAGAGACCTTGAA AAAAGGAACAGTCTCTGATCTTGCTGAGCTTAGAGTCAAGTGGAGG TGAGGAGGAAGGAAATGAATTAACAATAAGTGAAGCAGAAGGTAA CCAATTGATTGACTGACGAAGGGGTACAAACAACAAACACCTTCCT TTCTCCAACTCTATCTTTAACTGTATTCTCTCGTTTTCTTCCTC TCCATTTTACAATCATTTTACAACATCTCTGGCTATTCTCCTATAT TTCTGATCACTTCGGTTCTCATCACAATAATAATTTTCAGTTTTCAA GCATTGGAAAGTCCCATCCAATTAATAATGTCAATCTCACACGCAGT TTAAACGTTTCGCCTGCCCGTGAGCTCAGACCTGTCTTGGTGCCCTC AGTTCTTGTGTGGAGGGGAGGAGAGAGGGGAGGGGAGGGAGAGG AAAGGAGACCGGGGAGGTGGGGGGGAGAGGGGAGGGG	
KCP_1303 09	CTATCTTTAACTGTATTCTCTCGTTTTCTTCCTCTCCATTTTACA ATCATTTTACAACATCTCTGGCTATTCTCCTATATTTCTGATCACT TCGGTTCTCATCACAATAATAATTTTCAGTTTTCAAGCATTGGAAAG TCCCATCCAATTAATAATGTCAATCTCACACGCAGTTTAAACGTTTC GCCTGCCCGTGAGCTCAGACCTGTCTTGGTGCCTCAGTTCTTGTGT GGAGGGGAGGAGAGGAGAGGGGAGGGGAGGAGAGGAAAGGAGACCG GGGAGGTGGGGGGGAGAGGGGAGGGGAGGAGAGGGGAGGGGAGTG GGGAGAAGGGGAGAAAAGCGCAGCTGGCTTCCTCACTCTCCTTTC CTTCCTCACCATCCTTACCCTGGCCCAGGGCAGGAGGAGGATTGGC AGAGTAGA [A/G] GCAGGGTCTTCTGTCTTAGCTGGGCTGTTGGT GACTTTCTGTTGGCCAACATGGGCTGACTGGAATGTTCTCCAGCAT GGCACATGGTCATCCAGATGCAGGCTCTTCCTGGGGCACTATAGC AGAGAGGGCTCTCTTCCAGTCTATTGCAGATGGATGCCCTCGTGAG CTGAGTTTTGATGAACATCCCATGTCCCCAGCCACCCCATTCAGAG CCTCTTTCTACTCTGGTCTCTGGTCCCAGCAGCAGCCCTCTGGGT ACTGAGGGGAGGGCATCTCACCCAAGCCCCCTTAAACCTGCTCACCT TCTTCAGAGCCCACGTGGCCGAGGAAAGTCAAAACCCCTTGTGCT CCACAGGGCACACGTGTGCACACGTGTGCAGCTACCTTCTCTCTA GTTGGTACCTGAGGCTGCCTCCTGGATTTTCCAGTCTCTGTGTTCC CAGACAACCCCAAGCCCCAAGAATACAA	SEQ ID NO. 168
KCP_1305 57	AGTTTAAACGTTTCGCCTGCCCGTGAGCTCAGACCTGTCTTGGTGC CTCAGTTCTTGTGTGGAGGGGAGGAGAGGAGAGGGGAGGGGAGGAG AGGAAAGGAGACCGGGGAGGTGGGGGGGAGAGGGGAGGGGAGGAG AGGGGAGGGGAGTGGGGGAGAAGGGGAGAAAAGCGCAGCTGGCTTC CTCACTCTCCTTTCCCTCACCATCCTTACCCTGGCCCAGGGCA GGAGGAGGATTGGCAGAGTAGAGGCAGGCTCTTCTGTCTTAGCTGG GCCTGTTGGTGACTTTCTGTTGGCCAACATGGGCTGACTGGAATGT TCTCCAGCATGGCACATGGTCATCCAGATGCAGGCTCTTCCCTGGG GCACTATAGCAGAGAGGGCTCTCTTCCAGTCTATTGCAGATGGATG CCCTCGTGAGCTGAGTTTTGATGAACATCCCATGTCCCCAGCCACC CCATTTCAGAGCCTCTTCTACTCTGGTCTCTGGTCCCAG [C/G] A GCAGCCCTCTGGGTACTGAGGGGAGGGCATCTCACCAAGCCCCCTT AAACCTGCTCACCTTCTTCAGAGCCCACGTGGCCGAGGAAAGTCA CAAACCCCTTGTGCTCCACAGGGCACACGTGTGCACACGTGTGCAG CTACCTTCTCTAGTTGGTACCTGAGGCTGCCTCCTGGATTTTCC AGTCTCTGTGTTCCAGACAACCCCAAGCCCCAAGAATACAAGAGC TCTGTACCAAGCATCGGGCCTGTGGCTGCACTACACGTCTGCAGC TCAGGACCCCTGGCTGCGGCGTAAGCTACCAGCATCCCCTTCTCAT GGGCACCCTCATCTCGGCTCCCCATCGCTGGGCTGTGACCTGCGG	SEQ ID NO. 169

	GGGCGCCCTCTATGGAAGGGAAGGAGAAAAATTACAGTGCTATC TACTCCTCTGAATGCACTCCACCAATTTCTTGAAATTTCTAGC TTTCACTGACATATCTGGGATGGGCGGTGGTCACAAAA	
KCP_1312 44	GTCTCTGTGTTCAGACAACCCCAAGCCCCAAGAATACAAGAGCT CTGTCACCAAGCATCGGGCTGTGGCTGCACTACACGTCTGCAGCT CAGGACCCCTGGCTGCGGCGTAAGCTACCAGCATCCCCCTTCTCATG GGCACCCCTCATCTCCGGCTCCCCATCGCTGGGCTGTGACCTGCGGG GGCGCCCTCTATGGAAGGGAAGGAGAAAAATTACAGTGCTATCT ACTCCTCTGAATGCACTCCACCAATTTCTTGAAATTTCTAGCT TTCACTGACATATCTGGGATGGGCGGTGGTCACAAAAATCAATCCC ACTTTCCCTCGGCTAGTCTTACAAGCACCCAACAGCTCTATTCAGA ATACAGGGCTGCCCAGCTACTTCCCATTATTATCCCCAGGTTGCA AGCTTTAGTCAAAACCCAGAGGCAGCAGGGTGTCTGGTTCCACCTG CTGTTAGGATGATTTCAAGGAGTGAAAGTGTTAGAAACGC [A/G] G TAAACATGATGCTTAGAGATTAAGTGGGATGGGGACTGGGCAGAT GATGCTGCTTTGGACCCAGCGAGTGAGGTGAGACTGCGACAAGACA GAGCCACTGAGCAGTGACCTGGGGGATGGGCATTGCAGGCAAGGCA GAACCCCAAGTGGAACAACCTCACTGGGCTTAGCAAACTAAAGA GGCCCAAGTATACTGAGCGATGAGGTGAGTGGCGTGGGATAAGGT TGGAGAGGAGGCTGGAACCAAGCCCTGCAGGGCCTTGCAAGTGATG GGAAGGAGTTTGAAGGTGCTGGAAGGTTTGAAGCAGAGGAGGGAT ATGATCATGCCTGTAGCTGCTATGTAGAACAAGTGTATGCATGCCA GGCTGTGCCACGCATGCTTAATCATTACTGGCTTTAACCCCTTGC ACTAACGTTGTCATGCAGGTAGGAGCATCTGCACCCAGCAAAATGGA AACTGAAGCTCAGGAATATTCACTCACTTGTCCAAGGCT	SEQ ID NO. 170
KCP_1318 54	ACCTGGGGGATGGGCATTGCAGGCAAGGCAGAACCCCAAGTGGGAA CAACCTCACTGGGCTTAGCAAACTAAAGAGGCCCAAGTACTACTG AGCGATGAGGTGAGTGGCGTGGGATAAGGTTGGAGAGGAGTCTGGA ACCAGACCCCTGCAGGGCCTTGCAAGGTGATGGGAAGGAGTTTGAAG GTGCTGGAAGGTTTGAAGCAGAGGAGGGATATGATCATGCCTGTAG CTGCTATGTAGAACAAGTGTATGCATGCCAGGCCTGTGCCACGCAT GCTCTAATCATTACTGGCTTTAACCCCTTGCACTAACGTTGTCATGC AGGTAGGAGCATCTGCACCCAGCAAATGGAACTGAAGCTCAGGAA TATTCAGTCACTTGTCCAAGGCTCCCCAGCTGTTAGGTGCTAAGGC TGGATTCAATCCAGGACTTGCAAGCTCCAGTATCTTGGCTTTTCTA ACGAGAGTGTGCTAGCTTTCTAATGGGGGTGGGAAGGCA [G/T] T CTGCCCCCTCCCATGGCACCGTGAGCAGGTGTCACTGCTCCAGCC AGTACGCCTGGACACCGACTAGGAAGGAGTATGTGCTACTAGGAGG GATGGTCTGGGCTGACTCTTTGAAGTTGACAAGGAGTTGCATAATC CCAGCTAATAATTATGCTGGACCAGGGGCAGAGACATTACTCCAAG GGTGACCAGGTGTGGAGAAGAGGCTGCTGACTCCGGGGCCCCAGGA CCTGGCCCCCAGGTCTCATTGCCCCAGTGCTGCCCCAGAAGGAGTA GAAGCTGGAGCTGTCCGGGCCACAGCCGAGGCTGGGTGAATGCTGC AGTGAGGCTGCCGCACAAGTTGCGTGTGTGACATTTGTCTTCTGG AGGGGATTGGGATGGGCTACTTCAGCATTTAAAAACCCCTACTAGG TCTGAGAAATCCCTCAGCTTATGAGCCTGGGTGGGCAGCAGGCCT TCTCAAGAAGCCCAAGGCCAGATGCTCACTTCCCAGG	SEQ ID NO. 171
KCP_1326 77	CAGTGAGGCTGCCGCACAAGTTGCGTGTGTGACATTTGTCTTCTG GAGGGGATTGGGATGGGCTACTTCAGCATTTAAAAACCCCTACTAG GTCTGAGAAATCCCTCAGCTTATGAGCCTGGGTGGGCAGCAGGCC TTCTCAAGAAGCCCAAGGCCAGATGCTCACTTCCCAGGCTCTCT TGCGGCTGAGCTGAGAGCAGGCACCTGAGGCCTGGCAAGTGTGACA GCTGGTGACACAGACAGACAGGGACAGGAGATGGGACTGTGCCTG CAGCGGTAGCCCTGGCCGGTGTTCAGTGGGGCCAGCATCCGTGTCT TTCTTGGGGGCCAGTGGGGGCCGTGGCTCTGACGATGCATCCCTCC CCCACGTTTTTCTCTTCTTGTCTTGGACTTTGCAGGGAGCACTCT GCTTTTGGGAACAGGAGCTGGGTCTCTGGCCATTCTCCGAGCCCC	SEQ ID NO. 172

	TCACCATTCACTCAGTGGCTCTCAAAAAATAGAACCTGGG [A/G] C AAAGCTGTTCTTGGCCCCAAACAACATGAGGAAAAATAAATAAATA ATGTACCTGGTAACTGAGAGAGTTCCCTCTGCATCTTGGGCTCTTT CAATGAGATGTCCTCTGCCTGCAGCAAGCCCCAAGGGCTTCCCTCA CCAGGACCAGCACCTTGGTTTGCCTGACCCACACCTGCCAATGCC GGGGCAAGAATGTCCCAGGCTGCCCTGGTTCCCAGAGCTGATGCTT CCCACAGTGCCAGCTGTGCTGGCATGGAGCTAAGGACAGGGCCAG TCCAAGAAAAACAAGGCTCCAGGGCCACCGGCCACTGCTCAGG ACCCTGGCTGACCCACAGATGCGGAGTGCCTGAGATGGCTCATGG GTGACCCCAAGGCATCTGGCAAAGGTCACAATGGCTGTTTGGCTTG AAGACAGCCCTTGCAAGATCTGTTTGGAGCCAACCTGTGGCATTGA GCCCTCCCTGGGTGACAAATAAAAGGCTGAGGCTTGTA	
KCP_1340 45	ATTGGAAGATAAGAATGCAGCCAAAGAGGTCTTCAGGGTAGCGTGT GGCCTGGGCGCTGAGACTATTGGGCTTAGCAACTTCTCAAGCAGTC TATTAACCACAGCCGGTAGCCAGCTTTTCCCCGCCCTTCTCCAGG CACACACAGCCACCTCCATCACCAGGTCAGGCGAACCCCTCCC ATGGCTACCCCAAGCTGACTTGCTTTATAGAAATCATGGCATCTC ATCCTCACAACAGCCCACTCAGTGAATCTTGGCCATTATGAC AACTGGGGACACTGAGGCTCGGAGTGGTGGAAATCTCAGAATCAC ATAACAATAAGTGTTAAAGTCAGAATTTCAACTTCATCTCTTAAC TCCAAAGGGCGTGTGTGTGTGTGTGCGTTTCTGGCCATAATCATAT TGTGCCCTACAAGCCCAAGTGAAGTCTGCTAGGAACACTGGTTT GGGAAAAAATGTAATAAAATATGTGATCCAGAAGGCGGC [C/T] T TGGTACCTGTCTATAAACCGCAGCATGGGGTACTCACTATGCCTGGG GTCTGGGCTCTGAAGGCATGATTGAATGATCTCACTGCAGGCCTGG TTGTCCTGCGAAGACACCCGTCAATACATGAATATTGACACACAAC GCTGCAGTGCACGCGCTTCTGGCAGGGGAGCTGCTGCACTCGAGGG CAGCTCAAGGTTAATTTGAGGGTTTATGTTTGGAGTTTCTGAGCA AGTGTTCAGCTTTGGCCCCCAGCCCCCTGAGGGGAGCTCTGGCCG TGCATGAGGGTCAGACAGAAAATCTCCTTTCCCTCCATCCAGGCCTG CAGTCTGCAGCACTGAGGTCAGCGCTGGCCACAAGCCACCCCTGTG CCTCGTCAGCCCCACTGAGCCTCTCCATCTATCATGCCACAGGCTG ACCCTGAAATGCAAAATCATTCTGTCTCCCGCCCTCCACTCCCAC CTCGCACATCTATGGATTGCTGTTTCAGAAAACATCTGT	SEQ ID NO. 173
KCP_1355 18	AGTTAGATTGAGCTGGGTCCCCTCTTGGGCTTTGCTGGTCCCTCC CTAGAAAGTCTGCCCTTCCCCCTGCAGGGTGGCATCAGCATTACAG GCCTGGCCCTGACGCCCTCCTCTCTGGGCCACCTTCACTCCACAA CCCCGGCACCAGCACCCATCCCCACCACATCCCCAGCACGCAGCAT CTAGTAAGGGCACCAAATGCATGCCAGACATATGAGTGAAATGAA TTAACCTGAACCTGAAAAAGGGCAACCACCACACAAGATTCTCTA GAAACAATGTGAATTGTGAGAAGGAAATTAACCTACTCCATCCA GCCCATCCTAAGGCAGGGACTTGGACCTGTTCTCTTGATGGGGCT GGGGCTGAGGCGGGCAAGGCAGGCAAGTGTGAACAGTTGGCAACA TTGCCCATCCCGTCTCCCTGCACCAGGCTGGGCTGGGGTGAGGGG GTGGGGGCGGGGTAGCTGGGCTCCTCCAGCAAAGAGCAG [G/T] A CTGAGTCCCTGGTGACTATTAGGTAAGGTAAGGTCCTGACAATTTGA GGGGCCAGATGCCAACTCGAGGGATACAGAGAAGATCTAGGCACAG TCTTTCCCCACCATGTCAGACAAAAGGTTAGATACAGGACCTGAT ATGTTATAAACTCAATCAATATTTACTTAGTGAATAAATGGACGG ATGGATGGATGGATGCATTAGGCAGCCAAGTGGGCAGCACCGATGA CTTAATGTACTGAGTGTCCGACTCCAGCAACATGCATTCAATTGTT CCTACTGTGTGCCAGTGAACAAGAGCAATGAACTCAATGACTTCTG CCCAGGGTGGGCCAGGGAACCAGGGAAGACTCTCCAAAAGGCAGC ATTTGGGCTGGGACGTACAGATGAGTAGGGGTCGAGTGTGTCTGT ATGTGCTGGAGCCAGAGGCGTCCATCAGGACTTGGGGGAGGGCA GATGAAAGGGCCTTACTGCCTAACTTGGAGCCACTGTAT	SEQ ID NO. 174
KCP_1360	CCCATCTTGGGCTTTGCTGGTCCCTCCCTAGAAAGTCTGCCCCCT	SEQ ID

36	<p>CCCCCTGCAGGGTGGCATCAGCATTGAGGCTGGCCCTGACGCCCT  CCTCTCTGGGCCACCTTCACCTCCACAACCCGGCACCAGCACCCA  TCCCCACCACATCCCCAGCACGCAGCATCTAGTAAGGGCACCAAAT  GCATGCCCAGACATATGAGTGAAATGAATTAACCCTGAACCTGAAA  AAGGGCAACCACCACACAAGATTCTCTAGAAACAATGTGAATGTG  CAGAAGGAAATTAACCCTACTCCATCCAGCCCATCCTAAGGCAGGG  ACTTGGACCTGTTCTCTTGATGGGGCTGGGGCTGAGGCGGGCAAG  GCAGGCAAGTGCTGAACAGTTGGCAACATTGCCATCCCGTCTCCC  TGCACCAGGCTGGGCCTGGGGTGAGGGGCTGGGGGCCGGGGTAGCT  GGGCTCCTCCAGCAAAGAGCAGGACTGAGTCCCTGGTGACTATTAG  GTAAAAGGTCCCTGACAATTTTGAGGGGCCAGATGCCAATCGAGG  GATACAGAGAAGATCTAGGCACAGTCTTCCCCACCATGTCAGACA  AAAAGGTTAGATACAGGACCTGATATGTTATAAACTCAATCAATA  TTTACTTAGTGAATAAATGGACGGATGGATGGATGGATGCATTAGG  CAGCCAAGTGGGCAGCACCGATGACTTAATGTACTGAGTGCTCCGA  CTCCAGCAACATGCATTCAATGTTCTTCTACTGTGTGCCAGTGAACAA  GAGCAATGAACTCAATGACTTCTGCCCAGGGTGGGCCAGGGAACCA  GGGAAGACTCTCCAAAAGGCAGCATTGAGGCTGGGACGTACAGAT  GAGTAGGGGTCGAGTGTGTCGTTATGTGCTGGAGCCCAGAGGCG  TCCATCAGGACTTGGGGGAGGGCAGATGAAAGGGCCTTACTGCCTA  ACTTGGAGCCACTGTATGTTTCAAAACAAAGGAG [A/C] GAGAGGA  TCCTGGGAAAGAGAAAGGGTACTCTAGGCAGAGGATGTGAATGGGC  ACAGCACAGGTGAGAACATCAAGACCAGGGGTGAGGGAATCTACTG  GTAAACAATTGTACCCCAAGGGAGCAATCACAGCCTCTCCATCCAC  AGGGAAATGCCTGGTGGGGAGGAATGGGAGGAAAGAAACAGATTGC  ATGACTGTGTCTTGAAGGTCTAATTCCAGAGTACAGCATCACCCCT  ATCTTCCAGGTCCAGAACTGAGGCTCAGAGGGAGACTTCTGTATG  AGTGCAGCGTGCAGATAAGAGCATCTCAAAGCTACCTCCTTCCCC  AGTCACACCAGGGCATAAGCAACTGATAACAGCTGTCAGCACGGGA  CAGTGGAGGGAACACTAGGTTAGGAATAAGGGTACGAGGCTTGAGT  ACAGATTGTCAATGACTCAGTGTGTGAACTTGGTCAGGTGACTCCA  ACCAGATGACTTCCCTTCTGAGCTTCTGTTCCCTCCTCTATGAAT  GGGACAATCACTCAGCTTCACAAAACAATGGCTGCGAAATTGCCT  GGTACAAGAGAGAGAACTTCCAGTGTGTAGGGGCTGTTGTCTAAC  TGCCCCAGCCCCCTAGATAGGTAGTTATGTCATCTGTGAAATTGGGTG  TTAGAATTCTTACCTCCAGGACAGCTGTGGGCAGAAAACCAAGA  ATGTGTGTGAGAGCCCAAGCACCATGCCTGGCACATAGTAGGTGCT  CAGGAAAGGCTGAGGGTGCAGCTGCTGTCCACACACATGGTACCAC  TGCCCCAGGAAGGGGCTTCAGGAACCAAGAGCAATTCTGAGCACTG  GTGACTGGACTCTGCCATTCTCCATTTCAAACGCTTTTTGAAAGCA  GCTCCAGACCCAAGCAGGAGAGCAGGAGGCAAAAGAAACGCAGGGG  CTTTCCCGAATGGAATTTTAGAAACACACAGAATTGTCTCCTGCAC  AGAAGGGAAGCTGTCTTCCACAGCACA</p>	NO. 175
KCP_1376 60	<p>CACTGGAGCTGAGACTCCCAGGTCCCCTAGGGCTTCTCTCCCAGGG  GCCTCTGGGCTCCCCAAGGCCACGTGCTGCCCCACTAGAGACCTG  GGCCAGTCTTGACCAGGGGAAAGAGTAGCGCCGACAACAGCCCCAG  ATGGTATGTGCACTGGCACATACTGGCAGCTGCCTTCATGACAGCA  AGCCATAGGTCCAAATCCCGCCCCTTCACAGGGACATTCCCAACTG  GTCAGGGGTGGACCTCCCCTTCCCGGCTGTCTTGGTGTCCAGGAC  GATTTGCCACAGACAGGGGGAGCTAAAGGGGCCCACGCTTGAGGCC  GCTCAGCTCTGAGTCTCGCCGGCCACAGAGGACCTTCGTGCCTGT  CCTCTGTCTCCTGCCCAGTCCCAGGCCAGGCTCAGCTGGAGTTG  GGGAGCAGAAAAACGCATCTGAATCAAGGCTCTCGGAGCCTTTG  CTTCTGCCTCCAAAGAGGCGAGGGAAAAATGAATACCCAGG [A/G] A  GCGAGCAAGAGAGACCTCAGAAAACCCCATGCCCCCTGGAAATCA  AGCCCTGTCCCACCAACGCCACGTGGATTGACAGGCTATTAGTCTT  CCTGTAATTAGGATTCTCGCCTCAAATCTGTATCTTTTTCCCCCA</p>	SEQ ID NO. 176

	GAAGATTCTCCTCCAGCCTTCACCACTGCCCCCTGGCGCTTCCTTG CAAGGCTTTTGAAGAATCCTTTGCAGAGAAGCAGCCTCCTTTGGCA GGGGCTGCAGAGCACTCTGCCTCCCTAGGCCAGGGCGAACCAACAG AGGCGGGAGATGAGGAGGAGCAGCGCGCTCTGCTGCGTGGCCCTG GGCAAGCACCACAACCTCTCTGGGCGTTTGACATTCTTACCGCC AGGGATGTGGGCGGTAAATGAAAGAGACCAGCACAAACCAGTGTCA GCTCCCTTCTCGATTCTTAAATGTGATGCCCCAAGATGGGCCAG CCTCCTGCTGTGCCTTCTCTGGGGGACATTTAATAAGT	
KCP_1436 12	TGGCCGCTCTTCCAGATAACAACCTCCTCTCCTTCCCTGCCCTC CTGCTCCTCCTGTTTCGCGCTACATAACAGACTCTGTGGGCGCTTGG TTTATGTATTTCTTCTCTCCCTACTGAAATACATGTGAGCGATG CTGGGGCAGGCCGACTAGAAGAAGCAGACTATCTGCTTCTTCTCCA CCCTTAGAATGGTGCTGGGCCCAGAAGAGGCATGCAGTCGATATTT GCTGAATAAATGAATGTGAGATAAAGTGGTGTGGGGACTCCAGGGG AAAGATTTGTCAATTCTCCACCCTCCAGTTTCAAGCTTAAAGCAGAGA AGTGAGAGGTGCCCAAAAAGGGGTGTGTCTGGGGGGTGGGGGGTGG GGATGTTCCAAGATCTCCAAGGCCTGGATTTTAAGCAAGGTTTGAG ATGCCAGCAAGAGGGCCTGGCATTGCCAGATTGATAGTCTGCATTT CAGAGAAGGACAACCCACCTCTGACCTTAGCCC [A/G] AGCCTCA ACAGCCTGCTCAAGGAGATCCACCCTTAGTAGGAGGAGGCAGCCAG GCCAGGTTCCAGTCCCTGCCACCGCTTGCCAGGTGTGTCTTGGGCA GCAGTTGCCTTTGCTCGGTGGTCTTCAGCTTTGCCCCCTGCCAGGC ACGTCTGGCCTCCTGCCTGCATCGTAGCTCATGGAGTCTCTCAG TCACCTCTGTATGCCCTGCAGCATCCCCAGTTCTCAGTGAGAAGAG TGTGCTCTGAAAGTTAAGTAACTTACCCAAGGTACACAAGGTCTG AGTCTCAAATGCATACAATTGACCCCATAGTCTAAGGTCTTGACC GCAATGGAATAAGAAATTATTTACCATTCTGAGTGGCAGTCTCTG AAGACTACAGCAATAATTGATGCCTCTCAGGGGGATAGGTGTGTCA CTTACAGGTGATAGTGAGGTTGTCTCAGCCTCCCTGCTCTTCGTT AGACCTCCCTCCTCCTCTCTACCCGGGCCAAGCGT	SEQ ID NO. 177
KCP_1449 60	GCGGAACACCTCTGCCGCACCTGCAGCAGCCTTGCTCTATTTCTTC ACAAGCTTCCCCATGACACTGACCCAAGGCTGTCTGGCCACTACAG CTGCTGATGATGATTAGCAATAATAATAATAAAACGAAATGCCT TCTGCTTAGATCATCTTTAATTTCCCTCCAGAATGACATTGCACT CTGCTTAGAGTTACAGGCAGCCAGCAATTACTGAGCGCAAATACC GTGTTACCCGCTCACCTCATCCACGCCCCCACAACCCAGCCC TGAGACTGGCTCCACGATCACCTCCACTTTATAAAATAAGATATCA AACTCTGAACAGAACGGACGTCTCAAAAATGGGCATATTACATTT AAACCTCAATCTGTTGGGTATTTGAGTGAAATGGACATACCTCCA GGGAGTCGGTGGCGAGGGCCGGCTCTGAGGACTTCTGGGTGGGA TCCTGGCTCTGCAGGACTGCGTGACCTTGGTGAGTTACTT [C/T] A TCCCTCCAAACGCGCTGTTCTCCTTCATAGAATGGAGATGACCACA GGGCCAGATTCTAAGGTTGTTCTTGTAAATACAGGTGAATATCCA TACCCAGCAACTGCTGGACCACCTGTGGTTTCAAGGATAATTTCCC TCCACGTCCCCGTGGCCCTTGAACCTTCTCTCCTCTGTCTCC CCCTGCCCCCATCACTTTGTAATTGAAAAGTCATGATTGCTCTCCC AGGTGTAGCACTGCTCACAGGTCAGATTGCCTGCTCTGACGTAGTG ACTCAGTTGGATGCGGTTTCTGCTGTGTATGATCAACTCCCTCCCC TGACAAAACATTATTTGCATCACAGAGAAGTTGATTTCTTTTAC ACATAAAGAAGGCAAAAAGTGGTGCCTAAAGGGCTGGTACAGCAG CTTCAAGAAATCAGGAAGAACCTGGGCTCCTTCTGCCTTCTTGTTC TGCCAATATCACCCCATGGCTGCCACTTCATGGCCCAAG	SEQ ID NO. 178
KCP_1467 46	TTGTGAGTAGGGCACGCAGGGAAGAAACCTGTTCAACCCAGCCCCG TGCTAGAAAAGACATCAGAGGCCCTGCAAAAGCCCTGATTAAATCT CACAAGTTTGCACCTGGAGCCGCATCTTGAATTGAGGTGAATAT CAGCCTTTGGTTTGGGCTGTGTGCCCCAGATGATGGTGGTCCCAAA TTACATAGGCCAATATCCAGAGCTGGGTAAAATGAAGCATTTCTGA	SEQ ID NO. 179



	GGAAAAAATGCAATGAAATTTGTTTAAACCGGTACTTCAGGCTTTT GAGCACAGAACAGCGTCCATCCCCTCCAAACACACACTGAGGATATA CACTTAGCCAGGAGGGAACATAAGGAGGGGTGGACAAGCCATGTTT ACTAAAACTCTCTCAGTGTGTGCCAGGCATGTTTCATGTATATTTCAGG AAGAAGTGTCTAGTATTTAAGATCCTCGGCCCTTGCCCCAGTCCCCA ACACGCCCTTCTTGTCTGGAGAAGTGTAAATCTTGGAACATCTTGC AAGGGGGGACACCTCACAGAAGGCAGGCTTGGCATGGGATAAACAG AATCGACTCCTCTGCTTCCTTCTGATGCACAGTGAATGGGCAGGTG GAAGCATCGTTGCTTAAAGAGGAACCAAACTCCACCCAGAGCTG CTAATTCCTTTTGGCTTGCAAGTTATGCAGAGGGCTAAAAAATCCAA CGAATCACAAATCCCCTGGTTGCTAAGTAGAAAGAATATGTTTTGG CTGCTGCTGTTCCCTTCCCCAAGGAAAAGATTCAAGCAGAGGCGGT CCCCACCTCTCAACACAGAAAGCAACATCTCTGATTGCCCTCTAGAC ACACCTTCATGCTCGTGGCACTTTGGGACCCTCTGCCCCGCTGGCTT ATGGGCATGGCTTCCCCATCACTCTGGGTCTTGGGAAGAGCCTCT TCCCAGACCCACCTCTGTGCCCTCATCATTCTCCCAGGCTAT TGACTTGTTCAGGTTAAGGTATGAAGAGAGTCA [C/T] GCAGCAG CCCTACCTGGCTCTGCTCTGCTGGGGGAAGCCTTTTCAGAGCCTGC CTCTTCCTCAGCATGAGGGGCTGCTCGGGCCAGTCCCAGAGGCCA TGCTGGTCCCAGGGGAAGGTGGCCGTCATCCCCATCTGTGTTTTCT CTTGCAGGTAAGTCATGCTCCAGCAGTCGGGAGGGTTGTGTGATGA CACACTTGGCAGTTTGGGAGCAAAAGCCGCCACAGTAAGACACAAT TGATTCAATTGCCTCTCAACCCCTCTGCTGGGGTGGACTTTCATGCGT GGACTTCTGTCCCCAAAGAGGCTTCTCTGGGTCTGGAAAGGGCCCT AGCCTTGGTTGGGGGAGGCAAGGGGTGGCGGCTTCCAGGTACCAT CTGGCCAGGAACCGGCTCCATTGTCTGTGCATGTAGCTTGCACTGG GCTGCTGCTCCAAGGGAGGCATCTCCCCACGATCTACGACATTGG CTTCAAAGAGCTGCTCCTGGCAGCTTCAATGGCTGAGACCTACTG GCATGGGATGGAGGAGTGCAGGGAGCTTCCCGGGACCTCGCTAGTC CTGCCTGGATGCTCAGAAGGCCCTCGTCTCGGTGGCATGCAGCCT CGGCCATTTCCAACTCACGGCATCTCACCCAGCCATGTCACCCAC CCCCGGCTCTGTGCGCCCTTCCCATCACCTTTCTCCCACCCATCACC TCACATCAAGGTTTCAGCCAGCGGGAACAGGTTTAGACTCCAATT ACCTGTGCGTGTGGGAGGTTGGATTGTGACATCTTTGGAGGGCCGG GCTTCTGAAGCGACATTTGATTCTGGTACTGAAATGTCAAAGGGT CCTGAGGCACCCGCTAGGGCAGCACGCGGAGCATCCACCTGCGTGC GCATCCTGGGCTCTCTCTGGGCCACTTGGTGCTGGGGACATGCCGG GAGCTGGTGGTCAGCCCTCCTCTGCCTCCTCAGTGCTGCATCTTC ACCTTCTGCAGCTGCCTACCAGAAGCA	
KCP_1492 16	ACACCTTGACTTTAGCCCAGTGCAACTGACTCCACATTTCTGGCTC CAGAACTGTAAGAGAATACATTTGTGTTTTGTTAAGCTAGCAAATT TGCAGTAATTTATGACAGCGCTATGAGAAACCAAAACACCAGGATT ATGCCCCAAGGATCCTGATGCCCTCCCTCCTCTCTGCTCTGCAGTG TGCTGGAGCTCACAGGGCTCTGCTGCTGGGAGTTAGTATCTAGTCC AACACTTTACCCACTCACCCCCCAAGCTAAGGGACTCCTGAAATCA GGGACCAGATGCATAATAGGTGCCAGGAAGTGAGACTCGCCTTCC CCAGATTAAGAATAAAGAAGACAACTATCCACGGCTGCTGTGAGC CTCTCATCAGACCTCAGCTTCTAGGGCAGGGTCCCTGCCTGTCTCC AGTATGTGGCCTCTGTGCTTCTTTCGCCCTCCATCCCCACAGTGGG ACGAGAAGTCATCAGGAAGGCAGGGGATCTGCAGGCAGCC [A/G] T CAGGGCTCTAATTGCAGCTGGCTGGGGGACCATGGGTGAGGGCTGC CACCCCTGGCTCTGTGCCTTCACCTGTGTAACGAATGGGGCACTC ACAGCCCCCTCTCAAGTGGTCCCTGGGGATGAAGTGAGAAGGTGACAT ATACAAGTGAGTTATACACGTTCTGTCTGTCTCACTCACCAGTGCT CACTGGGTGGGTCACTGAACTCCCTCAGCGTTTCCTTCTCCATCT GTAAACCACAGTGCAAACCTTTCCAGATAGTGCTGACCCGAAGC AGGAACCAGTGCCCTCTGCCCTCAGTAAGTCTGCCAGCAGAGGAA	SEQ ID NO. 180

	GCCCATAGAGGGTCTTGGGAAATGAAGCCAACAGAGTCAAGAGGGT CAGATGATGAGGGACTTCAAGTGCCACCTTCATCCCATTCTTTCTG CAAATATTCACCACACACCTACGTGACCTCAGGCTCTGTGTAGGT CCTGGGGATGTAATGGTGTCCATGAAGAAACAAGGTCCC	
KCP_1495 35	TCCCCAGATTAAGAATAAAGAAGACAACTATCCACGGCTGCTGTG AGCCTCTCATCAGACCTCAGCTTCTAGGGCAGGGTCCCTGCCTGTC TCCAGTATGTGGCCTCTGTGTCTTCTTCGCCCTCCATCCCCACAGT GGGACGAGAAGTCATCAGGAAGGCAGGGGATCTGCAGGCAGCCATC AGGGCTCTAATTGCAGCTGGCTGGGGGACCATGGGTGAGGGCTGCC ACCCCTGGCTCTGTGCCTTACCTGTGTAACGAATGGGCACTCA CAGCCCCCTCTCAAGTGGTCCCTGGGGATGAAGTGAGAAGGTGACATA TACAAGTGAGTTATACACGTTCCCTGTTCTGTCACTCACCAGTGCTC ACTGGGTGGGTCACTGAACTCCCTCAGCGTTTCTTCTCCATCTG TAAACCACCAAGTGCAAACCTTTCCAGATAGTGCTGACCCGAAGCA GGAACCAGTGCCCTCTGCCCTCAGTAAGTCTGCCAGCAG [A/G] G GAAGCCCATAGAGGGTCTTGGGAAATGAAGCCAACAGAGTCAAGAG GGTCAGATGATGAGGGACTTCAAGTGCCACCTTCATCCCATTCTTT CTGCAAATATTCACCACACACCTACGTGACCTCAGGCTCTGTGTCA GGTCTTGGGGATGTAATGGTGTCCATGAAGAAACAAGGTCCCTGCC CTCATAGAGTGGCCTGACATATGCCCGAGGCAGTCAGCAGCCGAGT GCGGGAGACTCTTGAGCAGAGATTGAGTGTGTTGATATCTGTAGGC ATCAGCCTGGCTTTGCTGAGTGAGCTATATCAGAGTGGAGGAGGCC AGAGGCAAAGTCCAGACTCCACTGGATCCTGGATTGAGGGGAGAAG GGGTGGGCGGAGGAGCAGCTGAGCACCTGCATCTCACTCCAAT GGGTGCTGATTTGTCCCCATGGCCCCAGCACCCAGGCAGGTCAACA AGTAAGCTCAAGACAAAAATGATGAGTGACTCAACAGTG	SEQ ID NO. 181
KCP_1567 32	ATAAATTGGATTTTCATCAAAAATTTAACTTCTGCTCCAAAAGACA CTCTTAACAAAGGGAAAAAGCAAGCCACAATATGAGAGGAAATATT TGCAAAGCATCTGATAAAACATGTGGATCTAAATATGCAAGGAGA ATAACAACCTCTATTTTCCACTAAGGAATGAATGACTGTACAAGGAC CACATTCTAATTAGGAGCTTCTGAACCCAAAGGAATTTAGATAAG GGGAAATTTAGGCCCAAAGCCAGGAGAAGGGGTGAGTAGGGCTTGA TCTCTGCCTCTGAAGGGCAGAGGGCGTGGACTATTCTTGGCTCTTA GGGGACAGCTAGAGAAATGTGGGTCTCATGGCGACAACTCTGGACT CCATTGGAAGAACCTTCTAACAGTCAGGGCTCCCAGAGATAAACTA GACAAGTCACCAAGAGAGGCAGTGGGTACCCCTCACAGGAGGGGTG CAAATCAAAGCCAAGGCTTGGAGTGGACCATATTAATCC [A/T] T TTCTTATCCTGTGATTCTTAGAGTCTATCTGTATCAGGGGAAGGC AGGTGGGTCTAGAACTTTCTAAATGTGTCCCTGTGGGTTTTTCTT TCTCCAGCTACACACAACTTGGGCCTAATAAGAAGTCTATGGCAT TAACCCAGCAGGAATGCTTAATGCTTATATCTGACCTCAAACCAAG ACTGTCTCCACAGTGAACAACCCGTCCTGTCCCTGGGCGTCTCC TTAGCAAATGCCATCAGTCAATGGTGCAGCCATCTTGAGCCCTTG CCATCTATAATCTTCTACCGCCACCCCCCAGCTGATTGTTTTCTT TGTATGTCTCCTTCTGGACATTACTTATTCTTTACTTTTAAATAT TTGCTTCCGTAAAAAAACAAATGAATGCCTCGGACAGATTATATAA GAACATTCTGGAGAGGCGGGTGGATTAATTATTCAGCATCCTCTC CCTTTGTAACTATTTATTGTCTCATATGCATTTATATGG	SEQ ID NO. 182
KCP_1586 17	TTGCCCAAGTGATGTTCATGTGAGGCTCTAGGGTCCCTGCAGGGA CAGAGAGGGACTAACATTTACTTACATGCCTATAGTATGTGAGGCA TATACTTGTGCCTTTATATATATCAGCTCTGTTTTGTCAATAAAA CATCCCTGTAGAAAGATAGGCACTGCTGTCCATTTTACAGATGGG GAAACCCAAGCTCTGAGTGGTTCAGCAAACCTGGGTGCATACCCC CACCTTGCCCTGCAAAACCAACAAAAACGAAGGCCCTGCCTTC CTGGAGCTGACATTTAGGTTGATTCTGAAAGTCAGTAGGCCAGAT TTTCACTCTTCATTTTCTTGTGTTGGAATGAGAGACACACAGCTG	SEQ ID NO. 183

	GGTCGGGGGAAGGAGCGAGGGTCTAGGCCTGCATCCACTCACCCCA AAGGAAAGGAGTAGGGGACCAGTCTGCTGGACATGCAGACAGCGAT TGGAGAAAAGTCAGCCCAGCTATGAACCCCATTCCTTTTCAGTA [C/ T] GAGCCAAGAGGGATGGCATCTGTCAGAGTTGCTGGATTTGGGAT TTTGCACTCTTGCCAAGTGTCCATGAGGAATTGGGGAAACTCTCCCC CTGGCTGGACTGAGGCTTCAGCAAGCATTGTTGCTGCCCAGTGGTG ATCAGCTCAGTGTCTTGGAAAAGAGCAGAAAGTGGTATCACGAAC ATATCTTCTCCTTTGCTTCCTTCTCCTCACTCTTCATCATCATCAT CATCATCATCATCAAAATATGGATCTGTGAGGCTACCTCTGGGGTTG AAACTTGGTTTTTGGGCAAAATTTGTGATGTTCTCTCTGCCCAATCC AGCCTCAGGCTACAAATGAATGTAAAAATCTCTAATTTAGTGCCAA GTAACAGAAAACAGCTCTACTTATCTTAAGCCAAAAAGAGGGACTT CTCAGAGGCATACTAATGGAGGATGGCAAGAGGGCCTCACGTGGAA	
KCP_1601 45	GCTCTTCTGCTGTGGAGGATCCATGCCATTGACCTAGGCACCGTT TTCCACATATTGAGCATTGCTGAGCACCTATTCTGTGCCAGGCACT GTGCTTCAGGGCCATGGGGGATGCTCCAAGCGGTAAAAATGCAACCA AAGCCCCGAAGGAGCTCACATTCTAGTCATGTCCACAAAGAGGTAA TAAATCCATAAATTGTATGTACTATTCTAGTCACAATAAAATTTGTG TCGTACTGTAATGCTGGGTATCCATTTTAAACCGGGGGCATCGGC TGAATCTGGGTCATTACAGTAGGAAATGCATATATATAATCATTTA CTCATGAATATTAATGTATTTAATGAGGGTAAAAGATATTACTTAA AGCAAAGTATTCGTTCCAGCTACTGTTGGATTTGTTTCACTACTGTT TCCCATGCAGATATTACCTGTGATTTACCTGCATATCAAGCATCTG GAAGTAGCTCAAATCCACCTGTGGGTAAATTAGGTTAGCC [A/G] T TTGTTGGCAAAAATTACAGTGTTAACTAATTTCCAGGGTATGCTTG CAGTCAGTAGTTTCATACTTAGGTACATGACTTGCACTTCACATCAT CTGGTTAATGGTGTGAACAGAGATTTTCTTTATGGTTTTTGGAAATA CAGTAAGATAATGTTAAGCTAACGTAAGTCTGTTAACAGTCACTGG TTCTGAACTGTATTTATAAGGTGTATCATAAAACCATTACTTTGGA GTTTGCCAATCTTAAATTCAGAACAAATCAAAAATGAGCCAGAATC TAGTTTGCATCATTACCACTTATAAAAATAAGGATCTGTAAGTTGG CTGGATAAAAATATATTACAAAATAATGACTTAAGTGGCTCTGGAGC CAGCACAAAAGATAAAAATTTGGGTATACTCAAATTTACCTTCAAAA TATCTTAAGTCATTCTTAAAAATACATGTAAATATGCCAACTCAAAA TACATCCAACAAAACATAATTTTTCCCAATTTGTTGGA	SEQ ID NO. 184
KCP_1648 97	TCGACGTTTCCAAAGTCATGGGGCCTATGGTTTGTGAGCTTATTTA GGTTGTCCCCCGGGCCAGCATCAAAAGCATTGAGACAGTACTGAG GGACTCTTTTCTAGCCTCTCAGTCCTGACTGCTCAAGGACCAAGT GGTACTTCTTGCTGCGTTCCTTTAATGCTTGCCTAATATGAGCTA GTCTTCTCTGATCACTTTTTTTTTTAATCCAAAGTAGGTGGGCATT GTCCCAAGAGCCTTTGGAAAGCAGCTGCCTCTCACTAGGACTTCAC AGCATCATTTTTGCTTTGCTCTCTTTGTGGTTAAATTTACCTTCCAT TCGTGGTGGGTGTATGTCAGGATCCCCACAAGAAACAGAGGGACAC CCAAATTAGGGACATACTTCAGAGGGACTAATGACAAAGGCATGGG TGGGAGTAGAGGGAATACAAGGGAGACTTCAAGAATCTTGGCCTT TATTATAAATGCAATGTATGTCCACTATGGAAAATTTGGG [A/G] A AAAAAGCAAAGTAGAAAGAAGAAAAACCACATTGCCTGAATTCCTA CTGCATGGAGAGAAGCATCATAAACACCTTTTGGAGGAGTCTCTTC TTCCTTTCTCCCTTTCTCCTTCTTTGTATAGAGAGGTCTTTCCTGA GGACTTCCCAGAATCTTGAGATCCAAATCTTAAGAATTTGCAGA GGCAGTGAGGAGTTAACATGCACAGCTCAGGGAATATTCTGCTTTT TATCTGGAACCAGGCTCGGAACAAGACTCCTTGCTTTTCTGTCTCTG TGTTTTCTATCTTCTCTCAGAACCTTAACCTTGGAGATAAGATCTTTG ACTATTATTAGCGGGTGCAAAAGTAATTGTAGTTTTTGGCATTAT TTTTAATAGAAGTCTTCTGTGTCCTCAGATCTCCATCGTTCACTCT CCTGATAAGTCCCTGAAAATTTTCTGGCCCCCTTGGAGCTCCTTCCA GGAGTAGAATGATCACAAGAGCTGCCATGTATTGCTTAT	SEQ ID NO. 185

KCP_1692 34	TTGCTTATTTCCTTAACCTTGACTTGCCGGAGTCCCATAGACAGGAGCT ACTCTCCCACCGTGCTGAAGCTGGTGCATGCCATGTTTTCAGTAAGA GAAAGGAGGGTGCCTGGGCTTCGTCTCCACCCAGGTGCCTCTCCCC CAGCAGCTGCACCAGGCCAGCTGAGGGGGATTTTAGCCCCGAATCCA GGGTTTCTCCTACAGAAGACAAGGAGTTTGGGCACTGCCAGAATTA GAAGAACAGAAAGAAAATGTTCTGGATTTCTCATCAAATGCCCTTA GCCTGAGAAATATAACTAAATTCACCTTAGGTCTATCTTACAATCT GTCTGTCCCCAGTGTTCCTCCACTCAGGGAAGTCTCCACCCACATC CTGGTCCCCAAACCAGAGGCCCTGGGAGTCAACCCTTGACATTTCTCTC CCCTACACCCCTAATCAATCAAATCCTGTTTATCCTGCCCTCTGAG AGTCTGCACCGAAATCTCTCTCCTCTCCTTCCACCTACC [A/G] T GGCCCAGCAGCTTTACCATCATGTCTCAGGATCTCTGCACCGCTC CCAAGTGGCCTGTGCGTTCACTCCTGCCCCCTCCTCCAGCCCTGTG TACACTCCCTTCCACCATCCTTTCTATACTCTCCTCAATCCTATCT GCACCTCCTTCAACCCCTGTCTGTACTCTCCTCCAATCCTGTCCAC ACACTCCAAACAAAGTCATATTTCCAAGACAAATTTGACCATGCCA CTTTCTCCACAGCTCTCCACCACTCCAGGATCCCATCCTCAGTG TTAGCCAGACACTCCCAAGGCCCTGTGATCTGCCCTGCCTATGTCT CCAGCCTCATCCTGCAACTCCCCCTACACTCTGTGTTCTGGCCATC AAACCAATGGGCTCCTCTTCTGCACCCCATCCACTCTTGACAT CCTGCACTCTATGTCTGAACAGCTCGGTTTCTCTTCTTTCTTCTG GCATATGTCTGCTCTACCTGCAGTTCATCTTAGATGTCA	SEQ ID NO. 186
KCP_1738 48	AAAAGGGAATTTATTGGCTCATGTAAGTGAACCTTCAACATTTTACA GAATCTCATTGGCTCCAATGGGCTCATACGTCCATCCCCAAACCAA TCACAGTGACTGAGGGATTATCCAAGGATCACACTGGCCACTTTTCA CAGGTTTTATCCCTAAAGGAAATCACAGGTAATAGATGTGGGGCTG CAGAAATGCAACATGCACCTTTTCTTGAAGTGCATCCCTTTTCCC TGAAGATGAAGCTTGAAGAACTCTAAGAGGTTAAGCATGGAGCTG ATGGGCAAGCCACAGGCAGAAAGAGTAGCTGTGCAGCCAGGCTCCT GGCCAGGGAGGGCAGATAAGGAGGGGAGGCAAAGTTTGGTAAACAG GAAGCTAATCTATGGGCAAGAATCATTTTCTTCAGCATCCTGACCT CTCCTAAAATGTTTCTCCACTGGTCCCTGCTAGGACAAAGGAATTAC CACCAGACTAGAGTCAGGAGTCTCTGGGCTGGTTCTGCTGT [A/G] T GACACAGGACAGGTGGCTTGCTGGTCTGGGCCACAGCCTCCTCCC CTGTTGATGAGCATGTTGGTTGTTCCAGCACCATGTCAAGCCCTAGA AATCTCTGAATTCTTGACCAGATCAGTAATTGCTCTCTTGCGTTTA CTTTTCTTCAAATAAAGAGATTGGCATAACAGGGGAGGAGCCAGT ACAGACGGCATGCTTGGCTCAGGTTCCAGAAGCCAGAAACAGACA AGAGTTGGGAAACCATGATGGTGGAGGAGGGTGTGCCACTCCTTAC TAGTGCCTAATCTCTTCGAGACACTAATGTTTTCAGTATTATCCACA GATTCTGATGCCAGGCAGCCAGATGACTGGGGTCAGTTATTAGCA TGCTTCTTGAGGTGGTTCACAGGTGCAGGCTACCTGCAGTCTGGC TGGATGGGCCCTGCACCACTTGCTTCTGGGAAGCTGGTTTTGGG GTTGCCACAATCTCTGAAAGAATCACTAGGCCACCTCT	SEQ ID NO. 187
KCP_1739 82	TTCACAGTTTTATCCCTAAAGGAAATCACAGGTAATAGATGTGGG GCTGCAGAAATGCAACATGCACCTTTTCTTGAAGTGCATCCCTTT TCCCTGAAGATGAAGCTTGAAGAACTCTAAGAGGTTAAGCATGGA GCTGATGGGCAAGCCACAGGCAGAAAGAGTAGCTGTGCAGCCAGGC TCCTGGCCAGGGAGGGCAGATAAGGAGGGGAGGCAAAGTTTGGTAA ACAGGAAGCTAATCTATGGGCAAGAATCATTTTCTTCAGCATCCTG ACCTCTCCTAAAATGTTCTCCACTGGTCCCTGCTAGGACAAAGGAA TTACCACAGACTAGAGTCAGGAGTCTGGGCTGGTTCTGCTGTAT GACACAGGACAGGTGGCTTGCTGGTCTGGGCCACAGCCTCTCCC CTGTTGATGAGCATGTTGGTTGTTCCAGCACCATGTCAAGCCCTAGA AATCTCTGAATTCTTGACCAGATCAGTAATTGCTCTCTTG [A/C] G TTTACTTTTCTTCAAATAAAGAGATTGGCATAACAGGGGAGGAGCC CAGTACAGACGGCATGCTTGGCTCAGGTTCCAGAAGCCAGAAACCA	SEQ ID NO. 188

	GACAAGAGTTGGGAAACCATGATGGTGGAGGAGGGTGTGCCACTCC TTACTAGTGCCTAATCTCTTCGAGACACTAATGTTTCAGTATTATC CACAGATTCTGATGCCAGGCAGCCAGATGACTGGGGTCAGTTATT AGCATGCTTCCTGGAGGTGGTTCACAGGTGCAGGCTACCTGCAGTC TGGCTGGATGGGCCCTGCACCACACTTGCTTCTGGGAAGCTGGTTT TGGGGTTGCCACAATCTCTGAAAGAATCACTAGGCCACCCTCTGAG TGGGTCCCTCTGTAGGAATTATGGATAAAATTGTTCCACTAGTCTT ACCTTCTTGGGGAACCTTCTCTGGATTCCCAGGCTGGGCTGGGTGT CCCTGCAGCCTAGCCCCACAGCCCTCCTGCTTCTCTTTT	
KCP_1742 43	TGACCTCTCCTAAAATGTTCTCCACTGGTCCCTGCTAGGACAAAGG AATTACCACCAGACTAGAGTCAGGAGTCCTGGGCTGGTTCTGCTGT ATGACACAGGACAGGTGGCTTGCTGGTCTGGGCCACAGCCCTCTC CCCTGTTGATGAGCATGTTGGTTGTTCCAGCACCATGTCAGCCCTA GAAATCTCTGAATTCTTGACCAGATCAGTAATTGCTCTCTTGCGTT TACTTTTCCTTCAAATAAAGAGATTGGCATAACAGGGGAGGAGCCCA GTACAGACGGCATGCTTGGCTCAGGTTCCAGAACCAGAAACCAGA CAAGAGTTGGGAAACCATGATGGTGGAGGAGGGTGTGCCACTCCTT ACTAGTGCCTAATCTCTTCGAGACACTAATGTTTCAGTATTATCCA CAGATTCTGATGCCAGGCAGCCAGATGACTGGGGTCAGTTATTAG CATGCTTCCTGGAGGTGGTTCACAGGT [A/G] CAGGCTACCTGCAG TCTGGCTGGATGGGCCCTGCACCACACTTGCTTCTGGGAAGCTGGT TTTGGGGTTGCCACAATCTCTGAAAGAATCACTAGGCCACCCTCTG AGTGGGTCCCTCTGTAGGAATTATGGATAAAATTGTTCCACTAGTC TTACCTTCTTGGGGAACCTTCTCTGGATTCCCAGGCTGGGCTGGGT GTCCCTGCAGCCTAGCCCCACAGCCCTCCTGCTTCTCTTTCTCATC ACAGTCTTGTTATCTCTACCAACTGTAGGCCTGCCCCACTGATGGT GTGAATAAAGGGACTGGGTCTCTCTAGCACCTAGCATAGATCTGAT ACATAGTGGGTGATCTCTATTGAATGAACGATGAATGAATGAATGA ATGAATACATTTAGATAATTCAGATTACTCTTTCTAGCTCAGCAGT GTAAAGCAGGAAGACATGCTGTCAATATGATTTAGGGCAAGTTT	SEQ ID NO. 189
KCP_1751 06	AACGATGAATGAATGAATGAATGAATACATTTAGATAATTCAGATT ACTCTTTCTAGCTCAGCAGTGTAAGCAGGAAGACATGCTGTCAAT ATGATTTAGGGCAAGTTTCAAATCTCTCTGGACCTCAGTTTACC TCTTGAAAAATAAATAATAAATTTGTCCTTACTTCATGAGACTAT TTTGAAGATTAAATGAGATAATGTATACACTACTACTACTGTCCT TACTTGAATATTCTAGGTCCTTGGTGCTACATTAGGCTACATAGA ATGTATTTAAAGTAATAGAGTGGTATTTAATAAATATTCATTTTCT TTCCCCAGAACTACCTTAAATTAATTTGTTGAAAGGACAGATGGAT GGATGGTTGATGGAAGTAGCAGGCTTCCAGCAGCAGGGGATGGAGT GAGTGTGTGGATACCGCTGGATCAGCAGAAGGTTATACCATTTTAG AGTAACTATCTCGGACTTCGGAGAGTTCCTGGGTATGAAG [C/G] T TTGGCTTTAATTAAGTCTCAGCACAGTGTTAAATGCCATTTTATT TTAGGTCATAATTAACACTAATGAGATGAGTGGATTACAAAGAGCA CACATTTTGAGAAAGTGAAAAACAACATCTGAGCTTGGTGGTTTCC ATTTTCGCTTTTCCCCCTCCCATGCTCTGTTCAATTAAGTTTGTG AGAAAAATATTACAACCATACTCCTTGCTTTTGTGGTAATGAAGCAT ATTAATTTGAATGTGATGAATACAATATTCCTACTGACTTTTTTATT CCCTTATCTACAAAAGTTTAAATAATGGACCAATTAACCAGGAG AGAAGAATGCAGGGTTTGCCTGGGGATCCAATTCAGCAACCAGAGA ACTGAAAGAACAAAATTTTTTGACGGAGTCTGGGCCAGACTTCATC CCTTACCTATAGCTGACAAACAGTAAGTCAAATGGGCAGATGTGG ACCAGCGCAGAACACATACTATATTGAGGATCGAAAGGC	SEQ ID NO. 190
KCP_1751 70	GTGTAAAGCAGGAAGACATGCTGTCAATATGATTTAGGGCAAGTTT TCAAATCTCTCTGGACCTCAGTTTACCTCTTGAAAAATAAATATA ATAATTTGTCCTTACTTCATGAGACTATTTTGAAGATTAAATGAGA TAATGTATACACTACTACTCACTGCTCCTTACTTGAATATTCCTAGG TCCTTGGTGCTACATTAGGCTACATAGAATGTATTTAAAGTAATAG	SEQ ID NO. 191

	AGTGGTATTTAATAAATATTTCATTTTCTTTCCCCAGAACTACCTTA AATTAATTTGTTGAAAGGACAGATGGATGGATGGTTGATGGAAGTA GCAGGCTTCCAGCAGCAGGGGATGGAGTGAGTGTGTGGATACCGCT GGATCAGCAGAAGGTTATACCATTTTAGAGTAACTATCTCGGACTT CGGAGAGTTCTGGGTATGAAGGTTTGGCTTTAATTAAAGTCTCAG CACAGTGTTAAATGCCATTTTATTTTAGGTCATAATTAAC [A/G] C TAATGAGATGAGTGGATTACAAAGACACACATTTTGAGAAAGTGA AAAACAACATCTGAGCTTGGTGGTTTCCATTTTCGCTTTTCCCCCT CCCATGCTCTGTTCAATTAAAAGTTTGAGAAAATATTACAACCAT ACTCCTTGTCTTTGTGGTAATGAAGCATATTAATTTGAATGTGATG AATACAATATTCCACTGACTTTTTTATTCCCTTATCTACAAAAGTT TAAATAATGGACCAATTAAACCAGGAGAGAAGAATGCAGGGTTTG CCTGGGGATCCAATTCAGCAACCAGAGAACTGAAAGAACAAAATTT TTTGACGGAGTCTGGGCCAGACTTCATCCCTTACCTATAGCTGACA AACAGTAAGTCAAATTGGGCAGATGTGGACCAGCGCAGAACACATA CTATATTGAGGATCGAAAGGCCAGGTTCCAGACCGTCTCTAATAT TTTCTTAGTGAATATTTGTTGGATGAATGCATGGATGGG	
KCP_1752 52	CTTACTTCATGAGACTATTTTGAAGATTAAATGAGATAATGTATAC ACTACTACTCACTGTCCTTACTTGAATATTCTAGGTCCTTGGTGC TACATTAGGCTACATAGAATGTATTTAAAGTAATAGAGTGGTATTT AATAAATATTCAATTTTCTTTCCCCAGAACTACCTTAAATTAATTTG TTGAAAGGACAGATGGATGGATGGTTGATGGAAGTAGCAGGCTTCC AGCAGCAGGGGATGGAGTGAGTGTGTGGATACCGCTGGATCAGCAG AAGGTTATACCATTTTAGAGTAACTATCTCGGACTTCCGAGAGTTT CTGGGTATGAAGGTTTGGCTTTAATTAAAGTCTCAGCACAGTGTTA AATGCCATTTTATTTTAGGTCATAATTAACACTAATGAGATGAGTG GATTACAAAGAGCACACATTTTGAGAAAGTGA AAAACAACATCTGA GCTTGGTGGTTTCCATTTTC [A/G] CTTTTCCCCCTCCCATGCTCT GTTCAATTAAAAGTTTGAAGAAAATATTACAACCATACTCCTTGTC TTTGTGGTAATGAAGCATATTAATTTGAATGTGATGAATACAATAT TCCACTGACTTTTTTATTCCCTTATCTACAAAAGTTTAAATAATG GACCAATTAAACCAGGAGAGAAGAATGCAGGGTTTGCTGGGGATC CAATTCAGCAACCAGAGAACTGAAAGAACAAAATTTTTTGACGGAG TCTGGGCCAGACTTCATCCCTTACCTATAGCTGACAAAACAGTAAGT CAAATTGGGCAGATGTGGACCAGCGCAGAACACATACTATATTGAG GATCGAAAGGCCAGGTTCCAGACCGTCTCTAATATTTCTTAGTG AATATTTGTTGGATGAATGCATGGATGGGTGGATGAATAGATGGAT GGATGGACAGATGGACGGAGAGAGATGGATGAATGGATTGTTGG	SEQ ID NO. 192
KCP_1768 36	GCAGGCCTGTGAACCTGACACATGGTCCAGGTGTCTCCCTGAGGAC TTCTGGAAGTCTCCCACTCTCTGTGGTCTTTAGGCATTAACAC CACCTTGTCACGTGTCTTCTGAGGCAGTCTGGAAGTTCATACCCC ACAATCTCTGTGTACCTTGTCCCCCATTTCTGTTCTCTGCATTGCAG ATGGTTTAAACACACACACATACACGCGCAAAATGTTGTTCTTTT TCTTAAACCCATTGTGGCCAGGCTAGACAAATCCTTAACACGGTC TACAATATTCTGCATGGCATGGCCCTGGGTGCCTCCCAACCTGAT CTGTACACACCACCTCCACCTTTGCCTGTTCCCTGGGCCCTAGCA CTAACCTTTGGTTTCAATTCCTAGACACCTTTTCAGCACTTAGGCCCC CACAGCCCTCAGAACCTTTACACTTGCTGTCTCTTTTGCTTTAA [A /G] TGTTCTTGCCCCACCTACCACCTAGTTAATGCCTTTTCTCCT TCAGCTCTTAGTTGAAGCATCACTTCCCTCAAGAGGGCAGCCCTGA TGAAACTCATTATGCAAACTCCAGCCTGGGTTGGGCCTTATCTTTA TGCTGTCTATGGCCCTGAGTATTCTTCTTTATGGCACCATCACGG CTTATATGATATACTTATGCTATTATTTGAGTTATGTCTGTCTCCC CCAGTATGCCACTAGTATTAGAATCATTGATTTTAAATCATTGTAT CCCTAGTGCTTAGCACAGAGCCTGGCTCATAATAGATGCTTAATAA ATATTTGTTGAATAAATGAATGAGTGAATGAATAAATGCCTCATTC AAGAGCTTTGGCTCTTCTGTACTACTACATTACTTCTATTTTTTA	SEQ ID NO. 193

	GCTCTTAATTCTCAAAGCACTTTCTTTGTGCTGGGCTTATGCTGGG AGCTTAGACAGTAAAGCTTAGA	
KCP_1801 73	TTACATCCACAGGTTTGATTATAAATGTGTGATTGAATTGGAATT TCTGTTGAAATTCTGATCCCTTCTAGACAAAGAAGGTAAAAATTGA AACATGTCAATGGATATCTAAATATCATTACTCACTGGCTTTATTT GCAAATGGCTTTCCATTGACAACAGTTACATTTTGTTCAAAGCAAC AAATGATTGGCGCTGACAATCCACAGGAACATGGTGCAGTCATTAA TGAATGTGCTCATTATTCCCTCCCTGCCGGGAGGCATCGACTCCCGT TCTCCAGCCTGTTTTAAGCAGACAGACCTACATCTGCACCTGTCAG CTTGGAACCCCTAGTAGGGGAGGGGATGCTGATGTGATGGAGAATG AAGAATGGGCCCTGCAGGCTGACATTTTGGGAGAGTAGGTTCTGAA ATTTATCCCAAAGGACATGGAATCCTGGAAGCAGGGTTCAAGATCC TCCCAAATTTGATCTCCAGGATGCTTGAATGATTGTTT [C/T] G AGGGTTTGTAAATGCCAGGGGAAAACCAGGAAGCTTCTCTCCAG TTGTCTTGCTCCTTCCCTCTCCAGTCTCCATGGAGCTGACTTTGAG AATTAACCTCTGAGGGACAGAGACCTGGGATGGAGAGCCAGCCCT GCTGGATTCCACAAGGTGCTGCTTAAAGCACAAACACCTCTTCCCAA TGACAGGTTCTGAAAGAAGGCCTGTAGCTAGATGCACAGAGGGTT TTGTTTTGTTTTTTTTTTTTTAAACCTTTCAGCATCTGTCTAAAATT GCTCTGGGCTGGGTACAGTGGCTCCACCTGTAATCCCAACTTT GAGAGCTGAGGCAGGAGGATCGCTTGAGCCAGGCGTTCTAGACCA GCCTGGGCAATATAGTGAGATCTCTATGTCTAGAATGTTTTTAAAT TAGCTGGGCTTGCTGCCTGCACCTGTAATTCCAGCTACTTGGGAGG CTAAGGTGGGGGATCACTCGAGCCCAGGGGGCTGAGGC	SEQ ID NO. 194
KCP_1802 37	CCTTCTAGACAAAGAAGGTAAAAATTGAAACATGTCAATGGATATC TAAATATCATTACTCACTGGCTTTATTTGCAAATGGCTTTCCATTG ACAACAGTTACATTTTGTTCAAAGCAACAAATGATTGGCGCTGACA ATCCACAGGAACATGGTGCAGTCATTAATGAATGTGCTCATTATTC CTCCCTGCCGGGAGGCATCGACTCCCGTTCTCCAGCCTGTTTTAAG CAGACAGACCTACATCTGCACCTGTGAGCTTGAACCCCTAGTAGGG GAGGGGGATGCTGATGTGATGGAGAATGAAGAATGGGCCCTGCAGG CTGACATTTTGGGAGAGTAGGTTCTGAAATTTATCCCAAAGGACAT GGAATCCTGGAAGCAGGGTTCAAGATCCTCCCAAATTTGATCTCCC AGGATGCTTGAATGATTGTTCCGAGGGTTTTGTAAATGCCAGGG GAAAACCAGGAAGCTTCTCTCCAGTTGTCTTGCCCTCCTT [C/G] T CTCCAGTCTCCATGGAGCTGACTTTGAGAATTAACCTCTGAGGGAC AGAGACCCCTGGGATGGAGAGCCAGCCCTGCTGGATCCACAAGGTG CTGCTTAAAGCACAAACACCTCTTCCCAATGACAGGTTCTGAAAGAA GGCCTTGTAGCTAGATGCACAGAGGGTTTTGTTTTGTTTTTTTTT TTAAACCTTTCAGCATCTGTCTAAAATTGCTCTGGGCTGGGTACAG TGGCTCCACCTGTAAATCCCAACACTTTGAGAGCTGAGGCAGGAGG ATCGCTTGAGCCAGGCGTTCTAGACCAGCCTGGGCAATATAGTGA GATCTCTATGTCTAGAATGTTTTTAAATTAGCTGGGCTTGCTGCCT GCACCTGTAATTCAGCTACTTGGGAGGCTAAGGTGGGGGGATCAC TCGAGCCCAGGGGGCTGAGGCTGCAGTGAACCATGATTACACCACT GAACTCCAGCCTGGGCAACAGAGTGAGACCCTGTCTCAA	SEQ ID NO. 195
KCP_1840 80	CTGATGGAAGTGGGATGTGAGAAGAAGGCAGGTTTTCTGATAACA ATTCTGTATCTTTCAAAATGCCAAATCACAGACTCAGCTTGGGA CATATGAGGACAGCACAGACTTTGGAGGCAGGTAGATTTTGGGTTG TCACGCAGACACCCACTACTATGAGACCTGGATTTCTTCTGACGT TATTGGGGATAAGAAGTGGCACCTCACCATTCTAGGAAATAGTAG GTAAGTCTTTCTGGTTGCCACTGAGGTGACTCACCTGAGACACAGT TGCTCCTAAAGTTCAAGGTTAGGAGACAATCCAGAAGGGGAGCTGT CTGTGAAGTCAGAATCTTGAAGAATGTAAGTCTTTACACAGTAA CAGCAAAGCAGACAGTGGGAACCACTACTCTGCCCTTCTTGCATCAT TCTTTTCTAGAAATACCAGAAAGCAGTGAGGGATTAAGTCTAATTC CTGGCACCTGACCTTATATCTAACAGATGCTCAGTATTAC [C/G] T	SEQ ID NO. 196

	<p>GTTGATGGGACCTCACTGGGAATGTTTTGTGTGCAGTACAAAAGGG  CAATAGATGAACTTTGGGACGGGAGCCCAGGAAAATGGCTGAGAG  GAGAGCTTATGCCTAGCTTATGCATGAGCTTGCAAAAAGGGAGAAT  ACACGGGAGGGAAGATCAGCAACAGCATGAGTTTTATAAGGCAGAG  AGTTGTTGGGAAGGAAGCAGCAGGGAGAGGGGAAGGAGTAAGTAGA  AACCTAGAAGAGATACAGCTAAGATAAGCCAAGAGAACAAAGTATT  GACTTACCAGAAACATGGAAGTCTTCTGCTTCTAATTTAGTTCCG  CATATCTGGATATGTGAATGCCTAAATCCCATTAAAGCCCAGTGGG  TTAATTATTACACTTGCTAGGGCCCCAGAGGAGAGGAAACACAGTA  AGTCAGAAAAACCTCTGGGCAGGTGAATTTCTCAGGTTTTCTTCTG  GGCAGATGGGATCTGGAATGGTAGCGTGGCATCCTGGTA</p>	
KCP_1855 79	<p>CCTTTCCAATATTAAAATAATATTAAACATTGGTAATAGTGGTACTA  AACAACTTAGGGTGTTTTTTTTTTCATTTAATAGTATATTTTTAGT  ATCTTTCCAGGAAAAGATACATGGATGTGCCACATTATTTTTAATG  GCTCACATGGTACTCCTTTTATGTATGCACTATAATTTATGGAACC  AGTTTTCTCACCGATGAGCATGTAAGTTCTTTCAGTCTTTTACTGT  TATAAACGAATGATGCAATGAATATCCTTGTACATATATATTTGTG  CGCATATGTAGGTATCCTTACAAGTGAATTTCTGAATAAATGGAT  ATATACAATTTATTTATGAATTTACCTTCTACAAGTGATTCAAGA  GAGTGTCTTTGCTCCACAGTGTGTCAATATAGTGTATTCTCAAAA  TCTGACACCAATATGTGTGAAGTGCCTGCTCTGTTCCACACTTTA  CACAGGTCTCTTATTTG [C/A] GTTAAGTTTATTTAAGAAGAGGA  AACTGGGCCTCATGGAGATCTAGGAACCTGCCCAAGGACAGGTCTC  TGTGACTCTAAGAGTGCAATCTTCCCTTTTCCCCATGTCAAGCACC  TTTCCCCACCAGGCTCACTGCTGACAATCCAGTGTACGAAGAAGGG  AAATTACCCCCACAGAGCCCCAAAAGTTTAGGACATGCCGACAGCAT  CACTCTTTTGCCCTCCTCATTCTCTCTTTTCATTTCCAGAACATTTGC  TCACTCAGTGCTGCCAGTGATACTTAGCCAGCCTGATTACCCATC  TAATAATTTCTGATACTAATATAAAAACCTTCCCAAAGACAAATATA  ACTGAGACGCACTCCAGCTTACCATAGCTTTCTGGTGGTACAGTT  TCCAGGGACATTTCACTGTGTCAAAGCAGGGACCACATATGTTCCA  GACCAGCTTGTTGGGTTTTTCACTGGGAAGTGAAGACAAATTGTTG  TCCCTT</p>	SEQ ID NO. 197
KCP_1860 48	<p>TTCCCACTTTACACAGGTTCTCTTATTTGCGTTAAGTTTATTTA  AGAAGAGGAACTGGGCCTCATGGAGATCTAGGAACCTGCCCAAGG  ACAGGTCTCTGTGACTCTAAGAGTGCAATCTTCCCTTTTCCCCATG  TCAAGCACCTTTCCCCACCAGGCTCACTGCTGACAATCCAGTGATC  GAAGAAGGGAAATTACCCCCACAGAGCCCCAAAAGTTTAGGACATGC  CGACAGCATCACTCTTTTGCCCTCCTCATTCTCTCTTTTCATTTCCAG  AACATTTGCTCACTCAGTGCTGCCAGTGATACTTAGCCAGCCTGA  TTACCCATCTAATAATTTCTGATACTAATATAAAAACCTTCCCAAAG  ACAAATATAACTGAGACGCACTCCAGCTTACCATAGCTTTCCTGGT  GGTACAGTTTCCAGGGACATTTCACTGTGTCAAAGCAGGGACCACA  TATGTTCCAGACCAGCTTGTGGGTTTTTCACTGGGAAGT [A/G] A  AGACAAATTGTTGTCCCTTTGAAAAAGCATCTTTCATCTCTCCATC  TATCTGCGATCTAAAGCAATGGGGCTCTTCTGTATGTCTTTCAAA  TGGTCTACACTGACACACGTTTTCTCTGAGCTGCCGAGAGAATATG  CCATGAGATGTTGCCAGTGATGGTTACACTCAGCTAGCAGAAGATT  AGGGACTGGTTAAACCTTTGGAGAAATTGCCTTGGGAAAAGAGGAA  ATAAAAGCAAATATTACTATGAAACATAGAGATTACCAGGTAGGAG  GAGGAGAGAGGTGGAGGGAGGGGTAGGAGTGGAAGGAAGGGAGGGA  GGCAGAAAGAGGAAGGCAGACTGGTGGAATAAAACCGTGCACTTT  AGAACAGCAGGAAGGGAGGCTTGGAAGCCTGGTTTTCTGGCTTTGA  ATGACCGCTAGCGCTTGCCGGTGCAGGAGGTGCTGTGAGGATGT  GGGCAGAGGGCGAGTCCGAAGGGCTCCAGACACTGGGAA</p>	SEQ ID NO. 198
KCP_1866 79	<p>GAGAATATGCCATGAGATGTTGCCAGTGATGGTTACACTCAGCTAG  CAGAAGATTAGGGACTGGTTAAACCTTTGGAGAAATTGCCTTGGGA</p>	SEQ ID NO. 199



	AAAGAGGAAATAAAAGCAAATATTACTATGAAACATAGAGATTACC AGGTAGGAGGAGGAGAGAGGTGGAGGGAGGGTAGGAGTGGAAAGGA AGGGAGGGAGGCAGAAAGAGGAAGGCAGACTGGTGGAAAATAAAC GTGCACTTTAGAACAGCAGGAAGGGAGGCTTGGAAAGCCTGGTTTTC TGGCTTTGAATGACCGCTAGCGCTTGCCGGTGCGCCAGGGTGCTG TGAGGATGTGGGCAGAGGGCGAGTCCGAAGGGCTCCAGACACTGGG AATAGTGGTGGTTCGTGTGCTCCTCCCTGAAACTTTTGCCTACCTC GGACTGATTGACTTGTGACACGGTAAGCGAACCTGGAGCTTCCCC GTTTTCTGTGAATGTGTTTTTGTGGCTTCGGTTGCTGTGA [C/G] A GTCGTTTCGAAAATGCACGGAATGAGGGCGGAGACCCGAGAGATT TGAAAAAGCCGGGCTGAAACAGCGTGGTATTGGTCCCCCGCTCCCC AGTCGCGCCCCAGTGCTGCGCTGTCCGTGCTGCTGAAATGTGGTGC GCCTGGGAGTGCGGGAGCCAGGAAGTTAGGGTCTCCTGCTCCGGC CCTATGAGCATGTGAGTCTTGATGGATTATTAGCTATGGGTGAGGC CAGCACAACACATCACAATTCTCTCTGAAGCTGTCTGGTAACTACG TATATTGTTGATGGAAGCCAGTGACTTTTAAAGCCATTATGTTGA TTAACTTTTTTAAAGAAGTTTAGGAGATTATATGGAGGTAAAAACC TTTGTAATAATGCTAATCACAGTGTCTGACAATTAGAACACATTTAA TAAATGTGAGTTTCTTTGCTCAACCTTATAAGAACCCTTATTCCA AAGCCACCTCCTCAGCTCTGACTTCAGCTCCATTCCTTA	
KCP_1871 16	TGCTGTGACAGTCGTTTTCGAAAATGCACGGAATGAGGGCGGAGAC CCGAGAGATTTGAAAAAGCCGGGCTGAAACAGCGTGGTATTGGTCC CCGCTCCCCAGTCGCGCCCCAGTGCTGCGCTGTCCGTGCTGCTGA AATGTGGTGCGCCTGGGGAGTGCGGGAGCCAGGAAGTTAGGGTCTC CTGCTCCGGCCCTATGAGCATGTGAGTCTTGATGGATTATTAGCTA TGGGTGAGGCCAGCACAACACATCACAATTCTCTCTGAAGCTGTCT GGTAACTACGTATATTGTTGATGGAAGCCAGTGACTTTTAAAGCC ATTATGTTGATTAACTTTTTTAAAGAAGTTTAGGAGATTATATGGA GGTAAAAACCTTTGTAAAATGCTAATCACAGTGTCTGACAATTAGA ACACATTTAATAAATGTCAGTTTCTTTGCTC [A/G] ACCCTTATAA GAACCTTATTCCAAAGCCACCTCCTCAGCTCTGACTTCAGCTCCA TTCCTTAGTGAGAATGGGGTTATAAATCCAGGTTAACCCGATTGTT TAGGATTAGAAAGTGATTGGTTTCCAACGTTGAAGGAGTTCAAGA AACAAAGAGTTTTATTTTTCTCCTTATGAGATATTGTTCCAAATA GAACACAGTTTGTCTAGATGATTTTTGTCACTTAAATTAGGCTCC AGGAAAGATTCCAAATTCATGAGCAATTGGGCTCATAAAACAAGA TCAAACCTCCAATAGTGATATCCAAAGTATGTATAATGTGTATTCTG GTGTATATTCTTCCACCACTGCATGGTGTAGACAGAATTTCTCTTC CAAGGGGCACCACATGACAAAACGTACATAATAATGAAATGCATT TGTAGACAAAGGACTAGCTAAAATACCAACTGAAAGTGGGAAGACC AGAAACTGAAG	SEQ ID NO. 200
KCP_1872 58	AATTGCCTTGGGAAAAGAGGAAAATAAAAGCAAATATTACTATGAAA CATAGAGATTACCAGGTAGGAGGAGGAGAGGTGGAGGGAGGGGT AGGAGTGGAAGGAAGGGAGGGAGGCAGAAAGAGGAAGGCAGACTGG TGAAAAATAAACCGTGCACTTTAGAACAGCAGGAAGGGAGGCTTGG AAGCCTGGTTTTCTGGCTTTGAATGACCGCTAGCGCTTGCCGGTG CGCCAGGGTGCTGTGAGGATGTGGGCAGAGGGCGAGTCCGAAGGGC TCCAGACACTGGGAATAGTGGTGGTTCGTGTGCTCCTCCCTGAACT TTTGCCTACCTCGGACTGATTGACTTGTGACACGGTAAGCGAACCC CTGGAGCTTCCCCGTTTTCTGTGAATGTGTTTTTGTGGCTTCGGTT GCTGTGACAGTCGTTTCGAAAATGCACGGAATGAGGGCGGAGACC CGAGAGATTTGAAAAAGCCGGGCTGAAACAGCGTGGTATTGGTCCC CGCCTCCCCAGTCGCGCCCCAGTGCTGCGCTGTCCGTGCTGTGAA ATGTGGTGCGCCTGGGGAGTGCGGGAGCCAGGAAGTTAGGGTCTCC TGCTCCGGCCCTATGAGCATGTGAGTCTTGATGGATTATTAGCTAT GGGTGAGGCCAGCACAACACATCACAATTCTCTCTGAAGCTGTCTG	SEQ ID NO. 201

	<p>GTAAC TACGTATATTGTTGATGGAAGCCAGTGACTTTTAAAAGCCA  TTATGTTGATTAACTTTTTTAAAGAAGTTTAGGAGATTATATGGAG  GTAAAAACCTTTGTAAATGCTAATCACAGTGTCTGACAATTAGAA  CACATTTAATAAATGTCAGTTTCTTTGCTCAACCCTTATAAGAACC  CTTATTCCAAAGCCACCTCCTCAGCTCTGACTTCAGCTCCATTCCCT  TAGTGAGAATGGGGTTATAAATCCAGGTTAACCCGATTGTTTAGGA  TTAGAAAGTGATTTGGTTTCCAACGTTGAAGGAG [G/T] TCAAGAA  ACAAAGAGTTTATTTTTCTCCTTATGAGATATTGTTCCAAATAG  AACACAGTTTGTCTAGATGATTTTGTCACTTAAATTAGGCTCCA  GGAAAGATTCCAAATTTTCATGAGCAATTGGGCTCATAAAACAAGAT  CAAAC TCCAATAGTGATATCCAAAGTATGTATAATGTGTATTCCGG  TGTATATTCTTCCACCACTGCATGGTGTAGACAGAATTTCTCTTCC  AAGGGGCACCACATGACAAAACCGTACATAATAATGAAATGCATTT  GTAGACAAAGGACTAGCTAAAATACCAACTGAAAGTGGAAGACCA  GAAACTGAAGTGTAAGATGAGGTAAGCCCTGGAGTAAGAGTCAAGA  AATCCACTTTCTATCCATAATCTGTCTCGGTTTAATGTTGGTCAAG  TCATTTTTTAAAAAATTCTAGGCTTGGTTTCTTATGATGACTTT  AGATCTCTGTTTCTTGAATTCTAGAGTGATCCAAAGGTTTCTTTG  AATTCAGTTTTGTGGGTTGAGACGGGCAGCCAGACTGTGAGTCCCT  CAGCTCTGCTTCAACCAGAACAGCTCCACTTTACTGTTGAGCATGT  TAGCCCTGTATGTAAGGATGTTTTTAGCTTTAGCTAAAATTTAGT  GACTCTATGACCCTAAGGCCCTGCTTCCCTGAGATTTTGAAAGCTG  AAGCACATTTCGGAACCTTTTCTTCTTAAATACCTGAAATC  TGACAATCTGGAAGACTAGTTCTGTCTGCTCCAGCCCTTGGTCCCT  TAGATGTGCTTTTCTGAAGATCCAACTCAACCTGCCAGTCAATAT  ACCAACTGAGCAGAGCCCTGTTCTCCACCAGATTTCAAGAGAACA  TGTTCATTCTGTTTCAGAGCTTCAGAGCAGCTTCCGCTAAGATTG  CACATTAATGCAACAGCGTCTATTTTCTTTGTTTCTTTTTTTT  TTTTTTTTTTTTTTTGATGAGACAGGG</p>	
KCP_1876 88	<p>ATTTTCTCCTTATGAGATATTGTTCCAAATAGAACACAGTTTGT  CTAGATGATTTTTGTCACTTAAAATTAGGCTCCAGGAAAGATTCCA  AATTCATGAGCAATTGGGCTCATAAAACAAGATCAAAC TCCAATA  GTGTATATCCAAAGTATGTATAATGTGTATTCTGGTGTATATTCTTC  CACCCTGCATGGTGTAGACAGAATTTCTCTTCCAAGGGGCACCAC  ATGACAAAACCGTACATAATAATGAAATGCATTTGTAGACAAAGGA  CTAGCTAAAATACCAACTGAAAGTGGAAGACCAGAACTGAAGTG  TAAGATGAGGTAAGCCCTGGAGTAAGAGTCAAGAAATCCACTTTCT  ATCCATAATCTGTCTCGGTTTAATGTTGGTCAAGTCATTTTT [T/A  ] AAAAAATTCTAGGCTTGGTTTCTTATGATGACTTTAGATCTCT  GTTCTTGGAAATTCTAGAGTGATCCAAAGGTTTCTTTGAATTCAGT  TTTGTGGGTTGAGACGGGCAGCCAGACTGTGAGTCCCTCAGCTCTG  CTTCAACCAGAACAGCTCCACTTTACTGTTGAGCATGTTAGCCCTG  TATGTAAGGATGTTTTTAGCTTTAGCTAAAATTTAGTGACTCTAT  GACCCTAAGGCCCTGCTTCCCTGAGATTTTGAAAGCTGAAGCACAT  TCGGAAAACCTTTTCTTCTTAAATACCTGAAATCTGACAATC  TGGAAGACTAGTTCTGTCTGCTCCAGCCCTTGGTCCCTTAGATGTG  CTTTTCTGAAGATCCAACTCAACCTGCCAGTCAATATACCAACTG  AGCAGAGCCCTGTTCTCCACCAGATTTCAAGAGAACATGTTCCAT  TCCTGTTTCAGAGCTTCAGAGCAGC</p>	SEQ ID NO. 202
KCP_1893 31	<p>CTCTAAAATTTACCTCTGTTCTGTACACCAAGTACCTCAGCAAG  TAATCCAGTTCAGATGGGATCTGCAGTCTGCCATTAAGTCTTTAC  CACATAGGCTCTTATGCTAGAGCCCTTACCATATGGTCCAAAAT  GCCATTTTTAATGTGTATTTGATATGGAGACTCTGTTCACAATTTG  AGTACTAAAGAGAGAATACCACCTCCTAGTAGATACACCAAGACCA  ATGTAATGCTGTCTATTCTAAGGAGAGCAGTGAACATCTCCAAAGA  ACCCATCTGTAGTCTTCTTGGGCCCTTGATCTTATTCTATTTTA  TTTTTAAGGTTTTTTTTTTTTCTTCGAGACTAAATCTCACTCTAT</p>	SEQ ID NO. 203

[illegible]

	CAGACCTCAGG	
KCP_1939 56	<p>TTATAATAGGTATATTTATTAAGCTCTTACCATGTGCCAAGCAAAG  TTCTTTATATACATGATATACCTTCATATACATTATTTTCATTTAGTC  CTCATGGCTACCAGGTGAGCACCATTATTTTCCCATTTTACAGATG  AGGCACAGAGAAGTTAAGCCACTTACCTAGGAAGGGCAGTCCTAGT  TAAGAAGCTGGGATTCAAATCCAAGAGGCTGGATTCCAGACCTCAG  GCTCTATTATGAGAAGTACCTAAATAGAGATTGGTTTAAACCAAAGC  CTGAGTCCCAACTAAGGGCAAGACTGTGACACAGAGGTCACATAATC  AGAATGAAAGATTGAGCCAGAGTTGAGTTGTTGGAATGTATTTTGG  TACATTTAGGTTGTTTTAAGTATATCAATCTCCATTCCACTCAATG  GTTGAGTTCAGTTTCAAGTTTTCCAAATGCTTTATGGGAAAGTCAT  ATTTTTCTCCCATTTGCAGCAGGGATGCCAGCGCAGCCATG [C/T] T  TCTCAACCACCAAGTAGAAGCAAAGCCAAACTGACCCAAGAAGATG  AACAGAGGGAATCCAGGGAGTTCCAACCTGGGTTTCACAGCTGCAAT  TCTCAAAGGATGGACTAAGCCATGTCAACCCCTCCAGATAACACAGT  CATATTAATAGTGACCTTTTGGAGGCTCCCTAAACAGCAGGTGAA  GTCCCAAAATCATTAGATTATTCCTGGCCTCAATTGTGGCCAGAG  GGAGAGCCCTAAGATTTTTCCATGGGAACAAAGATCTAAATCTGG  GACTATCTGGGCCATGTCCACCCCTGCACCAATTTACTACAAATGGG  CTGATCCTATGGAAGCACACTACCTGTGTTGTGGTCATATAGATCA  TCACCTGGCTTCTCCAGGGCTAACCAGTTAGCATGGAAATGGGACA  CCCAAGAACAAAGAGGATAGAAAGAAGGGAAGGGTGGAAAGAAGGAA  GGAAGAAAGGGTGGGAGGGAGGGAAGAGTGGTAGTTTTG</p>	SEQ ID NO. 206
KCP_1946 16	<p>TCCTGGCCTCAATTGTGGCCAGAGGGAGAGCCCTAAGATTTTCC  ATGGGAACAAAGATCTAAATCTGGGACTATCTGGGCCATGTCCAC  CCTGCACCATTTACTACAAAATGGGCTGATCCTATGGAAGCACACT  ACCTGTGTTGTGGTCATATAGATCATCACCTGGCTTCTCCAGGGCT  AACCAGTTAGCATGGAAATGGGACACCCAAGAACAAGAGGATAGAA  AGAAGGGAAGGGTGGAAAGAAGGAAGGAAGAAAGGGTGGGAGGGAG  GGAAGAGTGGTAGTTTTTGAAGGAAGGAGGGAATCAGAGCTAAAGA  TAATACATGATATGAGTCAGTGTTCAATGTCCCTGAAGATTAGGGG  AATCAAGCTTTGCTTCCAGGAGAATTAACACAGGAGAGCCAACAGA  GATGTGGAAATTTAGGAAGTCAGAGGAGACATTCTTTCA [T/C] TC  ATTCATTGCTTCATTCACTTGCTCATTTTTACATGAATTGAC  TCTAGAACAGATGCTGGAGATACAAAGATGCATGAGACTTGCCCCC  ATCCTCAACAGTCATTACAGTCTAATCAGAAAGAGAGCCTTGAT  TTGGAATACAATATGGAGTAATAATACCTCTGTGTTGAGCCTGCAC  AAAATACTCTGTATGCATGGTCATATGTCCCTTGAAACAACCTTTAT  GAGGAAGATACTACTATAGTCTCCATTTGACAGATAAGGAACTGA  GGCTTAGGGAGGTCAAATAACTTGCCCAAGTAAACAACCTAGTAAG  TAGCTGAACCACAAAACAGAGATTATGCAGAAAGCTGTACAACAG  AAGAAACCAGGACTACATCTGCCTCAAAGGAACCAGAGAAGGCTTC  CAAAGAAGGCAGCATTTTAAATGGGTTTTGAAGGATGTATAGCA</p>	SEQ ID NO. 207
KCP_1965 48	<p>CCCAGCCCTCAGGCACATCAGTGCCCTCTCTAGGCTCTCTCTCACC  AACTTTAGAATTGAATTACATCAGTTGTTTCCAGATGGTGATCTGC  AGAATTCTTTTAAAGACCACCTGTGGGATTTGAGGGAGGAAACTA  CACTCTCCAATCTCCCTCTTTAACCCAAGCATCTGATTGCTTTTCA  TCTGTTTTACATACTTAGCTTCTGTGCACAACTTCTTTGATTAAA  GAGTTCCTTGCCCTTTATAGTAGTGGATGATATCTAAGGATGATGTA  AAATACTGGGTGTAGCTAAGGTTTTTACCAAACCTAAAGCCTTTAT  GCTTCATAATCCACTTTATTGATGTAGGAAGACAAATGATAGACT  TACTTTCAAGGTGGATAGAAGGGATGCGACCTAGCCAAGGCTACAG  CATTTCTCT [A/G] TGGCACCCTGCCATGACAACCATCAGTTTGA  ATGCCCTTATGGGTGCATCCTATGGGTTATGCACTGGCCCCAAGCCA  TAACCCCTAGGACTCTAGAGCCAGCAGCAACACAAAACACTGAAT  TAATAATGAGTGAGATCTCTGTTCCCATAGCTGCCACAGGCTAAAT  AAGTTGAGGGGTATTGTAAAACCCAAGATGAGATCACTGAGCCTC</p>	SEQ ID NO. 208

	TGGTATCAAAAAGGTGTATTTACAGAAATGTTTAGTTGGACGAGAG CTTGAAGAGCATGGAACGATCTGGTATCATTCTGGTCAAAGACCA GAATTTAGACCCAGTTCTGCCATTTGCTGACTAATGACTTTGGGC AAAATACTTAACCTTCTGAGAGTTAGTTTCTCATCTATAAAGTG GGGTAATATAACCCACCTTGCAGGATACTGGTAGGATTA	
KCP_1976 78	AGCAGGGTCCCCTGAGCGTTCCTCCTCAGCTCCCAACACTTCCCTC CAGGCACCAGTATGCAGGGCAAGGTCTGGAGGGGGCGCCGAAACA CCACTCGAGATCCTCACTCTCAGGAATCAATATAGAAAACACATT AAGACCTGTTTACATGGAACGCTGTTTATAATTATTGTTCCCTAT GGGATATTCCCCACTGCTTCTCCCAATCCTCTTTTAAACTGCTCAA CTAATAGAGTTTTCTGGCTTCCCCAGGGAGACATTACAGATGCT AATAGAGACATAATTCAAAAATTGCTTGATATACATGCCCTCAATT TTCCCCAAGAACCACCTAAGTAAAGAGCCCCAGACATGCAACACAT TCATTGCCAGATGCAATTTAACATGCGTGGGATTAAATATACAGG CTACTACAGCCAGGTTGTCATCAAGCAGCAGCAGGCATGGCATTTT ATCCTAAGGTACCACCA [T/C] GGCCAAATGCAACAGGAAAGAAGC AGGCTGCTGGGTGGGACCCCTGGAAGATCCCCTCCTCTGTAATTT CACTGCAAGCTTTTCCAGGCCTTTTCAGGCAAGCGGGAGTTTT GAAAATAAATCCCCAGGCTTGGAGAAGCAAAGAATCAATGCTAAG CAGCTCCGAAATAATAGCTTCCATCTCTCTGATATATAAAGAGGA TAAGGAAGGCAGAAAGAAGGGGCATGATATTATGAGATTGCAACAA TACATTGCAACATTACATTAAAGAATTACAGAAAGCAAGATCTAGC TTCAGATGCCAGTTCATGCACTTACTCCCTGTGTGACCCTGGGAAT CACTTAAGCTGTCTGAGACTTAGCTTGTCTAATGACAACTGGGGA TACTAATATCACCTCCCAGGATTGTTGGGAAGGTAAATGGAGATTG ACAAATGTGAACACACTTAGTATGTCTTT	SEQ ID NO. 209
KCP_1977 75	TGTTTACATGGAACGCTGTTTATAATTATTGTTCCCTATGGGATA TTCCCCACTGCTTCTCCCAATCCTCTTTTAAACTGCTCAACTAATA GAGTTTTCTGGCTTCCCCAGGGAGACATTACAGATGCTAATAGA GACATAATTCAAAAATTGCTTGATATACATGCCCTCAATTTTCCCC AAGAACCACCTAAGTAAAGAGCCCCAGACATGCAACACATTATTG GCCAGATGCAATTTAACATGCGTGGGATTAAATATACAGGCTACTA CAGCCAGGTTGTCATCAAGCAGCAGCAGGCATGGCATTTTATCCTA AGGTACCACCACGGCCAAATGCAACAGGAAAGAAGCAGGCTGCTGG GTGGGACCCCTGGAAGATCCCCTCCTCTGTAATTTCCACTGCAAGC TTTTCCAGGCCTTTT [C/T] AGGCAAAGCGGGAGTTTTGAAAA AAATCCCCCAGGCTTGGAGAAGCAAAGAATCAATGCTAAGCAGTC CGGAAATAATAGCTTCCATCTCTCTGATATATAAAGAGGATAAGGA AGGCAGAAAGAAGGGGCATGATATTATGAGATTGCAACAATACATT GCAACATTACATTAAAGAATTACAGAAAGCAAGATCTAGCTTCAGA TGCCAGTTCATGCACTTACTCCCTGTGTGACCCTGGGAATCACTTA AGCTGTCTGAGACTTAGCTTGTCTAATGACAACTGGGGATACTAA TATCACCTCCCAGGATTGTTGGGAAGGTAAATGGAGATTGACAAAT GTGAACACACTTAGTATGTCTTTACATAGTAGGTATTCAATAAACT CTTCTATATATCTTCTTTCTGAAAATCTGAATATGGGGAGCATG GATATG	SEQ ID NO. 210
KCP_1989 33	GTCCCCACCACTCCTTTTATTGCAGAGGGAATTGACATTCAAGGA ATGGAATGCCAGCCAGAAATTGGGGATGTGGTCTGGGAACCCAG GTCTCCCATCCCACTCCCTCGCCCTCTACCCCTCCCGCTGGTCA GTGTTCTTTGTCTCTGCTGGCATCCCTGGGGACGGGCCAGCCCC ATCCCCCGACACACACATTGTCCCTTCAAGATGGAGCCAGGCT GACACCACGTAGAATGACCTGGAAGCCCCCACTCAGTCTACCAGTC CTCCCTCCTCACACAGGAATAGATGGGAGGGAAATGAAATAAGCTG CCATCTGCTGTGCATCCTCTGTGTGCCATGCTCTGGGTACCATCT AATCCTCGTGAAGACCCTGAGAAGTGAGTGTCTTTCACAGACTAGG CAACACCAGAAGGCAG [G/A] TGAAGAACGTACAGAAGCTACAGAG TGCACAGGTGACAGGTATGAGAGCCAAGCCATTCAAACCTCCCTGGG	SEQ ID NO. 211

	TATAGGACCCAGCTCTTCCACGTCTCTGCCTTTACCGAATCAAAC ACCTGAGCACGGAAGACCCTCCATCAACATGAACTGCTTTGAATTG ACATGAACAAGCTTCAATCAAACATAAAATGCTGAAATTTTTCAAT TATAGAAAAGTATTTGAAAGATCCCATAAATCCCCCTGTCATATCAC GTGAGCTGCATTTACTGCAGCAGACACTTTTTATCTCGGGCTTGGA GGAAGGATTAGCAAGAAGAAAGTGGAGGGGGTCTGAGGAAGGGCTG GCAGCCTAGAGGAGGACAGCAGCAAGAAGCAGGCTGGAGGCAGTTC TGTGCTGCCGGCCTTCATGGGTGTGGCCTTTGGACAGCACCTTAGC AGGAATGTGGTGGAGAGCAGCCCCATTCACCTCCAGAGGAGAGC	
KCP_1993 65	AAGACCCTGAGAAGTGAGTGTTCTTCACAGACTAGGCAACACCAGA AGGCAGGTGAAGAACGTACAGAAGCTACAGAGTGACAGGTGACAG GTATGAGAGCCAAGCCATTCAAACCTCCCTGGGTATAGGACCCAGCT CTTCCACGTCTCTGCCTTTACCGAATCAAACACCTGAGCACGGAA GACCTCCATCAACATGAACGTGTTGAATTGACATGAACAAGCTT CAATCAAACATAAAATGCTGAAATTTTTCAATTATAGAAAAGTATTT GAAAGATCCCATAAATTTCCCTGTCTATATCACGTGAGCTGCATTTA CTGCAGCAGACACTTTTTATCTCGGGCTTGGAGGAAGGATTAGCAA GAAGAAAGTGGAGGGGGTCTGAGGAAGGGCTGGCAGCCTAGAGGAG GACAGCAGCAAGAAGCAGGCTGGAGGCAGTTCTGTGCTGCCGGCCT TCATGGGTGTGGCCTTTGGACAGC [A/G] CCTTAGCAGGAATGTGG TGGAGAGCAGCCCCATTCACTCCAGAGGAGAGCCTCAAACCTTCA GGCAGATCTAGCCTAGGTAGAATCTTGGCCTGGCCCCCTCCGGGATG ACAGGTGCCATTGCCCAAGAAATGGGGAAAAGGCTGAAGTGCTCCAG CCAAAGACCCCAATTTATCTTCAGGACAATTTTCACTGGAACCTT GCCTCACCACTGCCCACCTTTTTCAGAAAGTAATTAGAATGCTAATCT ATAAGAAAGATGACTATTAAAAATAAATTAATAATAGATAATACAT TTTGGCTTACAATTTTGAATAATATAGCCATCCCATCTTAAAGTAA AAATTCATATATTTTAAATAAGCCTGAGACATGTTTTTCAATGAAC CACAGATGGTTTCAATTTTATTATCTTATAAAGAGACATTATGGGCA AGTGTTTTTTAAATGGTAAACAGAACCTTAGAGCAGCTCTCTTT T	SEQ ID NO. 212
KCP_2002 41	GGCAAGTGTTTTTTAAATGGTAAACAGAACCTTAGAGCAGCTCT CTTTTGAAGATCTCTAAGCACTTTCTAAGCATCAGGACCCCTTCT GTCATCACAGAGACTGAAATGAGGAGATGGTCTCTGTACCCCCCTC ACTCACCAGTGAGCCCCAGACCTTCATCCCTGATCAGATGGAAGCA GTGTGGCATGATTACAGTTCATATTTCAACTCTGCCACTCAATGAC TAATAGCCAAGCACTAATAATGCAGAAAATGTAAATTTAAAAATA ATCTTCCTGAGATTGGTTATGAAATGCACTCAACACAGCACCATCC ACAGAGAGGTTCTTTTTAATTGCTCTTTTCTTCTCTCGACACCC AGAATCACAAAGCATGCCTGAAAGCGTCACACATATATGTCTGTGA CCATAACATGGCATTGCACATGCAAAGGAAATAA [A/G] TAGGTGT TACCCATGTGACAAAGGTCCATGAGCTCTGTCCGCAAAAAGCTGTT GAGTTTAAAGAACAATAATTCTGAAAAATCTCCAGGAGATGAAA TTTGTAGAACTCAAGGCGAGTAAACTAGCTGCTTTCCAAGGACTTG TCATAGCTTTATTGACTTACAATAGCCAAAGATAAGTCAGTATTAA TCAAACCCATTCTCTAGAAAAACCTCATCATCACTGGGGCCAGGGC AGAGAAGTGTGACACAGCTCTCTCCAGCTTCCCCACTTCACAGCAT GGTTCCACCATCCACCCAATTGCTAAAGCCTGGATAGTCTTCTTG TCACCTCCCGATCCCTTCTCTAACACCCATCCCCCGGCCACCCAA CATCAGCAAGTCTGGTGGTTTCTCTCTGTCTCACAGAGATTCAAGATC TTCCC	SEQ ID NO. 213
KCP_2019 85	TCGTAGTGTTTCATAGACTCTCCTTCCTTCTAACTTAAAGAGGCT CCTTCTGGTTTTTCTTTCATACACTTCCCTCACTCTTTTCTTTCAC TGCACTAAAGATGATTCTAATTGCATAGTCATTGATGCCAGTATT TGTTTATTGTGTCTTCTGCTGAACAGAGGATGGGCCTGACTTAT TTGGGACCATGTTGCTGATGCCTGGACCTAAGCCTGGCACAGAGTA GGAGCTCAACAAATTTGTTAAATGAGTGGCTGAATGGCCATACTCT	SEQ ID NO. 214

	CAAAGGACCCACAGTCTAGGAGAGACAGAAGAATCTTTGTCTTTT GTCTTGCACTGGGATGGAAGCTGCAGGGAGGGGTCTTGTCACATTG ATACTGTCTGGGAAGACAGAAAACTTCAGTTTCAGAGGAGGTAG CCCTTGAAAC [G/A] AGATTTGAGAGAGGGCAGCACATTGTACAAC TCCATGGGCACCATGCACATTGTAGTCCAGATAAACAGAGCCCCTT GGAGATATGTGAGGCATGGGATAGACTCAGAGAAACCCAGGAAATA ACCCCTTCAGGCATCTGACATGCAAAGATGTGGAAGTGTCAACCAG GAAGTCATGTTGGGGGAACAGCAAGTATTTACAGAAAGTGACTGTG TGTGTCTGTGTAGGAGGGTGACTTTGTATAGGAGAGATAAAACCTG TGAGCTAATCAAGGAGAAGATCATAAAAGACCTTCATAAAGAGCAT GGCCTTTTTCTGCAAGCAGTGAGGAGCCATTGAAGGCTTTAGCAT AAGGACAGTCAGATGTACTTCCCTAGAATGCACATTTCCTTCTGCT CCAGAACTTCTGCACAGGAGGCTCCTAAAAGCTCTCCCCATCCTCC CTGTACACGTAGAATCTGCCTCTGTCTCTCTTTCTCTCT	
KCP_2020 67	CACTTCCCTCACTCTTTTCTTCACTGCACTAAAGATGATTTCTAA TTGCATAGTCATTGATGCCAGTATTTGTTTATTGTGTCAATCCTGC TGAACAGAGGATGGGCCTGACTTATTTGGGACCATGTTGCTGATGC CTGGACCTAAGCCTGGCACAGAGTAGGAGCTCAACAAATTTGTTAA ATGAGTGGCTGAATGGCCATACTCTCAAAGGACCCACAGTCTAGGA GAGACAGAAGAATCTTTGTCTTTTGTCTTGCACTGGGATGGAAGC TGCAGGGAGGGGTCTTGTCACATTGATACTGTCTGGGGAAGACAGA AAACTTCAGTTTCAGAGGAGGTAGCCCTTGAAACGAGATTTGAGA GAGGCAGCACATTGTACAACCTCCATGGGCACCATGCACATTGTAG TCCAGATAAACAGAGCCCCTTGAG [A/G] TATGTGAGGCATGGGA TAGACTCAGAGAAACCCAGGAAATAACCCCTTCAGGCATCTGACAT GCAAAGATGTGGAAGTGTCAACCAGGAAGTCATGTTGGGGGAACAG CAAGTATTTACAGAAAGTGACTGTGTGTGTCTGTGTAGGAGGGTGA CTTTGTATAGGAGAGATAAAACCTGTGAGCTAATCAAGGAGAAGAT CATAAAAGACCTTCATAAAGAGCATGGCCTTTTTCTGCAAGCAGT GAGGAGCCATTGAAGGCTTTAGCATAAGGACAGTCAGATGTACTTC CCTAGAATGCACATTTCCTTCTGCTCCAGAACTTCTGCACAGGAGG CTCCTAAAAGCTCTCCCCATCCTCCCTGTACACGTAGAATCTGCCT CTGTCTCTCTTTCTCTCTCCTCCTCCTCCTCCATCTCCTCCTCTC CTCCTC	SEQ ID NO. 215
KCP_202 795	GCTCCAGAACTTCTGCACAGGAGGCTCCTAAAAGCTCTCCCCATCC TCCCTGTACACGTAGAATCTGCCTCTGTCTCTCTTCTCTCTCTC CTCCTCCTCCATCTCCTCCTCCTCCTCCTCCTCTCTCTCGTG TCTCACACACACATACACACACTCCTTCCTTCTATCTAGTCAG ATTCCACTCCTTGGGATTTCAAGGCCACCGTCACTCCTCAGGGAAG CCTGCCCTGAATGCCTGCACTACACCAGGGCCCCCTTTCCCCTGCCC CCATCCCAGAGCACCAATAGCTTTCCCTTGCACTCTCTCACAG CTGTCAATTTATGTTTGTGTCTGTGATTCTTAGGTAAAGTCCCTCA TGCACCAAATCATAAGATCTGGGAACAAGGACCACACCTGTCTTG [C/T] TCATCACTGTAATCATCACTGCCTGCCAAAGTGCCTTGCA CATATTAGATACTTAGTAGTTATGTGTTCCATGAATGACTCTTTAA GAGATCTTCTAGCTGTTCTTGCAAAGAACCCATTGGTAAGGTTGAA CCTACAGGCTGATACTTTGCACTAGTCTCAGGAAGAGATGGTGAGT ACATGAAATTGAGTCCCCCAGAGGTTAATGCCAGTGCCCCAGCTA GGAAACGTCCAAGGAGGCAATTTGAACCCCATCTGTCTGGCTGCAG AGCCTAGCCCTCTAATGCATTCAAGGGTCTTAGCTCCTCGAGGATG CCACTGTGCCGTGAACCTTCTTTCTGACCCTCATGGCTCCCAGCACA GCATCCACACTCAGAAGTGCAAGATGAATGTTTGAGATAATGAAC ATAAAGCTCTCAGGAACCTCATCTCCTGAGAACTGTCTTTGGCCC CCACAGCAGGTCTGGGTGTGGACCTTCCCCA	SEQ ID NO. 216
KCP_2042 42	GTGGCAAAGTTGGGATCTTAACCCAGTTCTATGTGGCTATAAAGTT CATGGAATAGAATGCTGCAGTTAAGAACATGGGCTTTGGCATCAAG CAGACCTGTATTTGAGCCCCACCTCTGCTGTTTATTAAGTGTGGCC	SEQ ID NO. 217

	<p>CTGGGCAGATGACCTTACATCCTTAAGTCTCTAGTTCTTTGTCTTT  AAAAGGGTGGCAGAATGTACCTCACTGGTTTTAGGAAGGTCACATG  AGATAGTGCACATGAAGCCCTAGGCATGGGAAAATTCTTCTAAAT  GTCAGCTGCCATTCTGATCACTGCAAGACCCCCACCCCAATACTC  CCAATTGTACCCCCACCCCACTACCAGTGTCTCAGAAATGCCT  CCTCCAGAAGGAAGGCATCCTGTCTAACCCACTGCTTCTAGCCAAG  CTGTCTTTCTTTCAGAAGGTAGAAAAAGATTGTTAGTCATTGTTTAA  TCTTTATTGAGTATATACCGCCACACCAATTGCACTGCCA [C/T] T  CATTATCTCATTAAATCTGACAAGAGCCTTGTAAGTAGGGATTA  TTCCCAACCATTTCCAGATGTTGAACTGAAATTGATAAACCGAC  ATGTTGCCATGGCTACATGAAGATCTCCAAGCCGGAGGATCTCCAC  CCTCACCTGCCTAGCTTCCCAGACCTCTCTGCAGAAAAGGGACTGA  CCCCAAGACAGCCCTGGCCTCTGGGCTCCACCCCTTCCACATCCA  TCCCAGGGCCGCTGAGGACTGAAGAGTTCTCCACGTTTGCCTTTA  AAGTGACTTAAAAATAATCTTTATGAATTTCTTCATATACAAAATT  TGTACTIONTACTCATTGCAGCAAATTTAGAAAATACACATAAGCAAAA  AAGAACGTAACAGCCATCCATAACCCCTAACTCTCAGAGATCACCAC  TATTAAAAATGTTTATTATCTAAGAGAGAGATGATATAGACAAAGAT  GAGACAGATTGACACAGAGAAGATGGGTACATGATAGAT</p>	
KCP_2062 67	<p>TGCTCAACTGTAATCAAACATTATTTTTAAAAAATCATTCCAGCCT  GGGAAACAGTGAGAAACCCATCTCTACAAAATAAAAAATAAAAAATT  AGCTTGGCATTGTGGCATCTGCCCGTGGTCCCTGCTACTCAGGAGG  CTGAGATGAAAGGATCACTTGAGCCTGGGAGGTTGGGGCTGTGGTA  AGCCGTGATTGCCCCATTGCACTCCATTCTAGGCAACAGAGTGAGA  CCCTGTCTCAAAAAAATATTATTCAATTTAATATCTGTTGCCACCA  CAGGACTGATCCCTCTGTGAGGGCAGAGATTGTTTCATGCATGGAAT  TGTGATTTATAAGCACTGGCTCTGGAGCCAGGTTGCCTGAGCACGG  AGCCAGCTGTGCCCTGCGGGACACCTGTGGCACACTTCACTCCTGG  GACACCTGGGACACGCACACAATAGAAATGTTTACATTTTACTAGG  CAATGCCAGTCACATAGTCCTACCTAATTTCAAAGGGTA [A/G] A  AGGTACACCCAACACGCATCAGGAAGGAGGAGGACCAGAAATTGTT  GGTGACAAGCACAAATGACCACCCCAATATAATATTTGTTTGGAA  GGCATTTTATTCCACAAAAACAACATTACAATAAACACAACAACAA  AACACTGGTTGCAGTAGAACCAACTTTCCAGACCTATCTGCACAGC  ACAACCATTATCCCACTCAAAATGTCATGTTTTTACCCAAAACATT  AAAATTTTAAAAAGCAATTCAAACCCATAGCTTAAAAAATGTTCCAA  CCAGTAATAAAAGGAAAAGTGTGCCTCCTCCTCCCAACTTCCCTAC  CCCACAATCGCAAGATATTATCCTTATAGGCGAAAAGGGTTTCAGG  ATTTGAGATGCAGGCTGGGAGGTCTGAGAAGACTTCCTATAGAAGA  CATGACTTCAAACCTTTCTTGTATGTGAGATTTAATTTTCAAAGA  CTCCTCTGATCCAACCTTAAGCTTTATGGTAAATCACCTT</p>	SEQ ID NO. 218
KCP_2076 61	<p>ATATGCCAGCGCTCTATCTGCAGGGGTTCTTTTGATAGCAGCAGAC  TGAGAGATGATGTTACTGTCCCTTTTTCTGTTGTTGGCAACTGA  GACTCAGAGGATGGAAGTGACTTGCTCAGGTCCACCACCTCTTCAG  CTGTGGAGCTGCGACAGGAGCCTTTGTTTGACTIONTCAAAGCTCACCA  TCACTCCTCTCTCACTGATGCTCAAGTGGGCTATCACCTCGCCTTT  CCTGAGCCTTCCTTCGCTATCCTAAAACAGCGCCTCCCGAAATCAC  CACTAAAGAACTTATTCATGTAACCAAACACCAGCGGTTCCCCTAA  AAACCTATGGAAATAAAAAATTAATAAATAAAACAGTGCCTCCCATG  ACCCATGTCTCTCCAGTCCCATAACTCTGCTCTATTTCCATTACA  GCTCCATCCCCACCTTTATGTCTTTTGTTCAGTCTTTATCCCCAG  TGCCTAGAAGAGTGCTTGGCACCTAGTAGACACTCAGTAA [C/G] T  ATTTGTGCAATGAGTTAATAAGGTTGTGAAAAGAACGTTAGATTAC  TGGAAGGATTCACTGAGTTTAATTCTGCTATGCTGGGAATCCAGT  GTGCGGCCTTGGATGAAGCCAGTTCCCTCCTGGGCCCCAGTAGCC  ACATCTGTACATTTAGAGGGCAGGAGAAAAGCCACACGCTCTGTGA  CTTATACAACCTGTTGCCAGAGTGGAGGCTGCTTTGATGCTCAGA</p>	SEQ ID NO. 219



	AAAAAGAAACAAACATGGAAATGCTAAATGGGTGGCAGAGAGCTTG AGGGAGGAAGGAGATGGGGAGGGTACTCTTGAACTGTTTGGTGTC TTCCCTCCTGCCCCCTCAGTACCAATTGTCAAGTACAGAAAGTGAA GGAGACTTGATTAGTGAATTTGGTCCCTGACTTGTTATAGAGAC ACAATTACAAAGACACAAGAGTGGGCCCAGCAGAGACCCCTAGGGT GGTCCCTTGAGGTTCCAAAGCATCTGCCCCATCAAGCAGA	
KCP_2079 65	CACCAGCGGTTCCCCTAAAAACCTATGGAAATAAAAAATTAATA AAAACAGTGCCTCCCATGACCCATGTCTCTCCAGTCCCATAACTCT GCTCTATTTCCATTACAGCTCCATCCCCACCTTTATGTCTTTTGT TCACTGCTTTATCCCCAGTGCCTAGAAGAGTGCTTGGCACCTAGTA GACACTCAGTAAGTATTTGTCTGAATGAGTTAATAAGGTTGTGAAAA GAACGTTAGATTACTGGAAGGATTCATCTGAGTTTAATTCTGCTAT GCTGGGAATCCAGTGTGCGGCCTTGGATGAAGCCAGTTCCTCCCT GGGCCCAGTAGCCACATCTGTACATTTAGAGGGCAGGAGAAAAGC CACACGCTCTGTGACTTATACAACCTGTTGCCCAGAGTGGAGGCTG CTTTGATGCTCAGAAAAAAGAAACAAACATGGAAATGCTAAATGGG TGGCAGAGAGCTTGAGGGAGGAAGGAGATGGGGAGGGTAC [C/T] C TTGAACTGTTTGGTGCTTCCCTCCTGCCCCCTCAGTACCAATTG TCAAGTACAGAAAGTGAAGGAGACTTGTATTAGTGGAAATTTGGTCC CTGACTTGTTATAGAGACACAATTACAAAGACACAAGAGTGGGCCC AGCAGAGACCCCTAGGGTGGTCCCTTGAGGTTCCAAAGCATCTGCC CATCAAGCAGATGATGTGATTAGTCTCTGTGACCCCAAGGATGCCT CCTGAAATTGCTGATTCAATTTCTCCTAATAAAATAGGAACAATAA TTAGCTAATAAGAAATCAACAATTAAAGCTATGAGAGAATTAAGTG AGATCATGTAAGCAAAGTACATGTACAGTGTCTGCAAAATAGGCA GTGCTCAGAAGTGTACCTTTCTCTTTCTCTCTGAGCCTCCGTC TTCTCTTCGGTAAATGAGAATAATATTATGCATACCTCAGAGGG TTAAGCAATGTGAAAGTACTCTGTAAAGTATAAGGCTGA	SEQ ID NO. 220
KCP_2115 25	GAGATGATCAACAGTCTTTCATCCAGAGGGTTGTGTTTGTGTTGG CCATTACCTTTAACATAAAACGATCATATTTACTTTATCCTATTCA TGTCACCTCAACTGACAATTGAGTTGTGTCTCTGACAATAAATA GCAGAAAAAGGAAATCTTCCTATACTGAAGAGAAACACAATTAATT AACTAGATCCATCAGGAAAGGTACAATCATGATTGAGACAGTGTTT AACAGATGTGACTATTGGATTCTGTTGTTGAGAATGACCCCTAAAA TCACAGTCAAAATATACGACAAGATGGAAATAACATTTTGTAGCAC CTACTATGCATGTAGAGCATCTTACATACCTTATCTCACTTAGATT TACAGCTGCAAGGTGGGTATGATTCTAGCTTGAAATAGTCTAATAA CCATATACCTCCTAGGGGCAGTGAGATGATTAGATCAATTCTAAAA CTATTACCATGCTCTCTGAGCTCACCAGACAGGCAGTTA [A/G] T ACAAGGATACATTAATACCGAATCCAGCAAAAGCTCACATGGCCAG CTTCCATTATGTTCCATTTGTGATTATTCTGTATCAAGCACAGAA ATGTATGTTACACGAACAACAAAGAAGGGGTTTATTAGTGTGGAT TACAGGGCCTAAGCCTACCCTCTGAACTGGTTTTGGAGTCTTTAG CACGCTTGTTTGGGACAGTTAAACATGTGCCAGCTATTCTAAAACA GTAGCAGTAATGTGATAGAGCTGGGTCATACCGTGCTTCCCAAAGT ATGATCACTTCATTTCAACAACCTCACACTAACAGCCTGAACTGGG CTGTGAAGGGAATATTTAGACCAAGGAACTGGAAAACTGTATCAA TCAGGCTTTTCCACCCTCCCCAAGAGCCAGTTGTCAGATATCTACC AGCCTACCAACGCTAGCTCTCTAATCAGAAACCATCACTTAGCAAG TTCCCAAATTATCTGCAGAGCAATGAACCTCCTCTCTTC	SEQ ID NO. 221
KCP_2118 50	CTATGCATGTAGAGCATCTTACATACCTTATCTCACTTAGATTTAC AGCTGCAAGGTGGGTATGATTCTAGCTTGAATTAGTCTAATAACCA TATACCTCCTAGGGGCAGTGAGATGATTAGATCAATTCTAAACTA TTACCATGCTCTCTGAGCTCACCAGACAGGCAGTTAATACAAGGA TACATTAATACCGAATCCAGCAAAAGCTCACATGGCCAGCTTCCAT TATGTTCCATTTGTGATTATTCTGTATCAAGCACAGAAATGTATG TTCACACGAACAACAAAGAAGGGGTTTATTAGTGTGGATTACAGGG	SEQ ID NO. 222

	<p>CCTAAGCCTACCTCTGAAACTGGTTTTGGAGTCTTTAGCACGCTT  GTTTGGGACAGTTAAACATGTGCCAGCTATTCTAAAACAGTAGCAG  TAATGTGATAGAGCTGGGTCATACCGTGCTTCCCAAAGTATGATCA  CTTCATTTCAACAACCTTCACACTAACAGCCTGAACTGGGC [C/T] G  TGAAGGGAATATTTAGACCAAGGAACTGGAAAACGTATCAATCA  GGCTTTTCCACCCTCCCCAAGAGCCAGTTGTCAGATATCTACCAGC  CTACCAACGCTAGCTCTCTAATCAGAAACCATCACTTAGCAAGTTC  CCAAATTATCTGCAGAGCAATGAACTCCTCTTCTTCAGAAAGCAGG  CTGAAAAGATACACTGTTTCACATCTTAGCCTGACCTGGACCCAGTGA  GTTTCCATCAGTGAGAAAATTCTGTGCTAACTTGAGATAACTAT  TCTTGTGGCAATTTTACTTTTCCCTTTGAGCGATTCTTCAACCTCT  CTCTGCCCTTCATTTTCCGTCTTAAACTAAAAGTGCCCTTTCT  CCCTGGACACTCCTCATTTGCAATGAATTGTCATTTACAGTCCTCA  GTCAAGAGGAGTAATGAAATCCCAACCCGTGTTAATCCTCTTATATC  CCGCAGAAATATTGTAGACCCACTCACCTTAGGCAACAT</p>	
KCP_2127 75	<p>AGTAATGAAATCCCACCCGTGTTAATCCTCTTATATCCCGCAGAAA  TATTGTAGACCCACTCACCTAGGCAACATGCCCTCTCTCTTCAAC  ACAGGTCATCAATTGTTTCATTTACTGGCTATCTCCATGTACTGGAA  CTTCAGGGTGGTGTCCAGCTGGGTTCAAAGGAGAAACAGTGGGAAG  TTTCTCCACTGCCACCTGAATTAGATGAGAAAGAGTTGTCTACTGA  AATACACTAGCTGGTGGCAGGATTGGGACGTCATTTGACTAATTGC  CTCCTAGAGCTGCAGAGACTGCTGGAACCTAAGTAAATCATCA  AAAAAAAAAAAAAAAAAATCATCCAGGGCACTTTTCCAGACAA  AAAGGTCCACTTAAACATCCTCTAGAGATCTGTGCCTGAAGCTGA  GCTGCTGCAATGAACTGACATTTCTGCCTTGCAGCCTGGCCATGG  GCTTAGCTGGACTAAAATGCTGCTGCAGTGGTGAGGGCAC [A/G] T  GAGAGTCCCTAATGTACATGGCCTTGCTCCTTGCTGACACATCT  TTTAGGGCTGCTGCTTTCTCTAGTGCTGGAATCTAGATAATTCCTT  TCCCAGCCGTTTGTCTTCAATCTTGAAAATATCTGGATGAATG  TAACACTGTACACACAAACAGAATTATGACTTACGTACATTCTA  TGTCGTGATTTTGTGGACTTTTAATAATTGCATTACATTTGTGACC  ATTAATTTCCACCATCGCCCTGCTCCTGAGAATCTGTAAGGGACAT  TTGACACTCCTCTCCCCACCCACCTCAACATTTGTGCTGACCTGAA  GGTCACATTAAAAACATACCCATTTGGAGAGAAAGATCTGTCTACT  GAAATACACTAAATATTGAAGAATTTCCAAGTCATTTGATCTTGAA  AACTCCATCTAATGGAAGCAGAAACACTCAAAGGTTTTTTTTTTTG  GACTCCCTTTTTTCAGGACACTTTTCAGGACTGAGGTATAT</p>	SEQ ID NO. 223
KCP_2217 99	<p>TCAGACTTTGAACAAACCTCAGAAGGAAGTGTCAAGGAGGCTCCCC  ACGGGTTACGCTCTTCTCTCCTCTGCACACAGGGAACAGGGCCA  TTCTCCTTCTTTACTGGGACTACCTGGGCTTCATCCAGGGAATCC  CCAGGTGGCAACAGGAGGGTGGTGAAAACCGCTGCCCGTCACCTGT  AAAGTTTCTGTGAATGTGTCTACAGCGGCCAGCACCACAAGGCAT  ACAAAGAAAGGGAAGGGAGAGCTGATGTGAGAGCGGCAGCGTGGGC  ACTCCTGTGAGTTGCCACAGCTGTAGACAAGTTAAATCAGTGCAG  TTCAATCAAAAGTCATGACCCATGAGCGTCACAACCAGCAGAGTC  TACAAAGGAATACATTAAAACTAAGACCAGAGCACAGCTCACATTA  GTGAGGGATGGGATCATTTTATGGAGTTTTTGTTCAAAATATTTT  ATTAACATTTCACTTATATACATGTGTGTATACTGGGTTGTGAT [A  /T] TAAATTACAATTCTTACTATAAAATACAGCAAAAGAAAGA  AACAAAGAGAGGGCCACTGGTTTACCTAACATCCACAGGCAGGCTA  CTTCCCAGCATCTTGAGCCCCAAAGAAGTAAATTTCTTCCACAAC  CGATGTTACCACAGCCTGACACTTAGCCAATGATGAAAACGAAAAA  CAAAACAAAAGCTTGGCAGTCAGTATCCAAATATGCAGATACTACA  GAATCTGTTTGATGTAGAAGTTGATCCTGCTACCCAGACGCAAC  AACTCATTTATTAATAAAGTCCAGTTCTCCTTAATGAAGTGGGT  TAATAGTTGATATCTCAATAATTACTTAGTGCATTTTTTATGAAGG  TGATGGGAAACAAGTCTGTTTCTTGAGTCGGAAGAGTCTCTCAA</p>	SEQ ID NO. 224

	GCTCCACAAAGAAATTTCCCGAGCTTGTGAGGAATTCAGTCACAG GAAGATCAAGGAATT	
KCP_2235 68	GATCTAATGCTAGGAGATTCAAACCAACAATTAATTTCTCTGTAA AATGGGTAAAATAGATGTAAAATATTAATATGTATATAAGCATT TGAATTAGACTTATGTGAATTTTCTCCTTTCTTTCTTTCTTTT GAGAATAAGCCCTTTCATTTACGTAGAAATGCTTCAGCGTTTAGAT AATTGCTACTTATCTTGTAGCTACAAACACAACCATAATTAAGG CTCTGTAAGAATTATGAATTCGGGGAAATTGGCCACTTGTCTCTG TGGCGTAAACAGTATCTAATTTATAACAAATCATCTGCCTTAGTCC CAGCAGGATAAGGTGATATGTATTGCCCAGCACATGAGAAAGATGG CAATTAGGAATTGTTACCAAGTTACGGGAGCCTCACACGAACATCC ATCACCTTTGGGGATATGTACAAGATACAACTTAATTTGATGGAT TCCTTTTGTATTGGGATCAAAGTCTCAAAGGGAAAGTGACAATTT CAGGGAAATCTGGTGCAATGAGACCAACACTGATGAGAGAAATGC ACACAATTTAATACACCTGCTCACCTGATGTGGCAACTCAGCCTGT GCTTGCTGTGGGTGGCCACAGGATGAGACATGGTCTGTGCATATTC CCAGCAGCCACCCATCTCATCACTATCTTGCCAGCCCAGATTTAC AGTTGTTCAATAGATGGATTGGTAATATCTGCATGACAACAACAG GCAGAGAAGGTTAGATGGCAATTGATTCTTGATTGGTGTAACTTTA TAGAACACATTCTGGCAGGGCCCAAAGGAAATCACTCACCTACCCC TCTGTGATGGTAAAACGTTGAAAATCCACGGACTTGGACCTTGTG ATCCTTCAGTGGAAGATGGGCAGATTCCTTGCTTTAATTGACAGAC ACTTTCTAAATAACTAATGCAATCTTATATTACATTATAGTCCATA AGGGAGACATACTTAACTACTACTTACAACAAC [G/T] GTTTT GAGCCTTCAAATGGTTTGTACAAAGTAGCTCCCATTTAAGATATT TTCCTAGTATTTAAGGCTATCTAGTAGACATTACAAACAATACGC TGTAATACATTAGATTTTATCAGTAATACTTAACATGCCGTAA TTTGAACCTTCTGCTAAATCATGCTATCCATTCTAGTTGGCCCA ATGGTGAGAGTTTACTGTTTCTTTAAATAATTTGTTTCCCTTTC TGTCTAGAGGTGTTTATCATTCTGCTTACTTGCCTGTGTCTCTGGA ATATTCAGAAGGTTCCATGGGAAACAATTTGAATATGCAAAGAAGT TATTTTAAAGCAAGGAAATGTTTTCATATGGATTATTTTGAGC ACTTCTGCCTTTGCCTCCACTGGGAACATGTTTCTCTCCAACGCCG AAGCCCCCTCCCTGTGTGGTGTGACGCAGAGGCTGACAGGGCAG GGAAGTGGGTTCAAGATAGGAAGGCCATTGGCAGTGTGACCCAG CCACAGTCCTAGATCCCAGGTGCGTGACCACTCTTTGACAGCC CAGATTGTTACCTAACAAGATGACTCCCAAGCTCAACATTCCAA TGCCATCTCCTCTGGTTCCAGATAAGATTGAAGATGAGCTGGAGAT GACCATGGTTTGCCATCGGCCGAGGGACTGGAGCAGCTCGAGGCC CAGACCAACTTCACCAAGAGGGAGCTGCAGGTCTTTATCGAGGCT TCAAAAATGTAAGACCCGTGCACGCTCTGAAGGCCTGGGGGGGGTT CCCACGTGAGGCTACACTCTCCCAATGCCAAGGGAGCTCATAAGG CGTTTCCCATATGTGAGGCTGTACAAGGAAGGCCAGCTCTATAAAG GGGGCATGAGAGGGAGATCACCTGGCTAGAAAGGAAGGCTCCAGGC GAGGATGGAGCAACCTCAGGAGACAGTAAACGGCCAACCTGCCCAGA AATTTACAGGGTGGCACATCCTCAAG	SEQ ID NO. 225
KCP_1152	GATTTTTATCAGTAATACTTAACATGCCGTAATTTGAACCTTCTGC TAAATCATGCTATCCATTCTAGTTGGCCCAATGGTGAGAGTTTA CTGTTTCTTTAAATAATTTGTTTCCCTTTGCTGTCTAGAGGTGTT TATCATTCTGCTTACTTGCCTGTGTCTCTGGAATATTGAGAAGGTT CCATGGGAAACAATTTGAATATGCAAAGAAGTTATTTTAAAGCAA GGAAAATGTTTTCATATGGATTATTTTGAGCACTTCTGCCTTTGC CTCCACTGGGAACATGTTTCTCTCCAACGCCGAAGCCCCCTCCCTG TGTGGTGTGTTGACGCAGAGGCTGACAGGGCAGGAAGTGGGGTTCA AGATAGGAAGGCCATTGGCAGTGTGACCCAGCCACAGTCTAGTA TCCCAGGTGCTGACCACTCTTTTGACAGCCAGATTGTTACCTA ACAAGAATGACTCCCAAGCTCAACATTCCAATGCCATCT [C/T] C	SEQ ID NO. 226

	TCTGGTTCCAGATAAGATTGAAGATGAGCTGGAGATGACCATGGTT TGCCATCGGCCCCGAGGACTGGAGCAGCTCGAGGCCAGACCAACT TCACCAAGAGGGAGCTGCAGGTCTTTATCGAGGCTTCAAAAATGT AAGACCCGTGCACGCTCTGAAGGCCTGGGGGGGTTCCACGTGAG GCTACACTCTCCCCAATGCCAAGGGAGCTCATAAGGCGTTTCCCAT ATGTGAGGCTGTACAAGGAAGGCCAGCTCTATAAAGGGGGCATGAG AGGGAGATCACCTGGCTAGAAAGGAAGGCTCCAGGCGAGGATGGAG CAACCTCAGGAGACAGTAAACGGCCAAC TGCCAGAAATTTACAG GGTGGCACATCCTCAAGGAATTCACCCTGGCCAGGGTCAAGCCTT AGCCCTTAACATAATCATACTTCCAACCTGGTGGTGCCCCACAA TAATGGGATTTGGCCCTGCTGACTTATGCTAACCAGGCT	
KCP_1333	GGCAGGGCCCAAAGGAATCACTCACCTACCCCTCTGTGATGGTAA AACGTTGAAAATTCACGGACTTGACCTTGTGATCCTTCAGTGGA AGATGGGCAGATTCTTGCTTTAATTGACAGACACTTTCTAAATAA CTAATGCAATCTTATATTACATTATAGTCCATAAGGGAGACATACT TAACTACTACTTACAACAACGTTTTTAGAGCCTTTCAAATGGTT TGTACAAAGTAGCTCCCATTTAAGATATTTTCTAGTATTTAAGGC TATCTAGTAGACATTACAAAACAATACGCTGTAAATACATTCAGAT TTTTATCAGTAATACTTAACATGCCGTAATTTGAACCTTTCTGTAA ATCATGCTATCCATTCTAGTTGGCCCCAATGGTGAGAGTTTACTG TTTCTTAAATAATTTTGTTCCTTTGCTGTCTAGAGGTGTTTAT CATTCTGCTTACTTGCTGTGTCTCTGGAATATTCAGAAGGTTCCA TGGGAAACAATTTGAATATGCAAAGAAGTTATTTTTAAAGCAAGGA AAATGTTTTCATATGGATTTATTTTGAGCACTTCTGCCTTTGCCTC CACTGGGAACATGTTTCTCTCCAACGCCGAAGCCCCCTCCCTGTGT GGTGTGTGACGCAGAGGCTGACAGGGCAGGGAAGTGGGGTTCAAGA TAGGAAGGCCATTGGCAGTGTGACCCAGCCACAGTCTTAGATCC CAGGTCTGTACACCCTCTTTTGACAGCCAGATTGTTACCTAACA AGAATGACTCCCAAGCTCAACCATTCCAATGCCATCTCCTCTGGTT CCAGATAAGATTGAAGATGAGCTGGAGATGACCATGGTTTGCCATC GGCCGAGGGACTGGAGCAGCTCGAGGCCAGACCAACTTCACCAA GAGGAGCTGCAGGTCTTTATCGAGGCTTCAAAAATGTAAGACCC GTGCACGCTCTGAAGGCCTGGGGGGGTTCCAC [A/G] TGAGGCT ACACTCTCCCCAATGCCAAGGGAGCTCATAAGGCGTTTCCCATATG TGAGGCTGTACAAGGAAGGCCAGCTCTATAAAGGGGGCATGAGAGG GAGATCACCTGGCTAGAAAGGAAGGCTCCAGGCGAGGATGGAGCAA CCTCAGGAGACAGTAAACGGCCAAC TGCCAGAAATTTACAGGGT GGCACATCCTCAAGGAATTCACCCTGGCCAGGGTCAAGCCTTAGC CCTTAACATAATCATACTTCCAACCTGGTGGTGCCCCACAATAA TGGGATTTGGCCCTGCTGACTTATGCTAACCAGGCTCACCGAGACT GATGTGTAAGCCGAATGTCGGTGTATTAATTTACCTTGGGAAATGG AACTGACAGTGGAACAGACACTCCTCTCCCTTCGCTGGGACCCGC TCTCCTTGGAAGCCACATGGAAGCCAGGTTACAATCAAAAGTGGAG TCAGAGGACGGGAGTTCCTTGTTTAGTTGTTACTTTAAATACATTA ATGTGTTCCCTGCAGTCTCAGGCCAGTTTGAGAGCTCTCAGATACAA TCCTGGATATTAATTTATTTTTTAAGTTTAACTCTCAGAGTGCAAT CTTATTCCCAAATCCTGGAGTGGTGTGGAGTGGGGTGGGCTACAGC GACATGCACCTGGTCACCCTCCCTCCAGGTGCAGTCTGTAGGTAGA GCTGAGCTGGGTGAGTTCCAAACTGACCACAGCCTCAATGTTCTCC AAACTGCTGACCCACAGGGATTCCAGCCCCCTCTGGGAGTTATCTG ACAGGTGCTGGGATGCCTCTTCTTCCACACTAGCCTTGACTGCAC ATGCCAAGTGCCAGTTTCTTACCATTAGGGCTTCTTTCTTCGAT GGCAGCATTAGCAGTGGGCAGCCGAGTTGGAGAAGGATCCTGTGGG AAAGTTTTCCAGGCAGGCACTGGGCTCAGAGGGAACAGCATCCAGA AAAGAGAAGAAATCTACACTGCTTGGC	SEQ ID NO. 227
KCP_2252 20	AATTTACCTTGGGAAATGGAAGTACAGTGGAACAGACACTCCTC TCCCTTCGCTGGGACCCGCTCTCCTTGGAAGCCACATGGAAGCCAG	SEQ ID NO. 228

	<p>GTTACAATCAAAAGTGGAGTCAGAGGACGGGAGTTCCTTGTTTAGT  TGTTACTTTAAATACATTAATGTGTTCCTGCAGTCTCAGGCCAGTT  TGAGAGCTCTCAGATACAATCCTGGATATTAATTTATTTTTTAAGT  TTAACTCTCAGAGTGCAATCTTATTCCTCAAATCCTGGAGTGGTGTG  GAGTGGGGTGGGCTACAGCGACATGCACCTGGTCACCCCTCCCTCCA  GGTGCACTCTGTAGGTAGAGCTGAGCTGGGTGAGTTCCAACTGAC  CACAGCCTCAATGTTCTCCAACTGCTGACCCACAGGGATTCCAGC  CCCTCCTGGGAGTTATCTGACAGGTGCTGGGATGCCTCTTCCTTCC  ACACTAGCCTTGACTGCACATGCCAAGTGCCAGTTTCCT [A/G] C  CATTAGGGCTTCTTTCTTCGATGGCAGCATTAGCAGTGGGCAGCC  GAGTTGGAGAAGGATCCTGTGGGAAAGTTTCCAGGCAGGCACTGG  GCTCAGAGGGAACAGCATCCAGAAAAGAGAAGAAATCTACACTGCT  TGGCATCTACCATGGACTCAATACCACCTAACATAGGTTTCATAAGA  TACCCCTGGGGAAGTTATTGTTACCCCATTTTACAGGTAAGGATA  TTGAGGATCAGAGACTGGCTTGCCCAAAGTCACAAAGCTTAGTATT  GGCTGAGCCAGGATTTAAACCCAGGTTTTCTGATCTTAAAGCCCC  AAATCTCTCCACCTCACAGTGCCATTCTCTGACAATGTCTCATCA  TTTTGCAAAGCAGCTCCAGTCTGAGATGGCACTACTTGGGAGAAAG  TGGAATGCACAGGTCCCTGTCCCTGGGGATCATGAGGAACCCAG  ACACCAAGGCTGGGCCAGTCTTCTCCTAGTGCTGGCCC</p>	
KCP_2649	<p>GGCTCACCGAGACTGATGTGAAGCCGAATGTCGGTGTATTAATTT  ACCTTGGGAAATGGAAGTGCAGTGGAACAGACACTCCTCTCCCT  TCGCTGGGACCCGCTCTCCTTGAAGCCACATGGAAGCCAGGTTAC  AATCAAAAGTGGAGTCAGAGGACGGGAGTTCCTTGTTTAGTTGTTA  CTTTAAATACATTAATGTGTTCTGCAGTCTCAGGCCAGTTTGAGA  GCTCTCAGATACAATCCTGGATATTAATTTATTTTTTAAGTTTAAAC  TCTCAGAGTGCAATCTTATTCCTCAAATCCTGGAGTGGTGTGGAGTG  GGGTGGGCTACAGCGACATGCACCTGGTCACCCCTCCCTCCAGGTGC  AGTCTGTAGGTAGAGCTGAGCTGGGTGAGTTCCAACTGACCACAG  CCTCAATGTTCTCCAACTGCTGACCCACAGGGATTCCAGCCCCCTC  CTGGGAGTTATCTGACAGGTGCTGGGATGCCTCTTCCTTCCACACT  AGCCTTGACTGCACATGCCAAGTGCCAGTTTCCTACCATTAGGGC  TTCTTTCTTCGATGGCAGCATTAGCAGTGGGCAGCCGAGTTGGAG  AAGGATCCTGTGGGAAAGTTTTCAGGCAGGCACTGGGCTCAGAGG  GAACAGCATCCAGAAAAGAGAAGAAATCTACACTGCTTGGCATCTA  CCATGGACTCAATACCACCTAACATAGGTTTCATAAGATAACCTTGG  GGAAGTTATTGTTACCCCATTTTACAGGTAAGGATATTGAGGATC  AGAGACTGGCTTGGCCAAAGTCACAAAGCTTAGTATTGGCTGAGCC  AGGATTTAAACCCAGGTTTTCTGATCTTAAAGCCCCAAATCTCTC  CACCTCACAGTGCCATTCTCTGACAATGTCTCATATTTTGAAA  GCAGCTCCAGTCTGAGATGGCACTACTTGGGAGAAGTGGAATGC  ACAGGTCCCTGTCCCTGGGGATCATGAGGAACCC [C/T] AGACACC  AAGGCTGGGCCCAGTCTTCTCCTAGTGCTGGCCCTCAAATGCCTCC  CGCTGACTCTCTCCCTTCCCACAGGAGTGCCCAAGTGGTGTGGTC  AACGAAGACACATTCAAGCAGATCTATGCTCAGTTTTTCCCTCATG  GAGGTGAGTCTGACCTTGAAATCTATCTTGCCAGCTCCCTCTCTG  GTAAGCAGCCTTCCCTTCTCCAAGTCTCTCTTCTTGCATTG  CTTCTTCTCGAGGAAGAGACAACTCAGGGCAGGACACCTCCCTC  ATCGTGAGAGGTGGGAGTCTCAAAGCTTTAGCAGGAAAGAATCT  GAAAATGAACCCACCCTGGAAGGGGAAGAAAGGCTGATAATGCAAC  ATCACAACGTCTCAGAACAGCTCTAGAAAGCAGGTATTATAATCCC  AGATGGAGTAAGTGAAGTTTCGGGGAAGATAAGCAGTGTACTCAAGA  TTGCACAGCTGGTGAGTAGCAAACCAGGATTAGATTCCATAAGGGT  CTGAAACAGGTTTTGCCATGCTGGCACCACCATTTGTGCAGGCACT  TTTGAATCTTTCTTAAATAGCTGAGACAAGCTGGAATTTTGTA  AAAGAACTTCAGTAAATACCGAAGACTATAAAAAATAACTAATTGA  AAAAGAGGCAGGAAACATAAAGTTGTGCTTATTAAGCCAGTTTACA</p>	SEQ ID NO. 229

	AGTGTGCCAGGCCCAACAGCTGCTCTGTTGCCCTGCCCGACTCC TGTGGGAACCAGCTGTGTCCCCATGGGCCTGGGACCACATCGGTGA CTCCTCCTGTGGCCTCCATGTGTACATGCCACTTTGCATCCTGTC ACCAAGAGCTGTCTCCTGCAAGACATCTTCCCTGGATCCTGACAAA ATGCAAATCCAAGTATTCCAAACACTTCTTGGGCCCTGTTTCTCAT GGGCCTTTTGGCAGCAGACAGATGCCCTTCTTGGTGTGTGGGGCC CCTACCCAGATCAGGTGGGGGAGGCAG	
KCP_2278 71	CCTCTGGTTCTGCATCACCTCCCCCTCTAAATCTCAAGGCATTGGG GGAAGGTCTGGACCATCAAAGCTCTCAGTCAGACCAAAGACATGT TTATCCATTTGTAAGCATTTCCTAAAGATGGGGAAAAGCAGCAGCA ACTTTCCCTGGCCTGCAGGAACCTCAGGGACTCAGGGGACTAATAAC AACAGTGTATGAGCTTCCGGGCACACTGCTTCCAGTGGCAGCCCC TGTACTTAGGGCTTTGTATGTATTAATTCATTTACTCCAATTCCCA CAATAACCCTATAGGGTAGGGTTTATTATTGATTACCTTTTACA GAAGAGGAGAGTAAGGCAAAGAGAGATAGAGTAGTTTTCCCAAGGT CAAAGAGCACATAAATGATAAAGGATGGATTTGAATGTAGGCAGAA TGACCCTCAATACAGACTGTTCTACAGTCCACGTCCTCAGCCACT AGACCATACGGCCACTGGGATGATAGACAGACCACTGCAG [C/G] C ATGGATAAGGCAAAACAGGGCTGGCTGTGTTGATCTGTCTCTC AGAGCTCCATTCTTCTCAAGGGGGCACCTTGCAAAAAAAAAAAAA AAAATGGGGCAGGGTAGGGAACTGAAGGCAGGAGCTCTTCACAGAG CATAGCCACATCCTCCAGGCAGACAAGAGGACGCAGGAGGCACCAT TCTGTGAGAGTATCACAGTCTGACCCAAAGACACAGCTTCACACTG TCTGATGGCTTGATGGTTAATGTCACTCTGCCTTTTCCCTTCTCA GGACTTTGTAACCGCTCTGTCGATTTTATTGAGAGGAACTGTCCAC GAGAACTAAGGTGGACATTTAATTTGTATGACATCAACAAGGACG GATACATAAAACAAAGAGGTAAGTGAGCTGGGGCCAGGGGTGTGAGA GGGCTCCAGTGAAGGTAACCTAACCCAAACAGAAAACAGCCCCAGGCA TGAGGATAGCACTGTCTGAATGAGGCAGGCTCTGCTTTG	SEQ ID NO. 230
KCP_2279 87	TGTGCCATTATACACCAACGACTCCATGCATAGACAGGCAGGAGA ATGGTTTCTCATGATGGCTAGAGGGAGGGGCAAGGGCTCATCTCA CTTTTGTCTAGATCTAACTTCACACCCAAACCCAAAGAGTTGAGTC AATGGGCCCCACTCCATAATTTTCTCCTTTCCATCACCTTAGCATC ACTCTCCTCTCTTCTTGTGCGAAGCCCTGCCTTGTTTGAAGGTTT TCCCTGTGTGGAATTCTTGCCCCATCACCTGCCCTCCTTTTCTGC CTTGATAGATGCCAGCAGTATGCCATTACCTCTCAATGCCTTCG ACACCCTCAGACAGGCTCCGTGAAGTTGAGGTACGCTCATCTGG GGTCCACTCTAGGGTCTCTGGTTCTGCATCACCTCCCCCTCTAA ATCTCAAGGCATTGGGGGAAGGTCTGGACCATCAAAGCTCTCAGT CAGACCAAAGACATGTTTATCCATTTGTAAGCATTTCCTAAAGATG GGGAAAAGCAGCAGCAACTTCCCTGGCCTGCAGGAACTCAGGGAC TCAGGGGACTAATAACAACAGTGTATGAGCTTCCGGGCACACTGCT TCCCAGTGGCAGCCCTGTACTTAGGGCTTTGTATGTATTAATTCA TTACTCCAATTTCCACAATAACCCTATAGGGTAGGGTTTTATTAT TGATTACCTTTTTACAGAAGAGGAGAGTAAGGCAAAGAGAGATAGA GTAGTTTTCCCAAGGTCAAAGAGCACATAAATGATAAAGGATGGAT TTGAATGTAGGCAGAATGACCCTCAATACAGACTGTTCTACAGTC CACGTCCTCAGCCACTAGACCATACGGCCACTGGGATGATAGACAG ACCACTGCAGCCATGGATAAGGCAAAAACAGGGCTGGCTGTGTTGA TCTGTGTCTCTCAGAGCTCCATTCTTCTCAAGGGGGCACCTTGCA AAAAAAAACAAAAAATGGGGCAGGGTAGGGAAC [C/T] GAAGGCA GGAGCTCTTCACAGAGCATAGCCACATCCTCCAGGCAGACAAGAGG ACGCAGGAGGCACCATCTGTGAGAGTATCACAGTCTGACCCAAAG ACACAGCTTCACACTGTCTGATGGCTTGATGGTTAATGTCACTCTG CCTTTTCCCTTCTCAGGACTTTGTAACCGCTCTGTCGATTTTATT GAGAGGAACTGTCCACGAGAACTAAGGTGGACATTTAATTTGTAT GACATCAACAAGGACGGATACATAAAACAAAGAGGTAAGTGAGCTGG	SEQ ID NO. 231

	GGCCAGGGGTGTGAGAGGGCTCCAGTGAAGGTAACTAACCCAACAG AAAACAGCCCCAGGCATGAGGATAGCACTGTCTGAATGAGGCAGGC TCTGCTTTGGGGCTAACAGAGCTGGTCCCTGGCAAAATAAAGAAGG CCTCCCTCATTGCCCTACCTGCCCCTGTTCCCAAGCGCCAGAAAG GATTAAACAGATTTCATTCTCACTGGGTACCTAGATTTCAGTAGATA TTACACAGTGGATAAAAAATGACTTGTTTCAGTGTGAAGAGTTACTC TTCCCTAGGGAACCTGCATTTGGGAAGGTTAGGAGCCACAAGTCAA AGCTAAAAGTTGAAATGGTGAATGTAGGCAGCACCTAGAATAGA AAAGAAAAGATTTTTAAGGAAGAGGAACCTACAATTGGGTCAATTG GCCTTAAACTATTTTGCCCTATTAATACAACCGCCAAGGGGTAATG GAAGGTACAGCTGTCTTTACAGAAATTATCACAATAAATTTCTGAA TCTTCACTGCTTTGCACTTTTAGAACCTCAGAGGACATGTCTCTAG CCAGTGAATAACCTCAGGTCTATCTCAAAACTCACTTTGGTATCC ACTGTATCCTGGTATCTCAGTGGAGCTGGAAATTGGCATCCTGTA ACACTCCACTTGCTGAGCTCCTGTGTGCCAGGCACGGTGCCCTGGAG GTATAGATATCAGCACCAATCTTCACC	
KCP_2281 07	TAGGGCTTTGTATGTATTAATTCATTTACTCCAATTCCCACAATAA CCCTATAGGGTAGGGTTTTATTATTGATTACCTTTTTACAGAAGAG GAGAGTAAGGCAAAGAGAGATAGAGTAGTTTTCCCAAGGTCAAAGA GCACATAAATGATAAAGGATGGATTGAATGTAGGCAGAATGACCC TCAATACAGACTGTTCCCTACAGTCCACGTCTCAGCCACTAGACCA TACGGCCACTGGGATGATAGACAGACCACTGCAGCCATGGATAAGG CAAAAACAGGGCTGGCTGTGTGATCTGTGTCTCTCAGAGCTCCAT TCTTCTCAAGGGGGCACCTTGCAAAAAAAAAACAAAAAATGGGGC AGGGTAGGGAACCTGAAGGCAGGAGCTCTTCACAGAGCATAGCCACA TCCTCCAGGCAGACAAGAGGACGAGGAGGCACCATTCTGTGAGAG TATCACAGTCTGACCCAAAGACACAGCTTCACACTGTCTG [A/T] T GGCTTGATGGTTAATGTCACTCTGCCTTTTCCCTTCTCAGGACTT TGTAACCGCTCTGTGATTTTATTGAGAGGAAGTGTCCACGAGAAA CTAAGGTGGACATTTAATTTGTATGACATCAACAAGGACGGATACA TAAACAAAGAGGTAAGTGAGCTGGGGCCAGGGGTGTGAGAGGGCTC CAGTGAAGGTAACCTAACCAACAGAAAACAGCCCCAGGCATGAGGA TAGCACTGTCTGAATGAGGCAGGCTCTGCTTTGGGGCTAACAGAGC TGGTCCCTGGCAAAATAAAGAAGGCCTCCCTCATTGCCCTACCTG CCCTGTTCCCAAGCGCCAGAAAGGATTAAACAGATTTCATTCTCAC TGGGTACCTAGATTTCAGTAGATATTACACAGTGGATAAAAATGAC TTGTTTCAGTGTGAAGAGTTACTCTTCCCTAGGGAACCTGCATTG GGAAGGTTAGGAGCCACAAGTCAAAGCTAAAAGTTGAAA	SEQ ID NO. 232
KCP_2325 21	ATTTCTTAAAGTAGATAAATTTGACTTTATCAAAGTTAAAAATTTT GTGCTTTAGAAGACACCTTTAAGAAAATGGAAATGCAAGCCATGGA CTTGGAATAAATGTTTGCAAATTATATACCAGATATATAAAGATAC CAGGATACCAACCAATATAAAGACTGGCATCCAAAATATATAAGG GACATTTATAATTTAATACAAAGATAAACAACCTTCATATAAAATAG GCAAAAGATTTGATGAGATATTTAAGAAAAGAAGATATATGAATGG CCAGTAAACCCATGAAAGGTTGCTCTATATCACTGGTCTTCAAAGA AATGCAAAATTATAACTATAATGAAATACAATTGCACAGAATGGCCA CAATTAAAAAGACTGATAATACCAAGCATTTGGCAAGATGTGGAGC AATAGAACTCTCATAGATAGCTGGCAGAAATGTAAATGGTACAAA CACGTTGGGAAACATTTTGGCATCTTTGATAAAGCTCAGCACACAC TTAACATACAACCCAGAAATCCCATTCCAGTCAGGCATGGTGGCTT ACGCCTATAATCCAGTACTTTGGGAGGCTGAGGCAGGCGGATCAC TTGAGCTCAGGTGTTCAAGACCAGACTGGGCAACATGGCGAGACAC TGTCTCTACTAAAAATACAAAAAAAAAAAAAAAAAAGCCAGACAT GGTGGTAAGCACCTGTGGTCCAGCTACTAGGGAGGCTGAGGTGGG AGAATTGCTTAACCTTGGGAGTGGAGGTTGCAGTGAGCTGAGATT GCACCACTGCACTCCAGCCTGGGTGACAGAGCAAGACCCTGTCTCA AAAAAAGAAAAAAGAAGAAGAAAAGTCCCACTCCTGGATATT	SEQ ID NO. 233

	<p>TACCCCCAAAAGAAAAATATGTAATTCCATAAAGACTTGTACAAAG  ATGTTTCATAGCAGCTTTATTTCATAGTAATCTCAAACTTAAATGAC  CCAAATGTCTGTCAACAGGACAATGGGTAAATAC [A/T] TCATAGT  CTGTTTCATCCAATGGAATATTACTCAGCAGTAAAAAGGAATGTTAT  AGTTGCATGCAGCAATGTGTATGAAGCTCATAAACCTCATGCTGAG  TAAATGAAGCCAGACGCAAATGAGTTTACACTGTTTTACTCCATTT  ACATGAGATTTTAGAAAATACAACTAATCTATAGTAACAGAAATT  AGATCTGTGGTTGCCTGGTGTCAAAGCTTGAGAGGCACCTCACTGCG  AAGAAGTGTGAAGGATGTCTTTTGGTTGTGAAAATGTTCTATATC  TTGAGTGTGGTGGAGGTTACATGGGTGGATACATTTGTCAACATTC  ATCAAACAGTACACTTAAATGGGTGAATTTGTTATAAGTAAATTA  TGCTCCAATAAATTTGATTTATTTGTTGAAAACTTGGTGTAAAGGG  GGAAGTGCTAACAATAGAAGACACTCAAAAAATGTGTTGAAGGA  AAAAATCCTGTGAAATAAAGCAGGTAAGAGAAAATAAGAACTCAA  TATCATCCAAAATATAGATTACAAATCCTAAATGAGATAATAGGAA  ATTAATCCCAGTGCTCTGTTTAAAGGCTCATACCTGTAATCCCAAC  ACTTTGGGAGACTGAGGCAGGAGGATGGGTTGAGCCAGGAGTTCA  AGACCAGCCTGGTCAACATAGGGAGAGCCTGTCTCTTCAAAACAAA  AATTTAAAAATTACCTGGGTGTAGTGGCACGTGCCTGTGCTCCAG  CTACTCCAGAGGCTGAGGCAGGAGGATAGCTTGAGCCAGGAGTTC  AAGCCTGCCCTGAGCCATAATCACTGCACCACACTCCAGCCTGGGC  AACAGAACAGACCCTTCCTCAAAAAGCAATAAAATAAAATAAAG  AAATGCACATGACTAACATAGGGTTTATTCCAGGAATGCAGGAATA  GCCCAGTAGCAGAGAAAGCCTATTAAATAATTTATCACATTAATAT  ATCAAAAGATCAAACCATTTGATGCTA</p>	
KCP_2336 55	<p>TTTACTCCATTTACATGAGATTTTAGAAAATACAACTAATCTATA  GTAACAGAAATTAGATCTGTGGTTGCCTGGTGTCAAAGCTTGAGAG  GCACTCACTGCGAAGAAGTGTGAAGGGATGTCTTTTGGTTGTGAAA  ATGTTCTATATCTTGAGTGTGGTGGAGGTTACATGGGTGGATACAT  TTGTCAACATTCATCAAACAGTACACTTAAATGGGTGAATTTGTT  ATAAGTAAATTATGCTCCAATAAATTTGATTTATTTGTTGAAAAAC  TTGGTGTAAAGGGGGAAGTGCTAACAATAGAAGACACTCAAAAAA  TGTGTTGAAGGAAAAAATCCTGTGAAATAAAGCAGGTAAGAGAAA  ATAAGAACTCAATATCATCCAAAATATAGATTACAAATCCTAAATG  AGATAATAGGAAATTAATCCCAGTGCTCTGTTTAAAGGCTCATACC  TGTAATCCCAACACTTTGGGAGACTGAGGCAGGAGGATGGGTTGAG  CCCAGGAGTTCAAGACCAGCCTGGTCAACATAGGGAGAGCCTGTCT  CTTCAAAACAAAAATTTAAAAATTACCTGGGTGTAGTGGCACGTGC  CTGTGCTCCCAGCTACTCCAGAGGCTGAGGCAGGAGGATAGCTTGA  GCCAGGAGTTCAAGCCTGCCCTGAGCCATAATCACTGCACCACAC  TCCAGCCTGGGCAACAGAACAGACCCTTCCTCAAAAAGCAATAA  AATAAAATAAAGAAATGCACATGACTAACATAGGGTTTATTCCAGG  AATGCAGGAATAGCCAGTAGCAGAGAAAGCCTATTAAATAATTTA  TCACATTAATATATCAAAAGATCAAACCATTTGATGCTAAATCAC  ATTTGATATAATTTACCATTTATTTCATAATAATTTTCAGGATTCAA  TTAATTAGGAATAAAATACTTCTTCAGCATAATAGAAAATACCCCA  GCCTGGTACACAGCTTCATACTTTATGGTAACAC [A/G] CGGAGAT  TCTCACTGAAGAAAAGATGAGGCAAGAAAAGATGATGAAGAAAAGA  TGAGGCAAGAAAAGATGATGTCTGCACACTGTCAGACATCACCCT  GTTTAACATTTCTGAAAGCTCTTCAAACACAGTGAAACAGAAAAG  GAAATGCGATCTAAATAGGAAAAATTACAACATTCCTTGTTAATGA  CATGATTTTCTATCTGAGAAAAAGACAGCAAGAAAATCAACTTAA  ACAAC TAGA AACTTTAAAAAGCTGGCAAAGTGACTGGTAATAAAA  TACATATGCAAAAAGAAAATTGTGTAGCCAATATATCAGTTGTGACT  AGCTAGAAAATTGTAATACAAATATTCTCATTTGTGATCACAATAAA  ATTTAAAGCACATGGGCATTTTTAAATATCCATAATTTAGATGAAG  AGAAAGAAAATTTGATAAGTAGAGAAACATACCATCTTCTGAAAG</p>	SEQ ID NO. 234



	GATGTATATTATAAAGATAGCAATATTATAATGACAGCAATTCTTC TCTAATTAAATTTATTTTATTTTGAATCAAAATGGAAGTGTTATTT GGGAAGGAAATTTGGCACAATTGTTATAAAGTTACATTGGAAGATT AATCAGATGAAAATAGCAAAGATAATTTTCAAAAAGAAGAAAAATG GTGGGATTTGTTCTACCAGATACTGAAATATATTATAAAGCTGAAA CTATTAAATATTATAATATCAGAGAAGGAACAGGTAGATCAATGG AACAAAATAGAAATCCCAGGTACAAATACCATCTTGGTTCATAATA AAGGGAGCATATTGAATAGAGAGGTAATGAATCATTAAATGATTCT TGGAAAACCTGGTTAACTATTTTGGCAATAAGTAAGTAAATATTCTT ACTCGGTACCATAAACACAAAATCACTATAGATATGTACAGTTGCT TTTTAACTAAAAAAGAACTAAAAATCATATGTGAATATCTGATCAA AGAATGAAAAAGCATAAAATCAAAGT	
KCP_2375 05	GCCTGTAGTCCCAGCTACTTGAGAGGCTGAGGCGGGAGGATCACTT GAACCCGGGAGGTGAGGCTGCAGTGACGGGGATTGTGCCACTGCA CTCCAGCCTGGGTGACAGAGCAAGAACCTGTCTCAAAAAAAAAAAAA AAAGAAAAAGAAAAAAGAATGAGAACTCATAACAGATTAGAAGA GACTAAGGAGACACAACAAATAAATGCAATGTAGAATCATTGAAGG GAAAAAATATTAGTTGAAAAGCTGAGATCCCGCCACTGCACTCCA GCCTGGGCCACAGAGCGAGACTCCGTCTCAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAGAAAAGCTGATAAAATTTGAATAAGCCCTGTAG TTTAGTTAATAATAGTGAAGCCATGTTAATTTCTGGGTTTGGTCA TTGTGCTCTGGTTATGCAAGTTGTTAACATTAGAGGAGACTGAGTG AAAGGTATGCATGAACTCTCTGTACTAATTTTGTAAATTT [C/T] C TGTAAGTCTAAAATTATTCATAATATGCAAAAATTAACAAAAAAT AAAATAAAATAAGCACATGGAATGAGACTGTCCCCTGGGTCTCTGT AGAAACCAGGTCAAACATCCCAAATGCTCTTTTACCCCATCTCTGA GTTGGGCCAGAATGGTCAGAAATAATGGTTCCCAATGTACCTTGATA AACACGGAAACTCTCAGGACCGAGTCCTAAGGTTCTCTGATTCAAT AGGTTTGGAGTGGAATGAGAACTGATCTTTTAAATAAGGGCCTCA GTCTGTGGAATATTGGCCTCATGTGCCCTGTGGATAATCTTGGCT GTTGGTTCAATTTTCTTAACTGAAAACAGTGGCAGAACTATGGGG ATTTTAAATCTCTAGGCTAGAACATTAACCTTTTAAAAAATTCAGA ATAGTATTTTATTTGCCTCAAGCCTGTGAATGGGGATCCCACAAAT CACCCCCACTGAAGACAATGCCCATACAAGGTAACCT	SEQ ID NO. 235
KCP_1540 0	TTATGCAAGTTGTTAACATTAGAGGAGACTGAGTGAAAGGTATGCA TGAACCTCTGTACTAATTTTGTAATTTTCTGTAACTCTAAAATT ATTCATAATATGCAAAAATTAACAAAAAATAAAATAAAATAAGCA CATGGAATGAGACTGTCCCCTGGGTCTCTGTAGAAACCAGGTCAAA CATCCCAAATGCTCTTTTACCCCATCTCTGAGTTGGGCCAGAATGG TCAGAATAATGGTTCCCAATGTACCTTGATAAACACGAAACTCTC AGGACCGAGTCCTAAGGTTCTCTGATTCAATAGGTTGGAGTGGAC TTGAGAACTGATCTTTTAAATAAGGGCCTCAGTCTGTGGAATATT GGCCTCATGTGCCCTGTGGATAATCTTGGCTGTTGGTTCATTTTTC TTAACTGAAAACAGTGGCAGAACTATGGGGATTTTAAATCTCTA GGCTAGAACATTAACCTTTTAAAAAATTCAGAATAGTATTTTATTTG CCTCAAGCCTGTGAATGGGGATCCCACAAATCACCCCCACTGAAG ACAATGCCCATACAAGGTAACCTACCCATGAGCTTCTGAGGGATT TAGGAATTGTCTACCATCTCCTCTCTAAGAAGGGCTCCCAATAT ATCCCCTTCTGCTTGCTTCTAACTCCCTATCACCTGCTAAAGAAGG ACCTCACCTTTTAACTCACTTTCATTGCCAAGGGGCACAAGGAGCCC CAAACCTCTGTACCTAGGAAGAGCTTGACCTCATGGTTTCCACACT GTGTGCTTTTATGTCCCTGCTCCAGGAGATGATGGACATTGTCAA GCCATCTATGACATGATGGGGAAATACACATATCCTGTGCTCAAAG AGGACACTCCAAGGCAGCATGTGGACGTCTTCTCCAGGTAAGTGC ACACACCCTGCACATGAGCTGTAAGCCCGCCTAGATCAAGTCAAC CCACGAGCATCTGAGCAAATGATTTGTGTCCAAC [C/T] CTGTACT AAGCATGGTTGGTAACAGAAAAGAATTATAAGATACATTGTCCTCA	SEQ ID NO. 236

	AGAAACAGATGATCTCCTTAAGCTGCAAGTGACATGACAGAAGAG AACAAAGAAAGTATATTATTAAACGCTAGTGGTATAGTATGAACTCT AAATCCATAAAAAATTTGGGGATCAGGGTAAACACGAAAGACTTCAT TAATTACAACGTGGAGGTGTTAAGCATTTGTGTCTGGGAAGTAAG GGGAAATAAGATTGGAACTAGGATAGGGCCAGATTATGAGACCTT TAAATGGAAGAGTTTGGCCTTGCTCTGGTACAGGATGGGCAGCTAG TGCTGATCCTTGACTAAGGGAGTGGTATAATCATTGGGGCATTTTA GGAAAAATTAATCTAGCGGTGGAGTATCAGAGAATATCAAGAGTT CACTCTAGTTCAACCTCCCACTTTGCAGATGGGAAAAGAGAGTCCT CTCTGGCCTTGTGCAAGTTTGTACAGCAAGTAACAGGCCAGAAATCA GAACCTCTTTTGCCAGTGTCTGCCAGATGGACAGGGTAGCAGGG AGTCTACAGAAGAAGCAGAATAAGCCAGCAGTGAGGTGATGAGTGT CCAGAGCAAGTCTTTTGATTTAAGGAAGCTCATGGGGCTCAAAGTG TTGTAATCAGGACCTAATTGGAGTTGTCTGGCCAGTGAAAGACAAC TCTCATTCTCAGGGCAAAGTTGGTTAATGAAATGAATGAAATGAGC TCCAGCTCGTTACTCTGAGCTCCAGCAAGAAAGCAGGGGAGTAAGC TTTGAATGGAGATCACCAGATTCTGTAAAGTGCTTTCTGTTATGT CTTTCAGAAAATGGACAAAAATAAGATGGCATCGTAACCTTTAGAT GAATTTCTTGAATCATGTCAGGAGGTAAAGGAGAGATCTCAGGGCAC ATAAATCTACATCTGGGAAAGGAAACCTGGGGCCTGGGGACCTGC AGAAGGAAGGTGATGAGAAACCTGCAC	
KCP_2385 91	TCTAACTCCCTATCACCTGTAAAGAAGGACCTCACCTTTTAATCA CTTTCATTGCCAAGGGGCACAAGGAGCCCCAACTCTGTACCTAG GAAGAGCTTGACCTCATGGTTCCACACTGTGTGCTTTTATGTCCC TGCTCCAGGAGATGATGGACATTGTCAAAGCCATCTATGACATGAT GGGAAAATACACATATCCTGTGCTCAAAGAGGACACTCCAAGGCAG CATGTGGACGTCTTCTCCAGGTAAGTGCACACACCCTGCACATGA GCTGTAAGCCCAGCCTAGATCAAGTCAACCCACGAGCATCTGAGCA AATGATTTGTGTCCAACCTGTACTAAGCATGGTTGGTAACAGAAA AGAATTATAAGATACATTGTCTCAAGAAACAGATGATCTCCTTAA GCTGCAAGTGATACATGACAGAAGAGAACAAGAAAGTATATTATTA ACGCTAGTGGTATAGTATGAACTCTAAATCCATAAAAAATT [C/T] G GGGATCAGGGTAAACACGAAAGACTTCATTAATTACAACTGTGGAG GTGTTAAGCATTTGTGTCTGGGAAGTAAGGGGAAATAAGATTGGAA ACTAGGATAGGGCCAGATTATGAGACCTTTAAATGGAAGAGTTTGG CCTTGCTCTGGTACAGGATGGGCAGCTAGTGTGATCCTTGACTAA GGGAGTGGTATAATCATTTGGGGCATTTTAGGAAAAAATTAATCTAG CGGTGGAGTATCAGAGAATATCAAGAGTTCACCTAGTTCAACCTC CCACTTTGCAGATGGGAAAAGAGAGTCTCTCTGGCCTTGTGCAAG TTTGTACAGCAAGTAACAGGCCAGAATCAGAACCTCTTTTGCCAG TGTTCTGCCAGATGGACAGGGTAGCAGGGAGTCTACAGAAGAAGCA GAATAAGCCAGCAGTGAGGTGATGAGTGTCCAGAGCAAGTCTTTTG ATTTAAGGAAGCTCATGGGGCTCAAAGTGTGTGAATCAG	SEQ ID NO. 237
KCP_1615 2	GGAAGAGCTTGACCTCATGGTTTCCACACTGTGTGCTTTTATGTCC CTGCTCCAGGAGATGATGGACATTGTCAAAGCCATCTATGACATGA TGGGGAAATACACATATCCTGTGCTCAAAGAGGACACTCCAAGGCA GCATGTGGACGTCTTCTCCAGGTAAGTGCACACACCCTGCACATG AGCTGTAAGCCCAGCCTAGATCAAGTCAACCCACGAGCATCTGAGC AAATGATTTGTGTCCAACCTGTACTAAGCATGGTTGGTAACAGAA AAGAATTATAAGATACATTGTCTCAAGAAACAGATGATCTCCTTA AGCTGCAAGTGTACATGACAGAAGAGAACAAGAAAAGTATATTATTA AACGCTAGTGGTATAGTATGAACTCTAAATCCATAAAAAATTTGGGG ATCAGGGTAAACACGAAAGACTTCATTAATTACAAGTGTGGAGGTG TTAAGCATTTGTGTCTGGGAAGTAAGGGGAAATAAGATTGGAACT AGGATAGGGCCAGATTATGAGACCTTTAAATGGAAGAGTTTGGCCT TGCTCTGGTACAGGATGGGCAGCTAGTGTGATCCTTGACTAAGGG AGTGGTATAATCATTTGGGGCATTTTAGGAAAAAATTAATCTAGCGG	SEQ ID NO. 238

	<p>TGGAGTATCAGAGAATATCAAGAGTTCAGTCTAGTTCAACCTCCCA  CTTTGCAGATGGGAAAAGAGAGTCCCTCTCTGGCCTTGTGCAAGTTT  GTACAGCAAGTAACAGGCCAGAATCAGAACCTCTTTTGGCCAGTGT  TCTGCCAGATGGACAGGGTAGCAGGGAGTCTACAGAAGAAGCAGAA  TAAGCCAGCAGTGAGGTGATGAGTGCCAGAGCAAGTCTTTTGATT  TAAGGAAGCTCATGGGGCTCAAAGTGTGTGTAATCAGGACCTAATTG  GAGTTGTCTGGCCAGTGAAAGACAACTCTCATTCTCAGGGCAAAGT  TGGTTAATGAAATGAATGAAATGAGCTCCAGCTC [A/G] TTACTCT  GAGCTCCAGCAAGAAAGCAGGGGAGTAAGCTTTTGAATGGAGATCA  CCAGATTCTGTAAAGTGCTTTCTGTTATGTCTTTTCAGAAAAATGGAC  AAAAATAAAGATGGCATCGTAACTTTAGATGAATTTCTTGAATCAT  GTCAGGAGGTAAGGAGAGATCTCAGGGCACAATAACTCTACATCTG  GGAAAGGAAACCTGGGGCTGGGGACCTGCAGAAGGAAGGTGATGA  GAAACCTGCACATACCTGCAACCCCTCCCATCAGAGCCAAACAACAC  CAGCAACAACCTGTGAAGTCCACAGTTCCACTCCTCAACCTGACCTG  CAGTTGGTCTTGGCTAAGCACAAGACTGAACAGAGAGCCTAAGTAG  GGGTCTGGGGGCATGTGAAAACCTCAGAGGGGGTCTCTGTGAAAAA  GACTTCCCGAGAGGGCAACACCATTATTTTTTTAGCCTGCCTCTGGC  TTGATGACCCATTTCCAGACTACAAGGAAGCAGCTGGGGGAAAA  AAACCTACAATTGTGTGATTCTCAAACCACAGTGTGCATAAAAAATT  GCCTGGAATGATTCTGAAAATGCATATTTCCAGGCCCTCAATCCCAG  AGACTCTAGATCTGGGTCACTTTAACACAAATGTCCTGGACCAATG  CTTCTAACACTTTAATGTGTGAAACAATATCCTTGATGATTTTGTT  AAAATGCAGATTCTAATCCATAGGTCTGGGGTAGGGCCTGAGATG  TTACTTTTCTCACATTCTCCCCAGTCACACTGGTGATGCTGATCCT  GGGAACACAACCTTTCATTAAGTCTAACCAATAGACCAGCCCCAGAG  TCCACCAGAGACTGAACTGGAAATAATTGCTTCATCTACTTTTGAG  AAATCCATTTGTACCCCCACATTATTTTAGAAATGTTTCAGAGTTAC  TCTGAGCTCCAGCCAAGAAGAATAGCAAATGTAAGAAAGCCGGGGA  GAAGTTCCTAGCAGATACTGAGCCCCC</p>	
KCP_1806 9	<p>TTGAAAGAGAGCGCTTTGGGGGGTTTCTTACTGTATGTCTCTATT  GCATGTTCTGTATTTTACATTTTTCTATTATTTCTTCTCTGAGGTA  TAGTATTGAATGTAGAAAAATCCTCAAATGTTCCGTATTAAGCAAT  ACACTTCTAATTCATGGTTCAGAGAAGAAAATATCTCGAATAAAAA  TAAAATAAAAAATAGACTTATCAAAATTTGTAGGATCTAAAGCAGT  ATTCCAGGAATGCAAGGTTGGTTTAAACATTCAATAATTGGTCAGTG  TAATTAATCACATTAATAGAAATAAAAAGAGAAAAAATATAATCATT  TCAGTGGATGTAATTGTTTCAGAGCTTCTTAAAAGAAGCAACTCACT  ATTTTACTAGATGATTGTTTCTTCTGAATTCCTCTTTAAGGCTAC  AGGTGGTGCTTCTTACTTTGAACTGATCACTTTCTAGGTCCCCACC  CTTACTTCTTGTTTTTCATACCCTTGTAAGTCTTCTCCA [C/T] A  TAGGAAACCCATGCTTGACATTTGCTCACCAGAGTTACAGAGCTCT  CAGGGAGGAGACTCAGAGTTCTAACCCCTCTTGCCCTCCTTTTTTCC  CAGGACGACAACATCATGAGGTCTCTCCAGCTGTTTCAAAATGTCA  TGTAACCTGGTGACACTCAGCCATTGAGCTCTCAGAGACATTGTACT  AAACAACCACCTTAACACCCTGATCTGCCCTTGTTCTGATTTTACA  CACCAACTCTTGGGACAGAAACACCTTTTACACTTTGGAAGAATTC  TCTGCTGAAGACTTTCTATGGAACCCAGCATCATGTGGCTCAGTCT  CTGATTGCCAATCTTCCTCTTTCTTCTTCTTGAGAGAGACAAGAT  GAAATTTGAGTTTGTGTTGGAAGCATGCTCATCTCCTCACACTGCT  GCCCTATGGAAGGTCCCTCTGCTTAAGCTTAAACAGTAGTGCACAA  AATATGCTGCTTACGTGCCCCCAGCCCACTGCCTCCAAG</p>	SEQ ID NO. 239
KCP_2415 27	<p>ACTTTGAACTGATCACTTTCTAGGTCCCCACCCTTACTTCTTGTTTT  TTCATACCCTTGTAAGTCTTCTCCATATAGGAAACCCATGCTTGA  CATTTGCTCACCAGAGTTACAGAGCTCTCAGGGAGGAGACTCAGAG  TTCTAACCCCTCTTGCCCTCCTTTTTTCCCAGGACGACAACATCATG  AGGTCTCTCCAGCTGTTTCAAAATGTGATGTAAGTGGTGACACTCA</p>	SEQ ID NO. 240

	GCCATTGAGCTCTCAGAGACATTGTACTAAACAACCACCTTAACAC CCTGATCTGCCCTTGTTCTGATTTTACACACCAACTCTTGGGACAG AAACACCTTTTACACTTTGGAAGAATTCTCTGCTGAAGACTTTCTA TGAACCCAGCATCATGTGGCTCAGTCTCTGATTGCCAACTCTTCC TCTTTCTTCTTCTTGAGAGAGACAAGATGAAATTTGAGTTTGT GGAAGCATGCTCATCTCCTCACACTGCTGCCCTATGGAAG [G/T] T CCCTCTGCTTAAGCTTAAACAGTAGTGACAAAAATATGCTGCTTAC GTGCCCCAGCCCACTGCCCTCAAGTCAGGCAGACCTTGGTGAATC TGAAGCAAGAGGACCTGAGCCAGATGCACACCATCTCTGATGGCC TCCCAAACCAATGTGCCTGTTTCTTCTTCTTGGTGGGAAGATGA GAGTTATCCAGAACAATTAGGATCTGTCATGACCAGATTGGGAGAG CCAGCACCTAACATATGTGGGATAGGACTGAATTATTAAGCATGAT ATTGCTGATGACCCAACTGCCCATGTCATTTGTTTCCAGAAACG AGGACCAATAATTCTCTCACACTGGCATTGTGCTGGTAGTACAAG TCCTTTAATATGTCCAGGAAGGGAGCCATTGCCAGTGGTCCATAT CTCCACCACATCCCCTGCTTGAGCCCAGCGCTGCATGTCCCTCCCA AGAAGTCCAGAATGCCCTGCAAATTGCTGTAATTTTATAC	
KCP_2418 04	CTGATCTGCCCTTGTTCTGATTTTACACACCAACTCTTGGGACAGA AACACCTTTTACACTTTGGAAGAATTCTCTGCTGAAGACTTTCTAT GGAACCCAGCATCATGTGGCTCAGTCTCTGATTGCCAACTCTTCT CTTTCTTCTTCTTGAGAGAGACAAGATGAAATTTGAGTTTGT GAAGCATGCTCATCTCCTCACACTGCTGCCCTATGGAAGGTCCCTC TGCTTAAGCTTAAACAGTAGTGACAAAAATATGCTGCTTACGTGCC CCAGCCCACTGCCCTCAAGTCAGGCAGACCTTGGTGAATCTGGAA GCAAGAGGACCTGAGCCAGATGCACACCATCTCTGATGGCCTCCCA AACCAATGTGCCTGTTTCTTCTTCTTGGTGGGAAGAATGAGAGTT ATCCAGAACAATTAGGATCTGTCATGACCAGATTGGGAGAGCCAGC ACCTAACATATGTGGGATAGGACTGAATTATTAAGCATGA [C/T] A TTGTCTGATGACCCAACTGCCCATGTCATTTGTTTCCAGAAACGA GGACCAATAATTCTCTCACACTGGCATTGTGCTGGTAGTACAAGT CCTTTAATATGTCCAGGAAGGGAGCCATTGCCAGTGGTCCATATC TCCACCACATCCCCTGCTTGAGCCCAGCGCTGCATGTCCCTCCCA GAAGTCCAGAATGCCCTGCAAATTGCTGTAATTTTATACCATGTTCT AACCAATAAACAGAACTATTTCTTACACTCTCAATCACTTCTTCAT GACTCCGTTAGGTAAGAGAGGTAAGCTGTGAAAAGGGAAGGCTAGT CCATTCAATTTGACACCAATTATTAGTGCAGTTGTCCCTCCATATG TGTGAAGGATCAGTCCAGGACTCTCCATACCAAATCTGCAGATA CTCAAGTCCCACAGCTAGCCCTGAGGGACTCGTGTTCAGAAAAAT TTGGCCTCCATATATGCAGGTTTCACATCCTATAAATAC	SEQ ID NO. 241
KCP_1324	CCCAAGCTCAACCATCCAATGCCATCTCCTCTGGTTCCAGATAAG ATTGAAGATGAGCTGGAGATGACCATGGTTTGCCATCGGCCCGAGG GACTGGAGCAGCTCGAGGCCAGACCAACTTCACCAAGAGGGAGCT GCAGGTCTTTATCGAGGCTTCAAAAATGTAAGACCCGTGCACGCT CTGAAGGCCTGGGGGG	SEQ ID NO. 242
KCP_1520 4	TTGTCTACCATCTCCTCTAAGAAGGGCTCCCAATATATCCCC TTCTGCTTGCTTCTAACTCCCTATCACCTGCTAAAGAAGGACCTCA CCTTTTAATCACTTTTATTGCAAGGGGCACAAGGAGCCCCAACT CTGTACCTAGGAAGAGCTTGACCTCATGGTTTCCACACTGTGTGC TTTTATGTCCCTGCTC	SEQ ID NO. 243
KCP_4957	ACCCTCAATACAGACTGTTCTACAGTCCACGTCCTCAGCCACTAG ACCATACGGCCACTGGGATGATAGACAGACCACTGCAGCCATGGAT AAGGCAAAACAGGGCTGGCTGTGTTGATCTGTGTCTCTCAGAGCT CCATTCTTCTCAAGGGGGCACCTTGCAAAAAAACAACAAAAATG GGCAGGGTAGGGAAC	SEQ ID NO. 244
KCP_5011	GCCACTGGGATGATAGACAGACCACTGCAGCCATGGATAAGGCAAA AACAGGGCTGGCTGTGTTGATCTGTGTCTCTCAGAGCTCCATTCTT CCTCAAGGGGGCACCTTGCAAAAAAACAACAAAAATGGGGCAGGG	SEQ ID NO. 245

	TAGGGAACTGAAGGCAGGAGCTCTTCACAGAGCATAGCCACATCCT CCAGGCAGACAAGAGG	
KCP_5051	GGCAAAAACAGGGCTGGCTGTGTTGATCTGTGTCTCTCAGAGCTCC ATTCTTCCTCAAGGGGGCACCTTGCAAAAAAAAAACAAAAATGGG GCAGGGTAGGGAAGTGAAGGCAGGAGCTCTTCACAGAGCATAGCCA CATCCTCCAGGCAGACAAGAGGACGCAGGAGGCACCATTCTGTGAG AGTATCACAGTCTGAC [C/T] CAAAGACACAGCTTCACACTGTCTG ATGGCTTGATGGTTAATGTCACTCTGCCTTTTCCCCTTCTCAGGAC TTTGTAAACCGCTCTGTGATTTTATTGAGAGGAAGTGTCCACGAGA AACTAAGGTGGACATTTAATTTGTATGACATCAACAAGGACGGATA CATAAACAAAGAGGTAAGTGAGCTGGGGCCAGGGGTGT	SEQ ID NO. 246
KCP_5202	GACAAGAGGACGCAGGAGGCACCATTCTGTGAGAGTATCACAGTCT GACCCAAAGACACAGCTTCACACTGTCTGATGGCTTGATGGTTAAT GTCCTCTGCCTTTTCCCCTTCTCAGGACTTTGTAACCGCTCTGTC GATTTTATTGAGAGGAAGTGTCCACGAGAACTAAGGTGGACATTT AATTTGTATGACATCA [A/C] CAAGGACGGATACATAAACAAAGAG GTAAGTGAGCTGGGGCCAGGGGTGTGAGAGGGCTCCAGTGAAGGTA ACTAACCCCAACAGAAAACAGCCCCAGGCATGAGGATAGCACTGTCT GAATGAGGCAGGCTCTGCTTTGGGGCTAACAGAGCTGGTCCCTGGC AAAATAAAGAAGGCCTCCCTCATTGCCCTACCCTGCCC	SEQ ID NO. 247
KCP_e1a_ 249924	CCACCAGGGTCCCTTCCAACCTACGGAGCCTATGGTACTGA ATGGCAGCCAGGTTTTTTATGGAGCAATAGCTGGACTTCAC ATTTGCATAATGCCTTGCAGTTTCACTGTTAAGAGTACTGC ATTGTATTCTAATTATATGAATCTCGGTCATTCCCTTTATGAC ATTTCTGAGGAATACTATCTCAATCAAGAAAAGCCCTAATT GCACTCCTCTCCTATCCCGGTGAGAGAGCACAGACTCGTGC CTGCTCCGCAGGGGTGGAGGCTGGAATTCAGTAGTCTGAGT CGGGGATGCCTGGAGCAGGAGGTGGTCAGGGGCATTGTCTC TTCCAAGTCAGGAAGGCAGACAGCACCTGCTGTTGGTGCC AAGGTTACTGGACAGGCTGCGAGGGCTCTGTCTGTCTGTCC GATGTTACAGGCCAGCTCCCCGGAGGCTCAGCACTCAGCC CAGCTTCTCCGAGATGCAAACCAGGCCACTCTGAGGCTGCC TACAACTTTCTGCTGAGTGCCGACAGCTGCTTCCTGCTCTG CGGGGAGTTCTTCCAGATCCTGATCAAGGCACAGAGAATTG ATCTATCAGATTAACCAGGAAGGAAAGAGTGGGAGAGCGA GTGTGGGAGGCTGTGGGGCTGAGTGTCTTCTGCGTAGCAGT CCCCTCCCTTCTGACTTGAGTATTAATTGCTACATTACCGCT GCCATGTAAGAAAGACAGTCAGCAAAGCCTGGGAGAGCTC CAGCTCCTCCCTCCCTGCTCTGCTCAACTTCACTCTCCTCCT CGGTTCCCTTGGAGTACCTTGTGCCCCGGCAGTGCTGTCCC GGCCCTGGCATCCTGAGGTCCTCCCGTGGTGAGGACTTAAG TGGACA[C/G]CAGGAGTGGGTGGAGAGAGGGAGGGAGAGT TTGCCCTGCAGGCTCTCTGGATGCAGAAGCCAGACTCGCTG CAGAGGCAGCTGTGCTGTTCCCGGAGCCTGGCTTCAGGGGT GCATCCGTCACTCAGGGTTCATTACCCAGGCAGGCTCCAA GTTCTTGGGGTGCACAAGGTGGGCACTGTCCCTTCTGGGTG CTGACAGCAGAGCCTGGCTCCCCTCCGCCACCATGAGCGGC TGCTCCAAAAGATGCAAGCTTGGGTTCGTGAAATTTGCCCA GACCATCTTTAAGCTCATCACTGGGACCCTCAGCAAAGGTA TGGAAGTGGCCTTGACCCCTGCTTTCTGTCTTGATATGGCC TGGCTGGTTCGATTGCCTCGGTGTGGTGAGCGTGACCATTC TGGTGACCCAGGCTTGGAAAAAGCTGGGGAAATTGGTG GCTGGGATTCGAGGTTGCTGACAACTGCGTCCTGGCTTTG AGTAGGCGGGCACCCAGCCAGGGAAGTCACTGGCTGTAA TTGCCTGGAAGTTTGGAAATGGAGTTGGTGGTGTGTGGCTG ATACGTTATGGGCGGGCAGAGGGATAGAACCCTTTCCAGA	SEQ ID NO. 248

	GCATTGGAAGTGGCTTAGCGTGACTGGAGTTTCAAGAAGTT ATCCATGGAAGGTTGTATTTTGTGATAAAAGAGAGATTG ATGCAGTGGGTTGTGAGTAATTCTGCAGAACAGAGACGCTT GAGGGGGCCAGTGGGAGGTGGTGATGGGCCGGCATCTGCT TTGCCCTGGTGGCTTCAGAAACCGGATCAGCTCTGCACCTC AAGTGCCAAGAGCCTCCTCTCATAGGGTTCCAGCGTCTCGT GCTTCTGGGGCTTCATTTCATCGTTCTGCTTTCTTGGATCCCT GTCCCTCCACATTTTCATGCCTA	
KCP_e1a_ 250027	CAAGGCACAGAGAATTGATCTATCAGATTAACCAGGAAGGAAAGAG TGGGAGAGCGAGTGTGGGAGGCTGTGGGGCTGAGTGTCTTCTGCGT AGCAGTCCCCCTCCCTTCTGACTTGAGTATTAATTGCTACATTACCG CTGCCATGTAAGAAAGACAGTCAGCAAAGCCTGGGAGAGCTCCAGC TCCTCCCTCCCTGCTCTGCTCAACTTCACTCTCCTCCTCGGTTCCC TTGGAGTACCTTGTGCCCCGGCAGTGTGTCCCGGCCCTGGCATCC TGAGGTCTCCCGTGGTGAGGACTTAAGTGGACAGCAGGAGTGGGT GGAGAGAGGGAGGGAGAGTTTGCCCTGCAGGCTCTCTGGATGCAGA AGCCAGACTCGCTGCAGAGGCAGCTGTGCTGTTCCCGGAGCCTGG [C/T] TTCAGGGGTGCATCCGTCACTCAGGGTTCAATCACCCAGGCA GGCTCCAAGTTCCTGGGGTGACAAGGTGGGCACTGTCCCTTCTGG GTGCTGACAGCAGAGCCTGGCTCCCCCTCCGCCACCATGAGCGGCTG CTCCAAAAGATGCAAGCTTGGGTTCGTGAAATTTGCCAGACCATC TTTAAGCTCATCACTGGGACCCTCAGCAAAGGTATGGAACTGGCC TTGACCCTTGCTTTCTGTCTTGATATGGCCTGGCTGGTCGATTGC CTCGGTGTGGTGAGCGTGACCATTCTGGTGCACCCAGGTCTTGGA AAAGCTGGGGAATTTGGTGGCTGGGATTTCAGGTTGCTGACAACCT GCGTCTGGCTTTGAGTAGGCGGGCACCCAGCCAGGGAACCTCAGCT GGCTGTAA	SEQ ID NO. 249
KCP_e1a_ 250049	ACAGAGAATTGATCTATCAGATTAACCAGGAAGGAAAGAGTGGGAG AGCGAGTGTGGGAGGCTGTGGGGCTGAGTGTCTTCTGCGTAGCAGT CCCCCTCCCTTCTGACTTGAGTATTAATTGCTACATTACCGCTGCCA TGTAAGAAAGACAGTCAGCAAAGCCTGGGAGAGCTCCAGCTCCTCC CTCCCTGCTCTGCTCAACTTCACTCTCCTCCTCGGTTCCCTTGGAG TACCTTGTGCCCCGGCAGTGTGTCCCGGCCCTGGCATCCTGAGGT CCTCCCGTGGTGAGGACTTAAGTGGACAGCAGGAGTGGGTGGAGAG AGGGAGGGAGAGTTTGCCCTGCAGGCTCTCTGGATGCAGAAGCCAG ACTCGCTGCAGAGGCAGCTGTGCTGTTCCCGGAGCCTGGCTTCAGG GGTGCATCCGTCACT [A/C] AGGGTTCAATCACCCAGGCAGGCTCC AAGTTCCTGGGGTGACAAGGTGGGCACTGTCCCTTCTGGGTGCTG ACAGCAGAGCCTGGCTCCCCCTCCGCCACCATGAGCGGCTGCTCCAA AAGATGCAAGCTTGGGTTCGTGAAATTTGCCAGACCATCTTTAAG CTCATCACTGGGACCCTCAGCAAAGGTATGGAACTGGCCTTGACC CTTGCTTTCTGTCTTGATATGGCCTGGCTGGTCGATTGCCTCGGT GTGGTGAGCGTGACCATTCTGGTGCACCCAGGTCTTGGAAGAAAGCT GGGGAATTTGGTGGCTGGGATTTCAGGTTGCTGACAACCTGCGTCC TGGCTTTGAGTAGGCGGGCACCCAGCCAGGGAACCTCAGCTGGCTGT AATTGCCTGGAACCTTGGAATGGAGTTGGTG	SEQ ID NO. 250
KCP_UTR1 _382206	TGGCCACCTTCAGGGTCATGAGGATTCATAAACCTATTTC TGCGAAGTGCTCCAGGAATCATCAAGGGAGCTAGGGCAG CTCTGAGTCTCCACCAGGCCACCCCTCCGCCTCTCAGGGCT GAGCTTCACTTCCCTTCCCAAAGGGGCCAGGGAGAGGGGCT GCTGATGACATGATCTCAGAGGAAGGCCAAGGCCTCCAGG CTGCCTCTGGGCCTGGCACAGGAAGGAGGAGGAGAAAATA GGGAGCCCAAGGAAAGATCAACCCAGCCCAGCCCAAGGAC CCCCAGCCCCAGCCCCAGCCCCAGCTGGGCTCAAATAATT GAAAACAGACTGGAAAAGGCTGCTTTTGGCCCTTCCTCTAGA CTCAGCATCATCAAGACTGGAGGGACAGAGCATTGAATC	SEQ ID NO. 251

	ATCAGACGCTGGGCCAGA[C/T]GTCACCCACGCGTTTTCTC ATTTTATCGTCCTAAGAAGCCCAGAAGGTGCGTAAAATGGC CTGTCCCAAACAGATGAGGACATTACCTTTCTCCTCTTCCTC CTCCTCCTTCTTCTTCTTCTTCTTTTTGCTTCATTTTTCTTCA TTTTTCCCCCAGATGTTGCATTTTCAGAGAGGCTGAGCGTGT TGACTAAGGTCACACAGCTACAAACATCAGGGACCTGCGA AAAAGCTCTGTTCCCTGGTGACAGGTGTTCTGTGATCCTAA CACAGCCGGAGGTGGGGACAACGTCCTTGCAAGTAAACAAAG GCCCTGTTGCTCAACTCAGTGGACATCAGGCCCTGTTTTCAT TCATTAGCAGGTGAGGATTCCAGTGTACCTGTGCCATGT ATTCCAGCTGATCTACCTGCAAGCCTCTACTCCCCATTTCC CAGCAGCAGCCGCAGACACCACCCAAGTGG	
KCP_UTR1 _382272	GGGTCATGAGGATTCATAAACCCCTATTCTGCGAAGTGCCTC CAGGAATCATCAAGGGAGCTAGGGCAGCTCTGAGTCTCCA CCAGGCCACCCCTCCGCTCTCAGGGCTGAGCTTCACTTCC CTTCCCAAAGGGGCCAGGGAGAGGGGCTGCTGATGACATG ATCTCAGAGGAAGGCCAAGGCCTCCAGGCTGCCTCTGGGCC TGGCACAGGAAGGAGGAGGAGAAAATAGGGAGCCCAAGG AAAGATCAACCCAGCCCAGCCCAAGGACCCCCAGCCCCAG CCCCAGCCCCAGCTGGGCTCAAACCTAATTGAAAACAGACTG GAAAAGGCTGCTTTTGCCCTTCTCTAGACTCAGCATCATC AAGACTGGAGGGACAGAGCATTTGAATCATCAGACGCTGG GCCAGACGTCACCCACGCGTTTTCTCATTTTATCGTCCTAA GAAGCCCAGAAGGTGCGTAAAATGGCCTGT[A/C]CCAAACA GATGAGGACATTACCTTTCTCCTCTTCTCCTCCTCCTTCTT CTTCTTCTTCTTTTGCTTCATTTTTCTTTCATTTTTTCCCCA GATGTTGCATTTTCAGAGAGGCTGAGCGTGTGACTAAGGTC ACACAGCTACAAACATCAGGGACCTGCGAAAAAGCTCTGT TCCCTGGTGACAGGTGTTCTGTGATCCTAACACAGCCGGAG GTGGGGACAACGTCCTTGACGTAACAAAGGCCCTGTTGCTC AACTCAGTGGACATCAGGCCCTGTTTTCACTTATTAGCAGG TCAGGGATTCCAGTGTACCTGTGCCATGTATTCCAGCTGA TCTACCTGCAAGCCTCTACTCCCCATTTTCCCAGCAGCAGCC GCAGACACCACCCAAGTGGCAGAAATTTCAAACAAGGGGT TCTGCCTTGCACTCCGGTGCAAGGGTTGGGCACGTGGACTC ACAT	SEQ ID NO. 252
KCP_3UTR 2_395068	CACAAAACAAATCCGGGACTTTAAGCCTGATCTGCTTGACCTGAAA CTCATATCTACTTCCCTGCCCTCTGAAGATCTATATGTCTATGTC ATCACTTCACTGTTACACAAGGTGATACCTGGCTTCTCCAAGCAC CTGCTACCCTGAACCTACTGCACCACTCTTCCCTCCTAGCCTGAA TGCAATTTGCAATGAGGAGATGATTGATTTTCTTACGCCCTAGAC CTCCAGCTTCTGAGAGCAGGTACTCTTGCCCTCTTCTTGCTCATT TTGATCCATATATTTAGAATAGCGCCTGGCAGGTAGATGGTGCTTA ATAAATATTCAATGAATAAATGAATGAATGAATGATCCAATGAGCC CCAAAGCAAATAACAATAAAGGACATTTGCAGAGTGTCTACAGAG AGACAAGTGCTTTCCCTTT [A/G] CTTTATCTTACCCCATTTCTCAC AACAATCCCCTGACATGATTGGGTTCATGTTTCACAGATGAGGAGG CTAACGGCCAGGTGTACATACCAGGGGACATGGGACTGGGTTCATA TGAGCTCAGGGGTAAATGATGACACCCTTTCCCTGCCCCTGAAGGA TCTCAGTTTGAGTATTTGTAGCACACTTAGGATGTTCTGGGCCAGG CTGAGTGGCGGTGGATGGGGGCGGTGGAGGTGGGGTATGCAAAGCA GGAACTCGGCCCTTTGCTTTCTAAAAGCTCCCAGTCTATTTGAGGC CAGACTTATGCATGCAGAACATTTGGGAAATGGTACAAGACAGCAG CAAGCATAGTGTGAATTGCACATAATCAGGTGCCAACTGCATTCC CTTCTTAACTAATCT	SEQ ID NO. 253
KCP_3UTR	AACTTTCTCCTCAGCAAAGAGCTCTCCTCTGTTCCCTGAATCCTGG	SEQ ID

3_398480	ATATCCCACTGGGTCTCTAGTGACCCCAAGCTTCAGCCTCGCATG CCCTCTTCTCGAACAGAGAAGGCAGGAGGGAAGCAGGGACCAGCCC CTGCTCCATCTTCCAGGATTCCAGGCCCTCCCTGGCCTGGACAAGCC CTGAGCTGGCAGTTAGGAGAGCAGAGGTTGTGAATCTGGTGGGACC CCCAGCAGGTCTTCTGGCTCAGTGCCCTCATCTGTGAGCAGGGGT TCCCCAGGAGACCACGACAGAGGCCTGGAACCCAAGTTCTAATCCC ACATCCTGGCTGGGCAACTTCAGGCAAATTTCTAACACAAGGTAAG CCTCAATTTCTCTCTGGGGTAATGATCAGGCACCTGCTTAATTCAC AGGGGTTTGGTGGGCATCA [C/T] GTGGACAATGTGGTTGCACAGC AGTGGGCAATGCAAAGGAAAGGAAGTATGTTAGTAAGTGCCCTCC CCTGTTGCACAAAAACAGGACACATGCTGGGATTGCAGAAAAGCAAT AAATGCTGCACAGGTGAAGAAAATATTCAAGGACCCTGGCCAAGT CACAGGCTACCTGTGGCCCTGAGGGGACAGCTCATGGGTTGGCATT AGGGGAAGCAGCTCTCAAGGGGCCTGTATCCTGGGGATTCAACTCT GTGCCTATGTGGCATTGAGCCTGTGTGAATGTGGTGACTGTATGC TGTTTGTCTGTGTGTGCGTCTGCATGCCTGTGTGTTTGTGTCTC TCCACCTTCGTGGGGGGCAACTGTAGGTGTATTATGAGCCTTGGGT CTGTCTGTGTGTACAATAGCAATGTCTGTGCGGACTTAAGGACCTG CGCCCATATGTTTGTGGGACTTTC	NO. 254
KCP_3UTR 3_398605	CAGAGAAGGCAGGAGGGAAGCAGGGACCAGCCCCTGCTCC ATCTTCCAGGATTCCAGGCCTCCCTGGCCTGGACAAGCCCT GAGCTGGCAGTTAGGAGAGCAGAGGTTGTGAATCTGGTGG GACCCCCAGCAGGTCTTCTGGCTCAGTGCCCTCATCTGTG AGCAGGGGTTCCCCAGGAGACCACGACAGAGGCCTGGAAC CCAAGTTCTAATCCCACATCCTGGCTGGGCAACTTCAGGCA AATTTCTAACACAAGGTAAGCCTCAATTTCTCTCTGGGGTA ATGATCAGGCACCTGCTTAATTCACAGGGGTTTGGTGGGCA TCACGTGGACAATGTGGTTGCACAGCAGTGGGCAATGCAA AGGAAAGGAAGTATGTTAGTAAGTGCCCTCCCTGTTGCA CAAAACAGGACACATGCTGGGATTGCAGAAAAGCAATAAA TGCTGCA[C/T]AGGTGAAGAAAATATTCAAGGACCCTGGC CAAGTCACAGGCTACCTGTGGCCCTGAGGGGACAGCTCATG GGTTGGCATTAGGGGAAGCAGCTCTCAAGGGGCCTGTATCC TGGGGATTCAACTCTGTGCCTATGTGGCATTGAGCCTGTGT GAATGTGGTGACTGTATGCTGTTTTGTGTGTGTGCGTCTG CATGCCTGTGTGTTTGTGTGTCTCTCCACCTTCGTGGGGGGC AACTGTAGGTGTATTATGAGCCTTGGGTCTGTCTGTGTGTA CAATAGCAATGTCTGTGCGGACTTAAGGACCTGCGCCATA TGTTTGTGGGACTTTCTGGGCATGCATGCTTGTATTAGAGGC CATACATCCGGGTATTCTGTGAAGTCTAGCATGGTGTGTA TCTGTGTGGCAGACAGAAAATGGCTGGGTGGGA	SEQ ID NO. 255
KCP_e1b_ 399912	ATCTCAGCACTTTGGGAGGCCAAGGCGGGTGGATCACCTGA GGTCAGGAGTTCAAGCCCAGCCAGCCCAACATGGCGAAAC CCCGTCTCTATTAAAAAATACAAAAAATTTAGCTGGGCCT AGTGGTGGGCGCCTGTAATCCCAGCTACTCCGGAGGCTGAG GCAGGAGAATCGCTTGAATCTGGGAGGCAGAGGTTGCAGT GAGCAGAGATCGCACCACTGCACTCCAGCCTGGGCAACAG AGCGAGACTCCGTCTCAAAAAAAAAAAAAAAAAAGAAAAAG AAAAATGAGAGTGTAAGGGCCAGAGGGGCTGAGGGCTCC TTTCTCCTCCCCAACTCCCTGTCACTAGAAGGTGGGCCCTGC CATAGGAGGATTCTGCAGAACCCTCAAGGACCCGCGGAGC AGGACGGCACCTTCTTCCCATGACCACCATTTGGATGTGT TTTTCACCCCCTTCTGGGTGGGGCAGACTTCCCCCTCCCCA TGAGTTCAGGCAG[G/T]GGGTAAATAAGATTTCCCTTGAA GTCGAATGAAATCACAATGCACCACACACAGGGACACACA CACACACACACGCACGCACGCACATCACACACACACACAC	SEQ ID NO. 256



	ACACACACACACACACACACACATACACACACACAGTC TCCCTGGGGCCAATCTACTGCCCCCTGAACCTACCCATCA GCCAGGTGCCTGGCCCCGGGTCTGTCTCTTAGGGTTACATG CTCCCGGGGCTCCCGCACATAACCCGGCAGATGAGGGTGCG CAGGGGTGAGGGCGCAGGGCTGGGCGTCCCCCGCCCCAC CGTGCAGCCCTCGCCCCCGCCCCGCCCTCCGTAGTTGCCC GCCCCGCGCCCCCTCCGCCGCCCCCTCCGCCGCTCCGACTC TCGCCCCGAGCGCTGGCAGCAGGCAGCAGGCAGCAGGCGG GCGCGCTGTGGCTCCGCGCCGCGGCTCCGGGCTCTGTTCA TTCATGATTGGTACTCGGCCCTCCGAGACC	
rs102685	AGCACTCCTGGGGCTCATTGTTAAGTTTATAAACTCAGAG CTGATGAGTTGTGTGCACTGTGTGGGTCTGAGTGGGCTTAT GACTCCCTCCAAGCCTGGCTGTAAGAATCTAAGACTTAAA GCTGAAGGACCAAATGGGACTTTCTGTCCCATCCCCTCTCT GCTCCATGCAAGCACCAAA[C/T]GTGGATTTTGGCCCTAATT ATATTAGGGAACGCTGTCAATCAAAAAGATGATGTTAAACT CATCCAGAACAAACCAAAACCATGTTTAAGGGGAAGAAAAG ATTACATCTTCAAATGCCAGCATGCCATCATTAATACAATG TCTAATGTAGTCAATATAGTTCAGGCAACATTGAAAATGAA CCACTGCAAATACTAGGAATACAATTTCAAGAGGAAGCAC AACATTCTGTGTTTCTATGCACACAGTCTGTAAATTATTTG CAGCTCAAGTATGTCATGTTCTTTTAAATTTTCCCCTGGTA CAGCTTGAACAACCTTCCTACAAGTGTTGATATGTCATATTCT CATTATCATTTAGTTCAAAATTACCATGATTTAATTACCATG AGGTTGCTTTTTTGATACATGAGTTACTTAGAAATTGAATTA ggctaggcatggtggctccacctataatcctagcactttggaaggccaaggcaggaggattgctt gagtttgaggccagctaggcaatatagtgagacctcatctcccaaaagtacaaaaaactagcc aggcatgggacacatgcctatagttccagctactcaaaggctgaggtggggaggattgctttgag cctggg	SEQ ID NO. 257
rs905808	GCCAGCTATCCCCAGAGACATCACAGGAGAAGGAGCAGAAGCTGGA ACATCATCCGGGAGCTGGACTAGAACGTCCCGGGAACCTTCAGCCT GGCTTCTGCTTTGTCCCGAAAACCCAGGGGCTCCAGTCCAGGGCT GTGTCTTAGAATGAGGCAGTTTATCTGTTTCAAGGCTTCTCTTAGTT TTAATCCCAATAGGACACA [C/T] GTTGTATTAAAAAGCCATGCG AGATGGAAGAAGGAAATTGAATGAAATTTGAGGGCAGGTAGGAGCA GAGACAATAAATAATTTCAGCAGTGAAGGAAGCAGAAAAAAGATTGC ACTCATTTTCGCCCTTCAACAATTATACTAAACACCTGCTCTGGGCC ACAGAAGGGCCAGATCCCATTCCTGTGCTCAGGAAGCCACAGGCC GGCAGGGAGAGGCTGGTTGGAATGTGTGCTTTGCACTGTAACGGAG GCATCGAGCATGGTAAGGGACTGGCGGTGACTGCTGCCTGCGGACG TCGAGACAGGGGCCTTTGAAGAGGCAGGACCTGTCTGGAGTCTTAC CTGGGCCTTGGCCTGGCAATGGGG	SEQ ID NO. 258

Table11. The Build 33 location of SNPs and microsatellites employed for the first-pass association analysis across KChIP1.

5

Start (B33)	Marker	Public Alias	deCODE alias	Variation
169788696	DG5S47			
169794522	DG5S1592			
169843903	DG5S119			
169869845	rs933656	rs933656	DG00AAFC5	A/G
169869955	rs2339091	rs2339091	DG00AAFCI	G/T
169961410	DG5S13			
169964087	rs905808	rs905808	SG05S1212	C/T
170006645	rs883849	rs883849	SG05S206	A/G
170015858	DG5S123			
170037283	rs2135046	rs2135046	SG05S159	C/T
170041996	DG5S124			
170056955	rs2339139	rs2339139	DG00AAFCR	A/G
170064881	rs329468	rs329468	SG05S896	A/G
170070041	rs50057	rs50057	SG05S1270	A/G
170070735	rs102685	rs102685	SG05S905	C/T
170073252	rs50364	rs50364	DG00AAFCD	A/G
170081292	KCP_1152		SG05S176	C/T
170081473	KCP_1333		SG05S921	A/G
170082789	KCP_2649		SG05S923	C/T
170085116	KCP_4976		SG05S187	C/T
170085217	KCP_5077		SG05S179	A/T
170095540	KCP_15400		SG05S946	C/T
170096292	KCP_16152	rs4868018	SG05S948	A/G
170098209	KCP_18069	rs1363712	SG05S189	C/T
170105556	D5S625			

Table 12. The Build 33 location of SNPs found through sequencing across KChIP1 (from exon 1b to exon 8).

Build 33 Pos	Project Pos	DECODE ALIAS	SEQ PROJECT ALIAS	PUBLIC ALIAS	SNP
169866787	9677	SG05S2107	KCP_9677	rs6555900	C/G
169867465	10355	SG05S229	KCP_10355		A/T
169867556	10446	DG00AAHAR	KCP_10446		C/G
169871957	14847	SG05S485	KCP_14847	rs4867608	A/T
169872129	15019	SG05S1298	KCP_15019	rs4867973	A/G
169872417	15307	SG05S437	KCP_15307		A/C
169872421	15311	SG05S438	KCP_15311		A/T
169872435	15325	SG05S439	KCP_15325		C/G
169872949	15839	SG05S440	KCP_15839		A/G
169873539	16429	SG05S486	KCP_16429		C/T
169873680	16570	SG05S487	KCP_16570		A/G
169875123	18013	SG05S488	KCP_18013		A/T
169875568	18458	SG05S1002	KCP_18458	rs6555901	A/G
169876302	19192	SG05S489	KCP_19192		A/G
169878365	21255	SG05S490	KCP_21255		G/T
169878734	21624	SG05S491	KCP_21624	rs4867609	A/G
169879678	22568	SG05S492	KCP_22568		A/C
169879717	22607	SG05S493	KCP_22607		C/T
169881496	24386	SG05S494	KCP_24386		A/G
169882681	25571	SG05S495	KCP_25571		A/C
169883265	26155	SG05S496	KCP_26155	rs7443451	A/G
169883333	26223	SG05S497	KCP_26223		C/G
169883413	26303	SG05S498	KCP_26303		A/G
169883465	26355	SG05S1171	KCP_26355		C/G
169883518	26408	SG05S499	KCP_26408		A/T
169883738	26628	SG05S500	KCP_26628		A/G
169883811	26701	SG05S501	KCP_26701		A/G
169884084	26974	SG05S1172	KCP_26974		C/T
169884145	27035	SG05S502	KCP_27035		G/T
169884439	27329	SG05S503	KCP_27329		C/T
169884682	27572	SG05S504	KCP_27572		A/G
169884707	27597	DG00AAJHT	KCP_27597		A/G
169884973	27863	SG05S505	KCP_27863		A/G
169885005	27895	SG05S506	KCP_27895		A/G

169888453	31343	SG05S507	KCP_31343	rs4867975	C/T
169889433	32323	SG05S60	KCP_32323		C/T
169889680	32570	SG05S508	KCP_32570		A/G
169890025	32915	SG05S509	KCP_32915		A/G
169890055	32945	SG05S1173	KCP_32945	rs6873409	A/G
169890089	32979	SG05S1174	KCP_32979	rs6873133	A/C
169890291	33181	SG05S510	KCP_33181	rs6873872	A/G
169892122	35012	SG05S1175	KCP_35012		A/C
169892332	35222	SG05S511	KCP_35222	rs7724503	A/G
169892524	35414	SG05S61	KCP_35414		G/T
169892619	35509	SG05S512	KCP_35509	rs6885463	C/T
169892687	35577	SG05S513	KCP_35577		G/T
169893157	36047	SG05S514	KCP_36047	rs6555903	C/T
169893169	36059	SG05S515	KCP_36059	rs6555904	C/T
169893871	36761	SG05S516	KCP_36761		A/C
169894061	36951	SG05S517	KCP_36951		A/G
169894358	37248	SG05S518	KCP_37248		C/G
169895507	38397	SG05S1176	KCP_38397		C/T
169895699	38589	SG05S953	KCP_38589		A/C
169896322	39212	SG05S519	KCP_39212	rs7737732	G/T
169896357	39247	SG05S520	KCP_39247		A/G
169896369	39259	SG05S521	KCP_39259		A/G
169896451	39341	SG05S1177	KCP_39341		A/G
169896647	39537	SG05S522	KCP_39537		C/T
169896750	39640	SG05S523	KCP_39640		A/T
169896914	39804	SG05S524	KCP_39804		A/G
169897484	40374	SG05S525	KCP_40374		C/T
169897594	40484	SG05S526	KCP_40484		A/G
169897621	40511	SG05S527	KCP_40511		C/T
169897856	40746	SG05S528	KCP_40746		C/T
169898205	41095	SG05S529	KCP_41095		C/T
169898252	41142	SG05S530	KCP_41142		C/T
169898371	41261	SG05S531	KCP_41261		A/G
169899446	42336	SG05S532	KCP_42336		A/G
169899693	42583	SG05S533	KCP_42583		A/G
169900156	43046	SG05S534	KCP_43046		A/G
169900425	43315	SG05S1178	KCP_43315		C/G
169900629	43519	SG05S535	KCP_43519		C/T
169902212	45102	SG05S536	KCP_45102	rs2112601	A/G

169902400	45290	SG05S537	KCP_45290		G/T
169903206	46096	SG05S538	KCP_46096		C/T
169903615	46505	SG05S539	KCP_46505		C/T
169903676	46566	SG05S540	KCP_46566		A/C
169903766	46656	SG05S541	KCP_46656		A/C
169904530	47420	SG05S542	KCP_47420		C/T
169904757	47647	SG05S543	KCP_47647		A/G
169906262	49152	SG05S1179	KCP_49152		A/G
169906576	49466	SG05S544	KCP_49466		A/G
169906846	49736	SG05S545	KCP_49736		A/T
169907866	50756	SG05S1180	KCP_50756		A/G
169908937	51827	SG05S1181	KCP_51827		C/T
169909190	52080	SG05S1182	KCP_52080		C/T
169910099	52989	SG05S546	KCP_52989		A/G
169910133	53023	SG05S547	KCP_53023		C/T
169911784	54674	SG05S548	KCP_54674		A/C
169911823	54713	SG05S549	KCP_54713		A/C
169913086	55976	SG05S1183	KCP_55976		A/G
169913415	56305	SG05S62	KCP_56305		A/G
169913670	56560	SG05S954	KCP_56560		C/T
169913988	56878	SG05S550	KCP_56878		C/G
169914731	57621	SG05S551	KCP_57621		A/G
169914887	57777	SG05S552	KCP_57777		A/G
169915597	58487	SG05S553	KCP_58487		A/G
169917130	60020	SG05S554	KCP_60020		C/T
169917579	60469	SG05S555	KCP_60469		A/G
<b>169917813</b>	<b>60703</b>	<b>SG05S556</b>	<b>KCP_60703</b>		<b>A/G</b>
169919206	62096	SG05S557	KCP_62096		A/G
169919909	62799	SG05S233	KCP_62799		C/T
169921008	63898	SG05S558	KCP_63898		A/G
169921407	64297	SG05S559	KCP_64297		A/G
169921917	64807	SG05S560	KCP_64807		G/T
169922010	64900	SG05S1184	KCP_64900		A/G
169922309	65199	SG05S955	KCP_65199		A/G
169922397	65287	SG05S561	KCP_65287		G/T
169923449	66339	SG05S562	KCP_66339		A/G
169923611	66501	SG05S563	KCP_66501		A/G
169924005	66895	SG05S564	KCP_66895		A/G
169925422	68312	SG05S956	KCP_68312		A/C

169926039	68929	SG05S565	KCP_68929		C/T
169926454	69344	SG05S566	KCP_69344		A/G
169926756	69646	SG05S567	KCP_69646		C/T
169927013	69903	SG05S568	KCP_69903		A/G
169927893	70783	SG05S569	KCP_70783		C/T
169928063	70953	SG05S570	KCP_70953		A/T
169928076	70966	SG05S571	KCP_70966		A/C
169928444	71334	SG05S572	KCP_71334		C/T
169928522	71412	SG05S573	KCP_71412		A/T
169928555	71445	SG05S1185	KCP_71445		C/T
169928665	71555	SG05S1186	KCP_71555		C/T
169928700	71590	SG05S1187	KCP_71590		C/T
169929635	72525	SG05S574	KCP_72525	rs4269297	A/G
169929849	72739	SG05S575	KCP_72739		C/G
169930171	73061	SG05S576	KCP_73061	rs4867613	C/T
169930506	73396	SG05S577	KCP_73396		A/T
169930538	73428	SG05S578	KCP_73428	rs4867978	A/G
169930644	73534	SG05S579	KCP_73534	rs4867979	C/T
169931073	73963	SG05S580	KCP_73963		C/G
169931425	74315	SG05S581	KCP_74315		A/G
169931663	74553	SG05S582	KCP_74553		G/T
169931670	74560	SG05S583	KCP_74560		C/T
169932137	75027	SG05S584	KCP_75027		C/T
169932696	75586	SG05S585	KCP_75586	rs7723669	A/C
169932998	75888	SG05S586	KCP_75888		C/T
169933181	76071	SG05S587	KCP_76071	rs386758	A/G
169933212	76102	SG05S588	KCP_76102	rs386759	C/T
169933256	76146	SG05S589	KCP_76146		A/G
169933389	76279	SG05S1188	KCP_76279	rs4368746	C/T
169933420	76310	SG05S590	KCP_76310		C/T
169933699	76589	SG05S591	KCP_76589		C/T
169933756	76646	SG05S592	KCP_76646		C/T
169934348	77238	SG05S593	KCP_77238		G/T
169934429	77319	SG05S594	KCP_77319		C/G
169934556	77446	SG05S595	KCP_77446		C/T
169934663	77553	SG05S596	KCP_77553		C/T
169934751	77641	SG05S597	KCP_77641	rs4242157	A/G
169934936	77826	SG05S598	KCP_77826		C/G
169934949	77839	SG05S599	KCP_77839	rs7735198	A/G

169935134	78024	SG05S600	KCP_78024	rs4867981	A/G
169935240	78130	SG05S601	KCP_78130	rs4867614	C/T
169935254	78144	SG05S602	KCP_78144		A/C
169935713	78603	SG05S603	KCP_78603		C/T
169935892	78782	SG05S604	KCP_78782		A/G
169935939	78829	SG05S605	KCP_78829		A/G
169935989	78879	SG05S606	KCP_78879		C/T
169936272	79162	SG05S607	KCP_79162		C/T
169936275	79165	SG05S608	KCP_79165		C/T
169936329	79219	SG05S609	KCP_79219		G/T
169936495	79385	SG05S610	KCP_79385	rs6876518	C/T
169936910	79800	SG05S611	KCP_79800		C/G
169937029	79919	SG05S1189	KCP_79919		A/G
169937270	80160	SG05S612	KCP_80160		A/G
169937896	80786	SG05S613	KCP_80786		A/G
169938126	81016	SG05S614	KCP_81016		C/T
169938400	81290	SG05S615	KCP_81290		A/G
169938894	81784	SG05S1190	KCP_81784		A/G
<b>169939578</b>	<b>82468</b>	<b>SG05S957</b>	<b>KCP_82468</b>	<b>rs4242158</b>	<b>A/G</b>
169940311	83201	SG05S616	KCP_83201		C/T
169940995	83885	SG05S617	KCP_83885		A/G
169941106	83996	SG05S618	KCP_83996	rs4867615	A/G
169941897	84787	SG05S1191	KCP_84787		A/T
169942667	85557	SG05S619	KCP_85557		A/G
169942775	85665	SG05S620	KCP_85665	rs6892193	C/T
169942903	85793	SG05S958	KCP_85793	rs6892514	C/T
169943046	85936	SG05S621	KCP_85936		A/G
169943817	86707	SG05S622	KCP_86707		A/T
169944237	87127	SG05S623	KCP_87127	rs6881347	C/G
169945487	88377	SG05S624	KCP_88377		C/T
169945857	88747	SG05S625	KCP_88747		A/T
169945886	88776	SG05S626	KCP_88776		C/T
169945923	88813	SG05S627	KCP_88813		A/G
169946380	89270	SG05S628	KCP_89270		A/G
169946491	89381	SG05S629	KCP_89381	rs4867983	A/G
169947228	90118	SG05S630	KCP_90118		A/G
169947236	90126	SG05S631	KCP_90126		G/T
169947285	90175	SG05S632	KCP_90175		C/T
169947471	90361	SG05S633	KCP_90361		C/G

169947529	90419	SG05S634	KCP_90419		C/T
169947661	90551	SG05S635	KCP_90551		A/G
169947834	90724	SG05S636	KCP_90724		A/G
169948187	91077	SG05S637	KCP_91077	rs6874152	A/G
169948683	91573	SG05S1192	KCP_91573		A/G
169948703	91593	SG05S1193	KCP_91593		G/T
169948722	91612	SG05S1194	KCP_91612		A/G
169948755	91645	SG05S1195	KCP_91645		C/T
169948788	91678	SG05S1196	KCP_91678		A/G
169948798	91688	SG05S1197	KCP_91688		C/T
169948977	91867	SG05S638	KCP_91867		C/T
169949063	91953	SG05S639	KCP_91953		C/T
<b>169949229</b>	<b>92119</b>	<b>SG05S640</b>	<b>KCP_92119</b>		<b>C/T</b>
169949277	92167	SG05S641	KCP_92167		A/T
169949352	92242	SG05S642	KCP_92242		A/G
169949354	92244	SG05S643	KCP_92244	rs4867984	A/G
169949449	92339	SG05S644	KCP_92339		C/T
169950146	93036	SG05S63	KCP_93036		A/G
169950148	93038	SG05S645	KCP_93038		A/G
169950333	93223	SG05S646	KCP_93223	rs4867985	C/T
169950655	93545	SG05S64	KCP_93545		G/T
169950703	93593	SG05S1198	KCP_93593		C/G
169950754	93644	SG05S654	KCP_93644		G/T
169950844	93734	SG05S655	KCP_93734		C/T
169950855	93745	SG05S656	KCP_93745		G/T
169950892	93782	SG05S1199	KCP_93782		C/G
169950990	93880	SG05S657	KCP_93880		C/T
169951245	94135	SG05S1200	KCP_94135		A/C
169951290	94180	SG05S1201	KCP_94180		A/G
169951422	94312	SG05S658	KCP_94312		A/T
169951577	94467	SG05S659	KCP_94467		A/G
169951689	94579	SG05S660	KCP_94579		A/G
169951702	94592	SG05S661	KCP_94592		A/G
169951831	94721	SG05S662	KCP_94721		C/G
169951838	94728	SG05S663	KCP_94728		A/G
169951848	94738	SG05S664	KCP_94738		C/T
169951855	94745	SG05S665	KCP_94745		A/G
169952144	95034	SG05S1202	KCP_95034		A/G
169952209	95099	SG05S666	KCP_95099		A/C



169952705	95595	SG05S667	KCP_95595		A/G
169952838	95728	SG05S670	KCP_95728		A/G
169952962	95852	SG05S671	KCP_95852		A/G
169953175	96065	SG05S672	KCP_96065		C/G
169953185	96075	SG05S673	KCP_96075	rs4354060	A/G
169953207	96097	SG05S674	KCP_96097	rs4374772	C/G
169953297	96187	SG05S675	KCP_96187		A/G
169953327	96217	SG05S676	KCP_96217		A/G
169953334	96224	SG05S677	KCP_96224		A/G
169953426	96316	SG05S678	KCP_96316	rs6862741	A/G
169953728	96618	SG05S1203	KCP_96618		C/G
169953902	96792	SG05S679	KCP_96792	rs4867987	C/T
169954134	97024	SG05S680	KCP_97024	rs4867988	C/T
169954165	97055	SG05S1204	KCP_97055	rs4867989	C/T
169954260	97150	SG05S1205	KCP_97150		A/G
169954800	97690	SG05S681	KCP_97690	rs6868698	A/T
169954954	97844	DG00AAJIA	KCP_97844	rs2202438	A/T
169955450	98340	SG05S682	KCP_98340		C/T
169956638	99528	SG05S683	KCP_99528		A/C
169956932	99822	SG05S684	KCP_99822		C/T
169957089	99979	SG05S685	KCP_99979		A/G
169957538	100428	SG05S1206	KCP_100428		G/T
169958211	101101	SG05S1207	KCP_101101	rs4495201	A/G
169958651	101541	SG05S1208	KCP_101541		A/G
169958784	101674	SG05S686	KCP_101674		A/C
169959085	101975	SG05S687	KCP_101975		A/G
169959172	102062	SG05S1209	KCP_102062		A/T
169959537	102427	SG05S688	KCP_102427		A/G
169959561	102451	SG05S1210	KCP_102451		C/T
169959860	102750	SG05S1211	KCP_102750		C/T
<b>169959992</b>	<b>102882</b>	<b>DG00AAJIB</b>	<b>KCP_102882</b>		<b>C/T</b>
169961135	104025	SG05S689	KCP_104025	rs4867990	A/G
169961268	104158	SG05S690	KCP_104158		G/T
169961404	104294	SG05S691	KCP_104294	rs4867991	A/G
169961971	104861	SG05S692	KCP_104861		A/G
169962144	105034	SG05S693	KCP_105034		A/G
169962410	105300	SG05S694	KCP_105300	rs4242159	A/T
169962429	105319	SG05S695	KCP_105319	rs4428429	C/G
169962889	105779	SG05S696	KCP_105779		A/G

169962929	105819	SG05S697	KCP_105819		C/T
169963467	106357	SG05S698	KCP_106357	rs4867990	A/G
169963592	106482	SG05S699	KCP_106482		C/T
169963741	106631	SG05S700	KCP_106631		A/G
169963761	106651	SG05S701	KCP_106651		A/G
169963827	106717	SG05S702	KCP_106717		A/T
169964021	106911	SG05S703	KCP_106911	rs905807	C/G
169964087	106977	SG05S1212	KCP_106977	rs905808	C/T
169964112	107002	SG05S1213	KCP_107002	rs905809	C/T
169964368	107258	SG05S988	KCP_107258	rs905811	A/G
<b>169964490</b>	<b>107380</b>	<b>DG00AAJIC</b>	<b>KCP_107380</b>		<b>A/G</b>
169964862	107752	SG05S705	KCP_107752	rs905812	A/T
169964998	107888	SG05S706	KCP_107888		A/T
169965204	108094	SG05S707	KCP_108094		C/T
169965210	108100	SG05S708	KCP_108100		C/T
169965293	108183	SG05S709	KCP_108183		C/T
169965384	108274	SG05S710	KCP_108274		C/T
169965778	108668	SG05S1214	KCP_108668		C/T
169965813	108703	SG05S230	KCP_108703		G/T
169965814	108704	SG05S711	KCP_108704		A/G
169965989	108879	SG05S712	KCP_108879		A/T
169966345	109235	SG05S713	KCP_109235		C/G
169966790	109680	SG05S714	KCP_109680		A/C
169966813	109703	SG05S715	KCP_109703	rs6877169	A/G
169966833	109723	SG05S716	KCP_109723		A/G
169966856	109746	SG05S718	KCP_109746	rs905813	A/G
169967196	110086	SG05S719	KCP_110086		C/T
169967509	110399	SG05S720	KCP_110399		C/G
169968134	111024	SG05S721	KCP_111024		A/C
169968258	111148	SG05S722	KCP_111148	rs7726675	C/T
169968588	111478	SG05S723	KCP_111478	rs2089191	C/G
169968602	111492	SG05S724	KCP_111492		A/G
169968614	111504	SG05S725	KCP_111504		C/G
169969010	111900	SG05S726	KCP_111900		A/G
169969185	112075	SG05S727	KCP_112075		A/G
169969769	112659	SG05S728	KCP_112659	rs4867994	C/T
169970341	113231	SG05S729	KCP_113231		A/G
<b>169970367</b>	<b>113257</b>	<b>SG05S730</b>	<b>KCP_113257</b>	<b>rs4867616</b>	<b>A/G</b>
169970440	113330	SG05S733	KCP_113330		A/G

169971048	113938	SG05S734	KCP_113938		A/G
169971464	114354	SG05S736	KCP_114354		A/G
169971531	114421	SG05S1215	KCP_114421		C/T
169971568	114458	SG05S737	KCP_114458	rs2879337	C/T
169971621	114511	SG05S738	KCP_114511		C/T
169972209	115099	SG05S740	KCP_115099	rs1553537	A/G
169972598	115488	SG05S741	KCP_115488	rs6870612	C/G
169973254	116144	SG05S742	KCP_116144	rs1013922	C/T
169973325	116215	SG05S743	KCP_116215		A/G
169973369	116259	SG05S744	KCP_116259		A/G
<b>169973465</b>	<b>116355</b>	<b>SG05S745</b>	<b>KCP_116355</b>	rs2089192	<b>A/G</b>
169974479	117369	SG05S746	KCP_117369	rs870109	A/T
169974926	117816	SG05S747	KCP_117816	rs1553538	C/T
169976065	118955	SG05S1216	KCP_118955		C/T
169977940	120830	SG05S748	KCP_120830	rs905819	C/T
169978197	121087	SG05S749	KCP_121087		C/T
169978247	121137	SG05S192	KCP_121137		A/G
169978339	121229	SG05S193	KCP_121229		C/T
169978427	121317	SG05S1217	KCP_121317		C/T
169980304	123194	SG05S751	KCP_123194		A/G
169980403	123293	SG05S752	KCP_123293		A/G
169980481	123371	SG05S1218	KCP_123371		A/G
169980664	123554	SG05S753	KCP_123554		C/T
169981035	123925	SG05S1219	KCP_123925		A/G
169981067	123957	SG05S754	KCP_123957		A/G
169981628	124518	SG05S755	KCP_124518		C/T
169981632	124522	SG05S756	KCP_124522		G/T
<b>169981987</b>	<b>124877</b>	<b>SG05S194</b>	<b>KCP_124877</b>	<b>rs4146511</b>	<b>C/T</b>
169982473	125363	SG05S757	KCP_125363	rs2202436	A/T
169982868	125758	SG05S758	KCP_125758		C/T
<b>169983196</b>	<b>126086</b>	<b>SG05S195</b>	<b>KCP_126086</b>	<b>rs2202437</b>	<b>A/G</b>
169983318	126208	DG00AAJHA	KCP_126208		T/C
169983565	126455	SG05S1220	KCP_126455		C/G
169983591	126481	SG05S759	KCP_126481	rs2221441	C/G
169983692	126582	SG05S760	KCP_126582		A/G
169985824	128714	SG05S1221	KCP_128714		A/G
169985916	128806	SG05S151	KCP_128806		A/G
169985985	128875	SG05S761	KCP_128875		C/T
169986162	129052	SG05S763	KCP_129052	rs4867617	C/G

169986174	129064	SG05S762	KCP_129064		C/G
169986189	129079	SG05S764	KCP_129079	rs4867618	C/T
<b>169986203</b>	<b>129093</b>	<b>SG05S152</b>	<b>KCP_129093</b>	<b>rs4867995</b>	<b>C/G</b>
<b>169986237</b>	<b>129127</b>	<b>SG05S480</b>	<b>KCP_129127</b>	<b>rs4867619</b>	<b>A/G</b>
169986334	129224	SG05S765	KCP_129224	rs486762	G/T
169986478	129368	SG05S766	KCP_129368		C/G
169986579	129469	SG05S181	KCP_129469		A/G
169986800	129690	SG05S182	KCP_129690	rs4867996	G/T
169986957	129847	SG05S767	KCP_129847	rs4867997	A/G
169986984	129874	SG05S985	KCP_129874	rs4867998	A/C
169986999	129889	SG05S986	KCP_129889	rs4867999	A/G
<b>169987419</b>	<b>130309</b>	<b>DG00AAJHB</b>	<b>KCP_130309</b>		<b>A/G</b>
169987667	130557	SG05S196	KCP_130557	rs905822	C/G
169988155	131045	SG05S768	KCP_131045		A/G
<b>169988354</b>	<b>131244</b>	<b>SG05S197</b>	<b>KCP_131244</b>	<b>rs905824</b>	<b>A/G</b>
169988368	131258	SG05S769	KCP_131258	rs905825	C/T
169988581	131471	SG05S770	KCP_131471	rs905826	A/G
169988714	131604	SG05S1222	KCP_131604		A/G
169988812	131702	SG05S771	KCP_131702	rs905827	C/T
169988905	131795	SG05S65	KCP_131795	rs4868001	C/T
<b>169988964</b>	<b>131854</b>	<b>SG05S153</b>	<b>KCP_131854</b>	<b>rs6861734</b>	<b>G/T</b>
169989037	131927	SG05S772	KCP_131927	rs6865908	A/G
169989257	132147	SG05S773	KCP_132147		C/T
169989533	132423	SG05S774	KCP_132423		A/G
169989704	132594	SG05S775	KCP_132594	rs4868002	G/T
169989739	132629	SG05S776	KCP_132629		A/G
<b>169989787</b>	<b>132677</b>	<b>SG05S154</b>	<b>KCP_132677</b>		<b>A/G</b>
169990284	133174	SG05S777	KCP_133174		C/T
169990366	133256	SG05S1223	KCP_133256		A/G
169990548	133438	SG05S778	KCP_133438	rs4867621	A/G
169990840	133730	SG05S779	KCP_133730		C/T
169990962	133852	SG05S780	KCP_133852		A/G
169991155	134045	SG05S198	KCP_134045		C/T
169991415	134305	SG05S199	KCP_134305	rs7737768	C/T
169991521	134411	SG05S781	KCP_134411	rs6555907	C/T
169991729	134619	SG05S1224	KCP_134619		A/C
169991939	134829	SG05S782	KCP_134829		C/T
169992076	134966	SG05S783	KCP_134966		A/G
169992155	135045	SG05S784	KCP_135045		A/G

<b>169992628</b>	<b>135518</b>	<b>SG05S200</b>	<b>KCP_135518</b>	<b>rs4868003</b>	<b>G/T</b>
169992821	135711	SG05S785	KCP_135711		G/T
169993032	135922	SG05S786	KCP_135922		A/G
169993096	135986	SG05S183	KCP_135986		A/G
<b>169993146</b>	<b>136036</b>	<b>SG05S481</b>	<b>KCP_136036</b>		<b>A/C</b>
169993585	136475	SG05S787	KCP_136475		C/T
169994082	136972	SG05S201	KCP_136972	rs4868004	A/G
<b>169994770</b>	<b>137660</b>	<b>SG05S202</b>	<b>KCP_137660</b>		<b>A/G</b>
169995924	138814	SG05S788	KCP_138814		C/T
169997343	140233	SG05S789	KCP_140233		C/T
169997640	140530	SG05S1225	KCP_140530		A/G
169998201	141091	SG05S1226	KCP_141091		A/G
170000256	143146	SG05S1227	KCP_143146	rs953601	C/T
170000611	143501	SG05S1228	KCP_143501		C/T
170000722	143612	SG05S66	KCP_143612	rs4867622	A/G
170000869	143759	SG05S790	KCP_143759		C/T
170000983	143873	SG05S1229	KCP_143873		C/T
170001571	144461	SG05S1230	KCP_144461		C/T
170001578	144468	SG05S1299	KCP_144468	rs931805	C/T
170002070	144960	SG05S203	KCP_144960	rs2279873	C/T
170002435	145325	SG05S791	KCP_145325	rs6891256	C/T
170002801	145691	SG05S1231	KCP_145691		A/G
170003438	146328	SG05S792	KCP_146328		A/G
170003572	146462	SG05S793	KCP_146462		G/T
<b>170003856</b>	<b>146746</b>	<b>SG05S482</b>	<b>KCP_146746</b>		<b>C/T</b>
170003940	146830	SG05S1232	KCP_146830		C/T
170004075	146965	SG05S794	KCP_146965		C/T
170004199	147089	SG05S1233	KCP_147089		C/G
170004733	147623	SG05S204	KCP_147623	rs2292146	C/T
170005151	148041	SG05S795	KCP_148041		C/T
<b>170006326</b>	<b>149216</b>	<b>SG05S205</b>	<b>KCP_149216</b>	<b>rs6555908</b>	<b>A/G</b>
170006485	149375	SG05S796	KCP_149375	rs883848	G/T
170006645	149535	SG05S206	KCP_149535	rs883849	A/G
170006910	149800	SG05S1234	KCP_149800		A/G
170007023	149913	SG05S797	KCP_149913	rs4867623	C/T
170007516	150406	SG05S798	KCP_150406	rs4868005	G/T
170007640	150530	SG05S987	KCP_150530		C/T
170007808	150698	SG05S799	KCP_150698		G/T
170007921	150811	SG05S155	KCP_150811		A/G

170008215	151105	SG05S800	KCP_151105		G/T
170008937	151827	SG05S801	KCP_151827	rs2339094	A/G
170009218	152108	SG05S1235	KCP_152108		A/G
170009587	152477	SG05S802	KCP_152477		C/T
170009592	152482	SG05S803	KCP_152482		A/C
170010385	153275	SG05S1236	KCP_153275	rs6866371	C/T
170010518	153408	SG05S1237	KCP_153408		C/T
170010943	153833	SG05S804	KCP_153833		C/T
170011041	153931	DG00AAJHC	KCP_153931	rs2879338	A/G
170011269	154159	SG05S805	KCP_154159		A/G
170011475	154365	SG05S1238	KCP_154365		A/G
170011963	154853	SG05S806	KCP_154853		C/T
170012367	155257	SG05S807	KCP_155257		C/G
170013726	156616	SG05S808	KCP_156616		C/T
170013842	156732	SG05S207	KCP_156732	rs924876	A/T
170015154	158044	SG05S809	KCP_158044		A/G
170015582	158472	SG05S810	KCP_158472		C/T
170015603	158493	SG05S811	KCP_158493		A/G
170015680	158570	SG05S812	KCP_158570		C/T
170015727	158617	SG05S67	KCP_158617	rs2036559	C/T
170016200	159090	SG05S813	KCP_159090	rs6889236	A/G
170016255	159145	SG05S814	KCP_159145		A/G
170016259	159149	SG05S815	KCP_159149		C/T
170016791	159681	SG05S1239	KCP_159681		A/G
170016798	159688	SG05S1240	KCP_159688		A/G
<b>170017255</b>	<b>160145</b>	<b>SG05S208</b>	<b>KCP_160145</b>		<b>A/G</b>
170017524	160414	SG05S816	KCP_160414		G/T
170018297	161187	SG05S817	KCP_161187		A/G
170018356	161246	SG05S818	KCP_161246		C/G
170018549	161439	SG05S819	KCP_161439		A/G
170018573	161463	SG05S820	KCP_161463		C/T
170019258	162148	SG05S821	KCP_162148		C/T
170019314	162204	SG05S1241	KCP_162204		A/C
170019379	162269	SG05S822	KCP_162269		A/T
170019414	162304	SG05S823	KCP_162304		C/G
170019958	162848	SG05S824	KCP_162848		C/G
170020197	163087	SG05S825	KCP_163087	rs6871693	C/G
170020606	163496	SG05S826	KCP_163496		A/G
170020870	163760	SG05S827	KCP_163760		A/G

170021444	164334	SG05S1242	KCP_164334		A/G
170022007	164897	SG05S209	KCP_164897		A/G
170022125	165015	SG05S828	KCP_165015		G/T
170022343	165233	SG05S1243	KCP_165233		C/T
170022545	165435	SG05S1244	KCP_165435		C/T
170023275	166165	SG05S829	KCP_166165		A/G
170024034	166924	SG05S1245	KCP_166924	rs4867624	C/T
<b>170024668</b>	<b>167558</b>	<b>SG05S830</b>	<b>KCP_167558</b>		<b>A/G</b>
170025753	168643	SG05S1246	KCP_168643		A/G
170025970	168860	SG05S1247	KCP_168860	rs2202439	C/G
170026021	168911	SG05S1248	KCP_168911		A/G
170026162	169052	SG05S1249	KCP_169052		A/G
<b>170026344</b>	<b>169234</b>	<b>SG05S156</b>	<b>KCP_169234</b>		<b>A/G</b>
170028032	170922	SG05S1297	KCP_170922	rs4868008	A/C
170028055	170945	SG05S831	KCP_170945		C/G
170028163	171053	SG05S1250	KCP_171053	rs4868009	A/G
170028303	171193	SG05S1300	KCP_171193	rs4868010	G/T
170028752	171642	SG05S1251	KCP_171642		G/T
170028987	171877	SG05S832	KCP_171877		A/G
170030482	173372	SG05S833	KCP_173372		A/G
170030815	173705	SG05S834	KCP_173705		C/T
<b>170030958</b>	<b>173848</b>	<b>SG05S210</b>	<b>KCP_173848</b>		<b>A/G</b>
170030986	173876	SG05S1252	KCP_173876		C/T
<b>170031092</b>	<b>173982</b>	<b>SG05S157</b>	<b>KCP_173982</b>	<b>rs6875696</b>	<b>A/C</b>
170031149	174039	SG05S835	KCP_174039		C/T
170031150	174040	SG05S836	KCP_174040		A/G
<b>170031353</b>	<b>174243</b>	<b>DG00AAJHF</b>	<b>KCP_174243</b>		<b>A/G</b>
170031709	174599	SG05S837	KCP_174599		C/T
170031812	174702	SG05S838	KCP_174702		C/T
170031962	174852	SG05S839	KCP_174852		A/G
170031972	174862	SG05S840	KCP_174862	rs4628005	G/T
<b>170032216</b>	<b>175106</b>	<b>SG05S158</b>	<b>KCP_175106</b>	<b>rs2339095</b>	<b>C/G</b>
170032280	175170	SG05S211	KCP_175170	rs6555910	A/G
170032361	175251	SG05S841	KCP_175251		C/T
170032362	175252	DG00AAJHG	KCP_175252	rs7721722	A/G
170032610	175500	SG05S842	KCP_175500		A/G
170032814	175704	SG05S843	KCP_175704		A/G
170033021	175911	SG05S844	KCP_175911		A/G
170033923	176813	SG05S845	KCP_176813		A/G

170033946	176836	DG00AAJHH	KCP_176836		A/G
170034620	177510	SG05S184	KCP_177510	rs4868011	A/C
170034720	177610	SG05S1253	KCP_177610		G/T
170034980	177870	SG05S846	KCP_177870		G/T
170035009	177899	SG05S847	KCP_177899	rs4868012	C/T
170036929	179819	SG05S848	KCP_179819		C/T
170037010	179900	SG05S1254	KCP_179900		G/T
170037283	180173	SG05S159	KCP_180173	rs2135046	C/T
<b>170037347</b>	<b>180237</b>	<b>SG05S212</b>	<b>KCP_180237</b>	<b>rs2135047</b>	<b>C/G</b>
170038967	181857	SG05S1255	KCP_181857		C/T
170039237	182127	SG05S1256	KCP_182127		C/T
170039419	182309	SG05S849	KCP_182309		A/T
170041190	184080	SG05S160	KCP_184080	rs2292147	C/G
<b>170041385</b>	<b>184275</b>	<b>SG05S964</b>	<b>KCP_184275</b>		<b>A/G</b>
170042689	185579	DG00AAJDX	KCP_185579		C/A
<b>170043158</b>	<b>186048</b>	<b>SG05S213</b>	<b>KCP_186048</b>		<b>A/G</b>
<b>170043789</b>	<b>186679</b>	<b>SG05S161</b>	<b>KCP_186679</b>		<b>C/G</b>
170043953	186843	SG05S850	KCP_186843		A/C
170043997	186887	SG05S965	KCP_186887		C/T
<b>170044226</b>	<b>187116</b>	<b>DG00AAJDY</b>	<b>KCP_187116</b>		<b>A/G</b>
170044277	187167	SG05S851	KCP_187167		C/G
170044368	187258	SG05S162	KCP_187258		G/T
170044661	187551	SG05S853	KCP_187551		A/G
170044798	187688	DG00AAJDZ	KCP_187688		T/A
170044904	187794	SG05S966	KCP_187794		C/T
170045075	187965	SG05S967	KCP_187965		C/T
170046043	188933	SG05S968	KCP_188933		C/T
170046441	189331	SG05S214	KCP_189331		A/G
170047120	190010	SG05S854	KCP_190010	rs2221442	A/G
170047129	190019	SG05S855	KCP_190019		C/G
170048070	190960	SG05S856	KCP_190960		C/G
170048074	190964	SG05S857	KCP_190964		C/T
170048090	190980	SG05S858	KCP_190980		C/G
170048315	191205	SG05S859	KCP_191205	rs4868015	C/T
170048733	191623	SG05S860	KCP_191623		A/G
170049238	192128	SG05S990	KCP_192128		C/T
170049852	192742	DG00AAJEB	KCP_192742	rs1973529	T/C
170050303	193193	DG00AAJEC	KCP_193193		G/A
<b>170051066</b>	<b>193956</b>	<b>SG05S163</b>	<b>KCP_193956</b>	<b>rs2202440</b>	<b>C/T</b>



170051438	194328	SG05S861	KCP_194328		A/T
170051462	194352	SG05S862	KCP_194352		A/G
<b>170051726</b>	<b>194616</b>	<b>DG00AAJEE</b>	<b>KCP_194616</b>	<b>rs2036560</b>	<b>T/C</b>
170051899	194789	SG05S970	KCP_194789		C/T
170052012	194902	SG05S863	KCP_194902		A/G
170052171	195061	SG05S971	KCP_195061		G/T
170052988	195878	SG05S864	KCP_195878		C/T
<b>170053658</b>	<b>196548</b>	<b>DG00AAJEF</b>	<b>KCP_196548</b>		<b>A/G</b>
170053669	196559	SG05S865	KCP_196559	rs7702368	A/G
170053840	196730	SG05S866	KCP_196730		G/T
170053939	196829	SG05S867	KCP_196829		C/G
170054581	197471	SG05S972	KCP_197471		A/G
170054620	197510	SG05S973	KCP_197510		C/T
<b>170054788</b>	<b>197678</b>	<b>DG00AAJEG</b>	<b>KCP_197678</b>	<b>rs962804</b>	<b>T/C</b>
170054803	197693	SG05S884	KCP_197693		A/G
<b>170054885</b>	<b>197775</b>	<b>DG00AAJEH</b>	<b>KCP_197775</b>		<b>C/T</b>
170055781	198671	DG00AAJEI	KCP_198671		A/G
170055957	198847	SG05S974	KCP_198847		A/G
170056043	198933	DG00AAJEJ	KCP_198933		G/A
170056137	199027	SG05S975	KCP_199027		A/G
170056475	199365	DG00AAJEK	KCP_199365	rs6555911	A/G
170056516	199406	SG05S164	KCP_199406	rs6887777	A/T
170056578	199468	SG05S1257	KCP_199468		C/T
170057283	200173	SG05S165	KCP_200173		C/G
170057351	200241	DG00AAJEL	KCP_200241		A/G
170057605	200495	SG05S976	KCP_200495		A/G
170057933	200823	SG05S991	KCP_200823		A/C
170058193	201083	SG05S992	KCP_201083	rs4464713	C/T
170058699	201589	SG05S885	KCP_201589		C/T
170059095	201985	DG00AAJEM	KCP_201985		G/A
170059177	202067	DG00AAJEN	KCP_202067	rs2221440	A/G
170059203	202093	SG05S977	KCP_202093		A/C
<b>170059905</b>	<b>202795</b>	<b>DG00AAJEO</b>	<b>KCP_202795</b>	<b>rs875184</b>	<b>C/T</b>
170060219	203109	SG05S1258	KCP_203109		A/G
170060292	203182	SG05S978	KCP_203182		A/G
170060393	203283	SG05S979	KCP_203283	rs905818	A/G
170061018	203908	SG05S980	KCP_203908	rs905817	C/T
170061292	204182	SG05S981	KCP_204182	rs872435	G/T
170061352	204242	SG05S166	KCP_204242	rs6897344	C/T

170061419	204309	SG05S982	KCP_204309		A/G
170061618	204508	SG05S983	KCP_204508	rs872436	A/G
170061670	204560	SG05S1259	KCP_204560		A/G
170061727	204617	SG05S984	KCP_204617	rs6876574	C/T
170061799	204689	SG05S1260	KCP_204689	rs905816	G/T
170061809	204699	SG05S1261	KCP_204699		A/T
170061845	204735	SG05S1262	KCP_204735	rs905815	C/T
170062696	205586	SG05S886	KCP_205586	rs329466	C/T
170062747	205637	SG05S887	KCP_205637	rs7721804	A/C
170062756	205646	SG05S888	KCP_205646	rs329467	C/T
170062777	205667	SG05S889	KCP_205667	rs7721817	A/G
170062940	205830	SG05S167	KCP_205830		C/T
170062950	205840	SG05S890	KCP_205840		A/G
170063305	206195	SG05S891	KCP_206195		C/G
170063313	206203	SG05S892	KCP_206203		C/T
170063377	206267	SG05S168	KCP_206267		A/G
170063732	206622	SG05S893	KCP_206622	rs7727631	A/G
170063817	206707	SG05S894	KCP_206707		C/T
170063983	206873	SG05S1263	KCP_206873	rs7710016	A/T
170064013	206903	SG05S1264	KCP_206903		C/G
170064648	207538	SG05S895	KCP_207538		C/T
170064760	207650	SG05S969	KCP_207650		A/G
170064771	207661	SG05S169	KCP_207661		C/G
170064881	207771	SG05S896	KCP_207771	rs329468	A/G
<b>170065075</b>	<b>207965</b>	<b>SG05S170</b>	<b>KCP_207965</b>		<b>C/T</b>
170065694	208584	SG05S171	KCP_208584		A/G
170065711	208601	SG05S232	KCP_208601	rs329469	A/C
170065715	208605	SG05S897	KCP_208605		A/G
170065740	208630	SG05S172	KCP_208630		C/T
170065834	208724	SG05S1265	KCP_208724	rs7700434	C/T
170066123	209013	SG05S1266	KCP_209013	rs7734240	C/T
170066260	209150	SG05S1267	KCP_209150		A/G
170067967	210857	SG05S898	KCP_210857	rs2194162	A/G
170068018	210908	SG05S899	KCP_210908		C/G
170068420	211310	SG05S900	KCP_211310		A/G
170068510	211400	SG05S901	KCP_211400	rs410348	A/G
170068614	211504	SG05S902	KCP_211504		A/G
170068635	211525	SG05S173	KCP_211525		A/G
170068731	211621	SG05S903	KCP_211621		A/G

170068759	211649	SG05S1268	KCP_211649		G/T
170068960	211850	SG05S185	KCP_211850	rs329470	C/T
<b>170069885</b>	<b>212775</b>	<b>SG05S186</b>	<b>KCP_212775</b>	<b>rs4349730</b>	<b>A/G</b>
170070003	212893	SG05S1269	KCP_212893	rs6877532	G/T
170070041	212931	SG05S1270	KCP_212931	rs50057	A/G
170070593	213483	SG05S904	KCP_213483		A/G
170070700	213590	SG05S1271	KCP_213590	rs102684	C/T
170070735	213625	SG05S905	KCP_213625	rs102685	C/T
170070768	213658	SG05S1272	KCP_213658	rs102686	A/G
170071584	214474	SG05S1273	KCP_214474	rs329471	C/G
170071665	214555	SG05S1274	KCP_214555	rs329472	C/T
170071715	214605	SG05S1275	KCP_214605	rs329473	C/G
170072023	214913	SG05S1276	KCP_214913		A/G
170072363	215253	SG05S906	KCP_215253	rs4041562	C/T
170072373	215263	SG05S907	KCP_215263	rs172944	C/T
170072484	215374	SG05S908	KCP_215374		A/G
170072485	215375	SG05S909	KCP_215375		A/G
170072562	215452	SG05S910	KCP_215452	rs191297	A/G
170072712	215602	SG05S1277	KCP_215602	rs186646	A/C
170072813	215703	SG05S174	KCP_215703		A/C
170073179	216069	SG05S1278	KCP_216069		C/T
170073555	216445	SG05S1279	KCP_216445	rs1363709	A/G
170073565	216455	SG05S1280	KCP_216455	rs329474	C/G
170074202	217092	SG05S993	KCP_217092	rs984559	A/G
170074303	217193	SG05S994	KCP_217193		C/T
170074359	217249	SG05S995	KCP_217249	rs329475	A/G
170075932	218822	SG05S996	KCP_218822		A/G
170076291	219181	SG05S997	KCP_219181		A/G
170076439	219329	SG05S998	KCP_219329	rs801987	C/G
170077257	220147	SG05S911	KCP_220147		A/T
170078779	221669	SG05S912	KCP_221669		C/G
170078881	221771	SG05S1281	KCP_221771		C/T
170078909	221799	DG00AAJHJ	KCP_221799	rs7733559	A/T
170078966	221856	SG05S913	KCP_221856	rs7713498	C/T
170079102	221992	SG05S1282	KCP_221992		C/T
170079170	222060	SG05S175	KCP_222060		C/T
170079176	222066	SG05S1283	KCP_222066		A/T
170079986	222876	SG05S1284	KCP_222876		A/G
170080026	222916	SG05S914	KCP_222916		C/T

170080378	223268	SG05S915	KCP_223268	rs4868017	C/T
170080480	223370	SG05S916	KCP_223370		C/T
170080678	223568	SG05S917	KCP_223568		G/T
170080917	223807	SG05S918	KCP_223807		C/G
170081127	224017	SG05S919	KCP_224017	rs6555913	A/G
<b>170081263</b>	<b>224153</b>	<b>SG05S1285</b>	<b>KCP_224153</b>		<b>G/T</b>
170081464	224354	SG05S920	KCP_224354		C/G
170081779	224669	SG05S231	KCP_224669		A/C
170082330	225220	SG05S177	KCP_225220		A/G
170082361	225251	SG05S1286	KCP_225251		A/T
170082496	225386	SG05S922	KCP_225386		C/T
170083131	226021	SG05S1287	KCP_226021		A/C
170083226	226116	SG05S1288	KCP_226116		C/G
170083558	226448	SG05S924	KCP_226448		A/G
170083941	226831	SG05S925	KCP_226831		A/G
170084576	227466	SG05S926	KCP_227466		C/T
170084823	227713	SG05S927	KCP_227713		A/G
<b>170084981</b>	<b>227871</b>	<b>SG05S178</b>	<b>KCP_227871</b>		<b>C/G</b>
<b>170085097</b>	<b>227987</b>	<b>SG05S483</b>	<b>KCP_227987</b>	<b>rs2277951</b>	<b>C/T</b>
<b>170085116</b>	<b>228006</b>	<b>SG05S187</b>	<b>KCP_228006</b>	<b>rs2277952</b>	<b>C/T</b>
170085151	228041	SG05S928	KCP_228041		A/T
170085191	228081	SG05S929	KCP_228081		C/T
170085217	228107	SG05S179	KCP_228107		A/T
170085834	228724	SG05S1289	KCP_228724		A/G
170086059	228949	SG05S999	KCP_228949		C/T
170086143	229033	SG05S1000	KCP_229033		C/T
170086250	229140	SG05S1001	KCP_229140		C/T
170086709	229599	SG05S930	KCP_229599		A/C
170086826	229716	SG05S931	KCP_229716		C/T
170087721	230611	SG05S932	KCP_230611	rs6894038	C/G
170087734	230624	SG05S933	KCP_230624	rs6894316	A/G
170087780	230670	SG05S934	KCP_230670	rs6875006	G/T
170087950	230840	SG05S1290	KCP_230840		A/G
170088932	231822	SG05S1291	KCP_231822	rs1422978	C/T
170089182	232072	SG05S1292	KCP_232072	rs2194160	C/T
<b>170089631</b>	<b>232521</b>	<b>SG05S1293</b>	<b>KCP_232521</b>	<b>rs1592987</b>	<b>A/T</b>
<b>170090569</b>	<b>233459</b>	<b>SG05S935</b>	<b>KCP_233459</b>	<b>rs6870201</b>	<b>A/G</b>
170090765	233655	SG05S989	KCP_233655	rs2032863	A/G
170091557	234447	SG05S936	KCP_234447	rs6876375	A/G

170091681	234571	SG05S937	KCP_234571		C/T
170091700	234590	SG05S938	KCP_234590		A/T
170092075	234965	SG05S939	KCP_234965		C/T
170092275	235165	SG05S940	KCP_235165	rs1363710	G/T
170092318	235208	SG05S941	KCP_235208	rs1363711	A/G
170092468	235358	SG05S942	KCP_235358		A/G
170093047	235937	SG05S1294	KCP_235937		A/C
170093362	236252	SG05S943	KCP_236252		A/T
170094119	237009	SG05S1295	KCP_237009		A/G
170094581	237471	SG05S944	KCP_237471	rs1422979	A/G
<b>170094615</b>	<b>237505</b>	<b>SG05S188</b>	<b>KCP_237505</b>	<b>rs4867628</b>	<b>C/T</b>
170094780	237670	SG05S1296	KCP_237670		G/T
<b>170095344</b>	<b>238234</b>	<b>SG05S945</b>	<b>KCP_238234</b>		<b>C/T</b>
170095662	238552	SG05S947	KCP_238552		C/T
170095701	238591	SG05S180	KCP_238591		C/T
170096774	239664	SG05S949	KCP_239664		C/G
170097477	240367	SG05S950	KCP_240367	rs6879997	C/G
170098637	241527	SG05S190	KCP_241527	rs1363713	G/T
170098914	241804	SG05S191	KCP_241804	rs1055381	C/T
170099451	242341	SG05S951	KCP_242341	rs1363714	A/G
170099467	242357	SG05S952	KCP_242357	rs6872337	G/T
<b>170106814</b>		<b>SG05S1608</b>	<b>SG05S1608</b>	rs1544762	<b>G/T</b>
<b>170106833</b>		<b>SG05S1609</b>	<b>SG05S1609</b>		<b>C/T</b>
<b>170106887</b>		<b>SG05S1610</b>	<b>SG05S1610</b>		<b>A/C</b>

Table 13. The Build 33 location of SNPs and microsatellites employed for the subsequent association analysis across KChIP1.

Start (B33)	Marker	Public alias	deCODE alias	Variation
169477886	rs1895301	rs1895301	SG05S2143	C/T
169500972	rs1422752	rs1422752	SG05S1616	C/T
169518355	rs1422754	rs1422754	SG05S1617	A/G
169653708	DG5S1173			
169661202	DG5S44			
169673519	SG05S872	rs6881730	SG05S872	A/G
169678485	SG05S873	rs925080	SG05S873	A/G
169693772	DG5S45			
169696877	KCP_rs315773	rs315773	SG05S76	A/G
169702377	DG5S46			
169705506	SG05S876	rs315757	SG05S876	A/G
169709736	KCP_rs952767	rs952767	SG05S79	G/T
169740666	KNB_24222	rs314155	SG05S1611	A/G
169740703	KNB_24259		DG00AAIGF	A/G
169741172	KNB_24728	rs2656842	DG00AAIGG	G/T
169745438	DG5S1178			
169746339	KNB_29895		DG00AAIGH	C/T
169747941	KNB_31497		DG00AAIGI	A/G
169751742	KNB_35298	rs2075612	DG00AAIGZ	A/T
169751814	KNB_35370		DG00AAIHA	C/G
169751843	KNB_35399	rs703508	DG00AAIHB	A/G
169753660	KCP_rs314129	rs314129	SG05S83	C/T
169782203	KCP_rs183398	rs183398	SG05S87	C/T
169788696	DG5S47			
169794522	DG5S1592			
169815996	rs1032856	rs1032856	SG05S96	C/G
<b>169833941</b>	<b>rs2055606</b>	<b>rs2055606</b>	<b>SG05S1621</b>	<b>C/T</b>
169843903	DG5S119			
169859275	KCP_rs888934	rs888934	SG05S93	A/G
169867465	KCP_10355		SG05S229	A/T
169867556	KCP_10446		DG00AAHAR	C/G
<b>169869845</b>	<b>rs933656</b>	<b>rs933656</b>	<b>DG00AAFCS</b>	<b>A/G</b>
<b>169869955</b>	<b>rs2339091</b>	<b>rs2339091</b>	<b>DG00AAFCL</b>	<b>G/T</b>
<b>169890996</b>	<b>rs1862331</b>	<b>rs1862331</b>	<b>DG00AAFCL</b>	<b>C/T</b>
169895699	KCP_38589		SG05S953	A/C
169922309	KCP_65199		SG05S955	A/G

169939578	KCP_82468	rs4242158	SG05S957	A/G
169942903	KCP_85793	rs6892514	SG05S958	C/T
169950655	KCP_93545		SG05S64	G/T
169951970	DG5S955			
169954954	KCP_97844	rs2202438	DG00AAJIA	A/T
169959992	KCP_102882		DG00AAJIB	C/T
169961410	DG5S13			
169964490	KCP_107380		DG00AAJIC	A/G
169965813	KCP_108703		SG05S230	G/T
169981987	KCP_124877	rs4146511	SG05S194	C/T
169983196	KCP_126086	rs2202437	SG05S195	A/G
169983318	KCP_126208		DG00AAJHA	T/C
169986203	KCP_129093	rs4867995	SG05S152	C/G
169986237	KCP_129127	rs4867619	SG05S480	A/G
169986800	KCP_129690	rs4867996	SG05S182	G/T
169987419	KCP_130309		DG00AAJHB	A/G
169987667	KCP_130557	rs905822	SG05S196	C/G
169987873	rs905823	rs905823	SG05S1302	A/C
169988354	KCP_131244	rs905824	SG05S197	A/G
169988964	KCP_131854	rs6861734	SG05S153	G/T
169989787	KCP_132677		SG05S154	A/G
169991155	KCP_134045		SG05S198	C/T
169992628	KCP_135518	rs4868003	SG05S200	G/T
169993146	KCP_136036		SG05S481	A/C
169994770	KCP_137660		SG05S202	A/G
170000722	KCP_143612	rs4867622	SG05S66	A/G
170002070	KCP_144960	rs2279873	SG05S203	C/T
170003856	KCP_146746		SG05S482	C/T
170006326	KCP_149216	rs6555908	SG05S205	A/G
170006645	KCP_149535	rs883849	SG05S206	A/G
<b>170006645</b>	<b>rs883849</b>	<b>rs883849</b>	<b>SG05S206</b>	<b>A/G</b>
170013842	KCP_156732	rs924876	SG05S207	A/T
170015727	KCP_158617	rs2036559	SG05S67	C/T
170015858	DG5S123			
170017255	KCP_160145		SG05S208	A/G
170022007	KCP_164897		SG05S209	A/G
170026344	KCP_169234		SG05S156	A/G
170030958	KCP_173848		SG05S210	A/G
170031092	KCP_173982	rs6875696	SG05S157	A/C
170031353	KCP_174243		DG00AAJHF	A/G

170032216	KCP_175106	rs2339095	SG05S158	C/G
170032280	KCP_175170	rs6555910	SG05S211	A/G
170032362	KCP_175252	rs7721722	DG00AAJHG	A/G
170033946	KCP_176836		DG00AAJHH	A/G
170037283	KCP_180173	rs2135046	SG05S159	C/T
<b>170037283</b>	<b>rs2135046</b>	<b>rs2135046</b>	<b>SG05S159</b>	<b>C/T</b>
170037347	KCP_180237	rs2135047	SG05S212	C/G
170041190	KCP_184080	rs2292147	SG05S160	C/G
170041996	DG5S124			
170042689	KCP_185579		DG00AAJDX	C/A
170043158	KCP_186048		SG05S213	A/G
170043789	KCP_186679		SG05S161	C/G
170044226	KCP_187116		DG00AAJDY	A/G
170044368	KCP_187258		SG05S162	G/T
170044798	KCP_187688		DG00AAJDZ	T/A
170046441	KCP_189331		SG05S214	A/G
170049852	KCP_192742	rs1973529	DG00AAJEB	T/C
170050303	KCP_193193		DG00AAJEC	G/A
170051066	KCP_193956	rs2202440	SG05S163	C/T
170051726	KCP_194616	rs2036560	DG00AAJEE	T/C
170053658	KCP_196548		DG00AAJEF	A/G
170054788	KCP_197678	rs962804	DG00AAJEG	T/C
170054885	KCP_197775		DG00AAJEH	C/T
170056043	KCP_198933		DG00AAJEJ	G/A
170056475	KCP_199365	rs6555911	DG00AAJEK	A/G
170056955	rs2339139	rs2339139	DG00AAFCE	A/G
170057351	KCP_200241		DG00AAJEL	A/G
170059095	KCP_201985		DG00AAJEM	G/A
170059177	KCP_202067	rs2221440	DG00AAJEN	A/G
170059905	KCP_202795	rs875184	DG00AAJEO	C/T
170061292	rs872435	rs872435	SG05S981	G/T
170061352	KCP_204242	rs6897344	SG05S166	C/T
170063377	KCP_206267		SG05S168	A/G
170064771	KCP_207661		SG05S169	C/G
170064881	rs329468	rs329468	SG05S896	A/G
170065075	KCP_207965		SG05S170	C/T
170068635	KCP_211525		SG05S173	A/G
170068960	KCP_211850	rs329470	SG05S185	C/T
170069885	KCP_212775	rs4349730	SG05S186	A/G
<b>170070041</b>	<b>rs50057</b>	<b>rs50057</b>	<b>SG05S1270</b>	<b>A/G</b>



170073252	rs50364	rs50364	DG00AAFC	A/G
170078909	KCP_221799	rs7733559	DG00AAJHJ	A/T
170080678	KCP_223568		SG05S917	G/T
<b>170081292</b>	<b>KCP_1152</b>		<b>SG05S176</b>	<b>C/T</b>
170081473	KCP_1333		SG05S921	A/G
170082330	KCP_225220		SG05S177	A/G
<b>170082789</b>	<b>KCP_2649</b>		<b>SG05S923</b>	<b>C/T</b>
170084981	KCP_227871		SG05S178	C/G
170085097	KCP_227987	rs2277951	SG05S483	C/T
170085115	KCP_4976		SG05S187	C/T
170085217	KCP_228107		SG05S179	A/T
170085217	KCP_5077		SG05S179	A/T
170089631	KCP_232521	rs1592987	SG05S1293	A/T
170090765	KCP_233655	rs2032863	SG05S989	A/G
170094615	KCP_237505	rs4867628	SG05S188	C/T
<b>170095540</b>	<b>KCP_15400</b>		<b>SG05S946</b>	<b>C/T</b>
170095701	KCP_238591		SG05S180	C/T
<b>170096292</b>	<b>KCP_16152</b>	<b>rs4868018</b>	<b>SG05S948</b>	<b>A/G</b>
<b>170098209</b>	<b>KCP_241099</b>	<b>rs1363712</b>	<b>SG05S189</b>	<b>C/T</b>
170098209	KCP_18069	rs1363712	SG05S189	C/T
170098637	KCP_241527	rs1363713	SG05S190	G/T
170098914	KCP_241804	rs1055381	SG05S191	C/T
170105556	D5S625			
170167429	DG5S959			
<b>170361737</b>	<b>rs1551583</b>	<b>rs1551583</b>	<b>SG05S1619</b>	<b>C/G</b>
170389497	rs1457692	rs1457692	SG05S1618	A/G

- In order to define SNP-only haplotypes, 66 SNPs (**Bold** entries in Tables 12 and 13) were further genotyped totalling 948 diabetic patients (538 with BMI<30; 410 with BMI>=30) and 570 controls across 600kb of KChIP1, of which 58 were concentrated in the 231kb region encompassing exon 1b, the large intron (where Hap D1 resides) through to exon 8. The most significant 7-SNP haplotype (Hap E– see Table 14) observed in non-obese T2D ( $p = 1.33 \times 10^{-6}$ ) is significantly correlated with D1 ( $D' = 0.76$  between Hap D1 and Hap E) and captures approximately 75% of the chromosomes that carry Hap D1. The relative risk of this 280kb haplotype for all diabetes patients is 1.77, with a carrier frequency of 40%.
- Hap E can be made more specific by adding more SNPs, e.g. by adding DG00AAJEH, the relative risk increases to 2.28 in all diabetic patients vs controls. This variant of Hap E, which we denote Hap E', has a carrier frequency of 20.1% in all diabetes patients and population attributable risk (PAR) = 12.3%

15

Table 14: Alleles contained within Hap E and Hap E'

Haplotype	Length (kb)										
Hap E	280	G rs1032856	G KCP rs888934	T KCP 93545	C KCP 102882	G KCP 169234	G KCP 186048			A KCP 16152	
Hap E'	280	G rs1032856	G KCP rs888934	T KCP 93545	C KCP 102882	G KCP 169234	G KCP 186048	C KCP 197775		A KCP 16152	

20 Table 15: Association analysis of HapE and HapE' in type 2 diabetes.

HapE	p-val	r	#aff	aff.freq	aff.freq (carr)	#con	con.freq	con.freq (carr)	info
T2D BMI<30	1.33E-06	1.929	525	0.2549	0.379841195	527	0.1506	0.255828099	0.654
T2D BMI>30	0.015813	1.451	387	0.1959	0.315039082	527	0.1437	0.24617045	0.670
T2D All	5.04E-06	1.769	912	0.2270	0.350961655	527	0.1424	0.244220163	0.661
T2D Males	1.56E-05	1.831	526	0.2337	0.358157968	527	0.1428	0.244772025	0.650
T2D Females	0.001484	1.623	386	0.2187	0.34178225	527	0.1471	0.250938707	0.651

HapE'	p-val	r	#aff	aff.freq	aff.freq (carr)	#con	con.freq	con.freq (carr)	info
T2D BMI<30	0.000185	2.248	518	0.1229	0.215573079	453	0.0587	0.110434655	0.571
T2D BMI>30	0.015423	1.896	379	0.0966	0.174484759	453	0.0534	0.101016667	0.517
T2D All	0.000105	2.279	897	0.1130	0.20051463	453	0.0530	0.100301178	0.535
T2D Males	0.000551	2.243	517	0.1098	0.195525378	453	0.0521	0.098826539	0.545
T2D Females	0.004482	1.976	380	0.1101	0.195946622	453	0.0589	0.110893515	0.564

The teachings of all publications cited herein are incorporated herein by reference in their entirety. While this invention has been particularly shown and described with references to preferred embodiments thereof, it will be understood by  
5 those skilled in the art that various changes in form and details may be made therein without departing from the scope of the invention encompassed by the appended claims.